



ZYRTEC
Cetirizine HCl ALLERGY
tablets
5 mg/antihistamine

Indoor & Outdoor Allergies

24 Hour relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

5 mg Strength

1 TABLET

Active Ingredient (in each tablet)	Purpose
Cetirizine HCl 5 mg	Antihistamine

Use temporarily to relieve these symptoms due to hay fever or other upper respiratory allergies: sneezing, runny nose, watery eyes, itching of the nose or throat.

Warnings: Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

To Open: While Folded on Line, Tear at Slit

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product, drowsiness may occur. Avoid alcoholic drinks, alcohol, sedatives, and tranquilizers may increase drowsiness. Be careful when driving a motor vehicle or operating machinery. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, all breast-feeding not recommended. If pregnant, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-322-1222). Drowsiness: Adults and children 6 years and over: 1 tablet (5 mg) or 2 tablets (10 mg) once daily depending upon severity of symptoms; do not take more than 2 tablets (10mg) in 24 hours. Adults 65 years and over: 1 tablet (5 mg) once daily; do not take more than 1 tablet (5 mg) in 24 hours. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease ask a doctor. Other information: Store between 20-25°C (68-77°F). Do not use if pouch is torn or damaged. Meets USP Dissolution Test 2. Inactive ingredients: colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide. Questions? Call 1-800-343-7865 (talk-free) or 215-473-4795 (collect). Active ingredient made in Switzerland. Distributed by: KENWU BRANDS LLC Summit, NJ 07901 Pat. www.kenwubrand.com © Kenwu Brands LLC 2015 0000000

LOT: XXXXXXXX

EXP: YYY/NN

GO PACKS

14 Portable Pouches
One 10 mg tablet per pouch



Original Prescription Strength

ZYRTEC®

Cetirizine HCl tablets ALLERGY
10 mg/antihistamine

NDC 50580-728-87

Indoor & Outdoor Allergies
10 mg Strength
14 Tablets

24 Hour relief of



14 Tablets
10 mg each



14 Tablets



Drug Facts (continued)
Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away. (1-800-222-1222)

Directions
Adults and children 6 years and over: Take one 10 mg tablet once daily. Do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

Adults 65 years and over: ask a doctor

Children under 6 years of age: ask a doctor

Children 6 to 11 years of age: ask a doctor

Other information
Store between 20° to 25°C (68° to 77°F). See USP Controlled Room Temperature. Excipients include: croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide, triethylamine citrate, and xanthan gum. See other important information below.

Questions? Call 1-800-343-7805 (Toll-free) or 215-273-8755 (local).

Drug Facts
Important: Read all product information before using. Keep this box for important information.

Active ingredient (in each tablet)
Cetirizine HCl 10 mg

Purpose
Cetirizine HCl 10 mg tablets relieve sneezing, runny nose, itchy throat, nose, or throat.

Uses
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: sneezing, runny nose, itchy throat, nose, or throat.

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing diphenhydramine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product: avoid alcohol, avoid acidic drinks, avoid caffeine, and avoid other products that may increase drowsiness. Be careful when driving a motor vehicle or operating machinery.

Stop use and ask a doctor if a severe reaction to this product occurs. Seek medical attention if you experience dizziness, fainting, or severe drowsiness.

If pregnant or breastfeeding: If breast-feeding: not recommended. If pregnant: ask a health professional before use.



Active ingredient made in Switzerland.
Distributed by: KENVUE BRANDS, LLC, Summit, NJ 07901
© Kenvue Brands, LLC 2025 www.zyrtec.com
The trade dress of this Zyrtec® package is subject to trademark protection.
Pat. www.kenvuebrands.com
00000000

LOT: XXXXXXXXX
EXP: YYMM/AAAA
000000000000



ZYRTEC[®]
Cetirizine HCl **ALLERGY**
tablets
10 mg /antihistamine

10 mg
Strength

Indoor &
Outdoor
Allergies

24
Hour
relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

1 TABLET

Active ingredient (in each tablet) Purpose
Cetirizine HCl 10 mg Antihistamine
Use temporarily relieve these symptoms due to hay fever or
other upper respiratory allergies: • runny nose • sneezing
• itchy, watery eyes • itching of the nose or throat
Warnings: Do not use if you have ever had an allergic reaction to
this product or any of its ingredients or to an antihistamine
containing hydroxyzine.

To Open: While Folded on Line, Tear at Slit 

Ask a doctor before use if you have liver or kidney
disease. Your doctor should determine if you need a different
dose. Ask a doctor or pharmacist before use if you are taking
tranquilizers or sedatives. When using this product, drowsiness
may occur. Avoid alcoholic drinks, alcohol, sedatives, and
tranquilizers may increase drowsiness. Be careful when driving a
motor vehicle or operating machinery. Stop use and ask a doctor if
an allergic reaction to this product occurs. Seek medical help right
away. If pregnant or breast-feeding, or if breast-feeding not
recommended, or if pregnant, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help
or contact a Poison Control Center right away. (1-800-222-1222).

Directions: Adults and children 6 years and over: one 10 mg tablet
once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg
product may be appropriate for less severe symptoms. Adults 65
years and over: ask a doctor. Children under 6 years of age: ask a
doctor. Consumers with liver or kidney disease: ask a doctor
first. **Information:** Store between 20°-25° (68°-77°) and do not
use if pouch is torn or damaged, or meets USP Dissolution Test 2.
Inactive ingredients: colloidal silicon dioxide, croscarmellose
sodium, hypromellose, lactose monohydrate, magnesium stearate,
microcrystalline cellulose, polyethylene glycol, titanium dioxide.
Questions? call 1-800-343-7805 (toll-free) or 1-856-273-8755 (collect).
Active ingredient made in Switzerland.
Distributed by: KENVUE BRANDS LLC Summit, NJ 07901
Pat. www.kenvuepets.com
© Kenvue Brands LLC 2025 3069604

LOT: 00000000

EXP: YYY/MMM

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

MARTHA K LENHART
03/25/2025 08:54:20 AM
Signing on behalf of Nushin Todd