





NOTES:

- 1) DRAWING SHOWN PRINT SIDE UP.
- 2) DIMENSIONS ARE IN INCHES.
- 3) TOLERANCE UNLESS OTHERWISE SPECIFIED: ±1/32
- 4)  GLUE AREA.
- 5)  LOT/EXP AREA.
- 6)  UPC AREA.
- 7) ---- LIMIT OF COPY AREA.
- 8) REFERENCE ROCK-TENN DESIGN #FHO-08-02948.

				DWG. NO. FC-C-1168	 Consumer Healthcare 7050 Camp Hill Road, Fort Washington, PA 19034 TITLE: CARTON 75cc PUSH & TURN
				DRAWN (b) (4)	
				SCALE: NONE	
				DATE: 11/7/08	
(b) (4)	1	11/7/08	INITIAL DRAFT	APPROVED:	
INIT.	NO.	DATE	REVISIONS		



Labeling Format Information: Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts: 8.50 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 85%
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 2.50 pt	Average Kerning: 0
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	





 Submission Artwork


(b) (4)

(b) (4)



NOTES:

- 1) DRAWING SHOWN PRINT SIDE UP.
- 2) DIMENSIONS ARE IN INCHES.
- 3) TOLERANCE UNLESS OTHERWISE SPECIFIED: ±1/32
- 4)  GLUE AREA.
- 5)  LOT/EXP AREA.
- 6)  UPC AREA.
- 7)  LIMIT OF COPY AREA.
- 8) REFERENCE ROCK-TENN DESIGN #FHD-08-02948.

				DWG. NO. FC-C-1168	 Consumer Healthcare 7050 Camp Hill Road, Fort Washington, PA 19034
				(b) (4)	
				SCALE: NONE	TITLE: CARTON
(b) (4)	1	11/7/08	INITIAL DRAFT	DATE: 11/7/08	75cc PUSH & TURN
INIT.	NO.	DATE	REVISIONS	APPROVED:	







Labeling Format Information: Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic


Drug Facts: 8.50 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 85%
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 2.50 pt	
Subheaders: 6.00 pt	Drug Facts (cotinued): 8.00 pt	Hairlines: 0.50 pt	Average Kerning: 0

 Submission Artwork

(b) (4)

NOTES:

1. ALL DIMENSIONS ARE IN INCHES
2. BASED ON DSG IVERS-LEE DRAWING #: 87806.
3.  SEAL AREA, NO PRINT
4.  SLIT
5.  LOT/EXP CODING AREA, NO VARNISH, NO PRINT.
6.  EYEMARK
7. \*FRONT\* USE STANDARD UNWIND #1.
8. \*BACK\* USE STANDARD UNWIND #1.
9. \* .025 OF SCRAP ON OUTER WALLS OF POUCH.

			DWG. NO. UNWIND-191		 Consumer Healthcare Camp Hill Road, Fort Washington, PA 19034
			DRAWN: (b) (4)		
(b) (4)	3	7/22/08	PROPERTIES PAGE UPDATED	PLT:	NONE
	2	11/30/06	UPDATED TO ACCOUNT FOR SCRAP	SCALE:	
	1	11/2/06	UPDATED VIEWS AND NOTES	DATE:	6/20/06
INIT:	NO.	DATE	REVISIONS	APPROVED:	



150% ACTUAL SIZE FOR REVIEW ONLY






Labeling Format Information: Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic					
Drug Facts: NA	pt	Body Text: 5.00	pt	Bullets: 4.00	pt
Headers: 6.00	pt	Leading: 5.75	pt	Barlines: NA	pt
Subheaders: 5.00	pt	Drug Facts (continued): NA	pt	Hairlines: NA	pt
			Horizontal Scale: 85%		
			Average Kerning: 0		

 Submission Artwork

(b) (4)

NOTES:

- 1) ALL DIMENSIONS IN INCHES.
- 2) TOLERANCES UNLESS SPECIFIED:  
FRACTIONS ±1/64
- 3) DRAWING SHOWN PRINT SIDE UP
- 4) — NO PRINT AREA
- 5)  LOT & EXP. DATE AREA (NO COLOR, NO COPY)
- 6)  VERIFICATION BARCODE AREA (NO COLOR, NO COPY)

(b) (4)	6	6/1/09	UPDATED NOTES	DRUG NO.	L.B.L. 47	 <b>McNEIL</b> CONSUMER PRODUCTS CO. CAMP HILL ROAD, FORT WASHINGTON, PA, 19034 TITLE: HA LABEL 5.00 L X 1.75 W
	5	1/8/07	CHANGED ARTWORK FROM "CONTROL" TO "LOT"	BRAND:	(b) (4)	
	4	7/18/97	ADDED DIV INFO	PLAT:	1:1	
	3	3-15-94	ADDED "EXP. DATE" TEXT	SCALE:	1:1	
	2	5-6-92	REDRAWN ON NEW FORMAT	DATE:	1-8-90	
	1	2-9-90	DIMENSION CHANGE			
DWT. NO. DATE			REVISIONS			

150% ACTUAL SIZE FOR REVIEW ONLY









**Labeling Format Information:** Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts: NA pt	Body Text: 4.50 pt	Bullets: 3.50 pt	Horizontal Scale: 75%
Headers: 4.50 pt	Leading: 5.00 pt	Barlines: NA pt	Average Kerning: 0
Subheaders: 4.50 pt	Drug Facts (continued): NA pt	Hairlines: NA pt	

 **Submission Artwork**

(b) (4)


NOTES:

- 1) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.
- 2)  COPY AREA.
- 3)  LAMINATE RE-SEAL AREA
- 4)  LOT/EXP AREA - FLEXO LASER VARNISH PLATE NEEDED.
- 5)  DATA MATRIX AREA.
- 6)  NO COPY, NO COLOR AREA.
- 7)  INDICATES DEADENER, PRINTED ON ADHESIVE SIDE & TINTED THE SAME COLOR AS THE TAB. THIS TAKES UP ONE OF THE COLORS ON THE BASE LABEL.
- 8) REFERENCE NATIONAL LABEL DRAWING #6-07-5C.

				DWG. NO.	<b>McNeil</b> Consumer Healthcare 7050 Camp Hill Road, Fort Washington, PA 19034
				LB-PS-1206	
				DRAWN:	(b) (4)
				SCALE:	NONE
				DATE:	7/14/09
				APPROVED:	
(b) (4)	1	7/14/05	INITIAL DRAFT		
INIT.	NO.	DATE	REVISIONS		
TITLE: <b>BOOKLET</b> TYLENOL ARTHRITIS 150cc					

<p><b>Drug Facts (continued)</b></p> <p><b>Warnings</b> Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take</p> <ul style="list-style-type: none"> <li>■ more than 6 caplets in 24 hours, which is the maximum daily amount</li> <li>■ with other drugs containing acetaminophen</li> <li>■ 3 or more alcoholic drinks every day while using this product</li> </ul> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.</li> <li>■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.</li> </ul> <p><b>Ask a doctor before use if you have liver disease</b></p> <p><b>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin</b></p>	<p><b>Drug Facts (continued)</b></p> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ pain gets worse or lasts more than 10 days</li> <li>■ fever gets worse or lasts more than 3 days</li> <li>■ new symptoms occur</li> <li>■ redness or swelling is present</li> </ul> <p>These could be signs of a serious condition.</p> <p><b>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.</b></p> <p><b>Overdose warning:</b> In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>
---	--

BACK OF COVER, PAGE 2

<p><b>Drug Facts (continued)</b></p> <p><b>Directions</b></p> <p>do not take more than directed (see overdose warning)</p> <p>adults</p> <ul style="list-style-type: none"> <li>■ take 2 caplets every 8 hours with water</li> <li>■ swallow whole - do not crush, chew, split or dissolve</li> <li>■ do not take more than 6 caplets in 24 hours</li> <li>■ do not use for more than 10 days unless directed by a doctor</li> </ul> <p>under 18 years of age</p> <ul style="list-style-type: none"> <li>■ ask a doctor</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store at 20-25°C (68-77°F). Avoid excessive heat 40°C (104°F).</li> <li>■ do not use if neck wrap or foil inner seal imprinted with "SAFETY SEAL" is broken</li> <li>■ see end panel for lot number and expiration date</li> </ul>	<p><b>Drug Facts (continued)</b></p> <p><b>Inactive ingredients</b> carnauba wax, corn starch, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, powdered cellulose, pregelatinized starch, sodium starch glycolate, titanium dioxide, triacetin</p> <p><b>Questions or comments? call 1-877-895-3665</b></p> <p><b>McNeil</b></p> <p>Manufactured by: McNeil Healthcare LLC LAS PIEDRAS, PUERTO RICO 00771 For: McNeil Consumer Healthcare DIVISION OF MCNEIL-PPC, INC. FORT WASHINGTON, PA 19034 USA ©MCN-PPC, INC. 2011</p>	
--	--	---

BASE LABEL, PAGE 3

<p>See New Warnings Information NDC 50580-112-XX</p> <p><b>TYLENOL</b></p> <p><b>ARTHRITIS PAIN</b></p> <p>Acetaminophen extended-release tablets Pain Reliever/Fever Reducer</p> <p>For The Temporary Relief Of Minor Arthritis Pain</p> <p>100 CAPLETS 650 mg each</p> <p>Caplets</p> <p>*Capsule-Shaped Bi Layer Tablets</p> <p>Contains No Aspirin</p> <p>Manufactured by: McNeil Healthcare LLC LAS PIEDRAS, PUERTO RICO 00771</p> <p>For: McNeil Consumer Healthcare DIVISION OF MCNEIL-PPC, INC. FORT WASHINGTON, PA 19034 USA ©MCN-PPC, INC. 2011</p>	<p><b>OPEN TO READ DIRECTIONS AND ADDITIONAL DRUG FACTS INFORMATION</b></p> <p>Do not use if neck wrap or foil inner seal imprinted with "Safety Seal" is broken.</p> <p>3 0045-0838-216</p> <p><b>Drug Facts</b></p> <p><b>Active ingredient (in each caplet) Purpose</b> Acetaminophen 650 mg... Pain reliever/fever reducer</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>■ temporarily relieves minor aches and pains due to:</li> <li>■ minor pain of arthritis    ■ muscular aches</li> <li>■ backache</li> <li>■ premenstrual and menstrual cramps</li> <li>■ the common cold    ■ headache</li> <li>■ toothache</li> <li>■ temporarily reduces fever</li> </ul>
---	---





COVER PAGE 1


<b>Labeling Format Information:</b> Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic				
Drug Facts: 10.0 pt	Body Text: 7.00 pt	Bullets: 6.00 pt	Horizontal Scale: 90%	
Headers: 8.00 pt	Leading: 7.50 pt	Barlines: 2.50 pt		
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	Average Kerning: 0	


**McNeil** Submission Artwork

(b) (4)


NOTES:

1. ALL DIMENSIONS ARE IN INCHES
2.  SEAL AREA, NO PRINT.
3.  SLIT
4.  LOT/EXP CODING AREA. NO VARNISH, NO PRINT.
5.  EYEMARK
6. "FRONT" USE STANDARD UNWIND #1.
7. "BACK" USE STANDARD UNWIND #1.

				DWG. NO. <b>UNWIND-198</b>	 McNeil Consumer Healthcare Camp Hill Road, Fort Washington, PA 19034
				DRAWN : (b) (4) PLOT : NONE SCALE : NONE DATE : 12/20/06	
(b) (4)	1	4/19/07	CHANGED O.D. ON ROLL TO 12"	APPROVED :	TITLE: <b>POUCH MATERIAL                  WEB LAYOUT</b> 2.750 L x 2.3125 W
INIT.	NO.	DATE	REVISIONS	APPROVED	



150% ACTUAL SIZE FOR REVIEW ONLY





Labeling Format Information: Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts: NA pt	Body Text: 5.00 pt	Bullets: 4.00 pt	Horizontal Scale: 75%
Headers: 5.00 pt	Leading: 5.75 pt	Barlines: NA pt	
Subheaders: 5.00 pt	Drug Facts (continued): NA pt	Hairlines: NA pt	Average Kerning: 0

 Submission Artwork

(b) (4)

NOTES:

- 1) ALL DIMENSIONS IN INCHES.
- 2) TOLERANCES UNLESS SPECIFIED: FRACTIONS ±1/64
- 3) DRAWING SHOWN PRINT SIDE UP
- 4) --- NO PRINT AREA
- 5)  LOT & EXP. DATE AREA (NO COLOR, NO COPY)
- 6)  VERIFICATION BARCODE AREA (NO COLOR, NO COPY)

				IMG. NO.	McNEIL
				LBL 47	CONSUMER PRODUCTS CO.
				DRAWN: (b) (4)	CAMP HILL ROAD, FORT WASHINGTON, PA 19034
				PLDT: 1:1	TITLE
				SCALE: 1:1	HA LABEL
				DATE: 1-8-97	5.00 L X 1.75 W
INIT.	NO.	DATE	REVISIONS		
(b) (4)	5	1/8/97	CHANGED ARTWORK FROM "CONTROL" TO "LOT"		
	4	7/18/97	ADDED DV INFO		
	3	3-15-94	ADDED "EXP. DATE" TEXT		
	2	9-6-92	REDRAN ON NEW FORMAT		
	1	2-9-92	DIMENSION CHANGE		



**Active ingredient (in each caplet)**  
Acetaminophen 650 mg. Pain reliever/fever reducer

**Purpose**  
Temporarily relieves minor aches and pains due to:  
 ■ muscular aches ■ backache  
 ■ headache ■ minor pain of arthritis  
 ■ temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take more than 6 caplets in 24 hours, which is the maximum daily amount, or with other drugs containing acetaminophen. Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. If you are allergic to acetaminophen or any of the inactive ingredients in this product, ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use and ask a doctor if pain gets worse or lasts more than 10 days, fever gets worse or lasts more than 3 days, new symptoms occur, or redness or swelling is present. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. **Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. **Directions** do not take more than directed (see overdose warning)  
**Adults and children 12 years and over:**  
 ■ take 2 caplets every 8 hours with water  
 ■ swallow whole - do not crush, chew, split or dissolve  
 ■ do not take more than 6 caplets in 24 hours  
 ■ do not use for more than 10 days unless directed by a doctor  
**Children under 12 years:** do not use  
**Other information** ■ store at 20-25°C (68-77°F). Avoid excessive heat 40°C (104°F).  
 ■ do not use if neck wrap or foil inner seal imprinted with "SAFETY SEAL®" is broken  
**Inactive ingredients** camauha wax, corn starch, FD&C red #40, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, powdered cellulose, pregelatinized starch, sodium starch glycolate, sucralose, triacetin  
 Questions or comments? call 1-877-895-3665

**TYLENOL® 8HR**  
Acetaminophen extended-release tablets  
Pain Reliever / Fever Reducer


**FOR UP TO 8 HOUR RELIEF OF MINOR MUSCLE ACHES & PAIN**  
HEADACHE | BACKACHE | MINOR PAIN OF ARTHRITIS

50 CAPLETS 650 MG EACH

CAPLETS\*  
\* Capsule-Shaped Bi-Layer Tablets

McNEIL-PPC, INC., FORT WASHINGTON, PA 19034  
© McNEIL-PPC, INC., 2017 [www.tylenol.com](http://www.tylenol.com)  
EXP. DATE: XXXXXXXX  
LOT: XXXXXXXX

150% ACTUAL SIZE FOR REVIEW ONLY



00000000






**Labeling Format Information:** Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts: NA pt	Body Text: 4.50 pt	Bullets: 3.50 pt	Horizontal Scale: 80%
Headers: 4.50 pt	Leading: 5.00 pt	Barlines: NA pt	
Subheaders: 4.50 pt	Drug Facts (continued): NA pt	Hairlines: NA pt	Average Kerning: 0

**McNeil** Submission Artwork

(b) (4)

NOTES:

- 1) DIMENSIONS ARE IN INCHES.
- 2) TOLERANCE UNLESS OTHERWISE SPECIFIED:  
FRACTIONS ±1/32, ANGLES ±1°
- 3) DRAWING SHOWN PRINT SIDE UP.
- 4) REFERENCE NEFF PACKAGING DRAWING #5736.2
- 5)  GLUE AREA IS ON NON-PRINTED SIDE.
- 6)  LOT/EXP AREA, NO VARNISH.
- 7)  VERIFICATION BARCODE AREA, NO VARNISH.

		DWG. NO.		FC-C-1173	
		DRAWN		(b) (4)	
		SCALE		NONE	
		DATE		11/24/08	
		APPROVED			
(b) (4)	2	12/3/08	CHANGED NOTE 5		
	1	11/24/08	INITIAL DRAFT		
INIT.	NO.	DATE	REVISIONS	APPROVED	

**McNeil**  
Consumer Healthcare  
7050 Camp Hill Road, Fort Washington, PA 19094  
TITLE  
CARTON





**Labeling Format Information:** Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts: 8.50 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 75%
Headers: 7.00 pt	Leading: 6.50 pt	Barlines: 2.50 pt	Average Kerning: 0
Subheaders: 6.00 pt	Drug Facts (cotinued): 7.00 pt	Hairlines: 0.50 pt	

**McNeil** Submission Artwork


(b) (4)

NOTES:

- 1) ALL DIMENSIONS IN INCHES.
- 2) TOLERANCES UNLESS SPECIFIED: FRACTIONS ±1/64
- 3) DRAWING SHOWN PRINT SIDE UP
- 4) --- NO PRINT AREA
- 5)  LOT & EXP. DATE AREA (NO COLOR, NO COPY)
- 6)  VERIFICATION BARCODE AREA (NO COLOR, NO COPY)

INIT.	NO.	DATE	REVISIONS	DWG. NO.	DATE
(b) (4)	6	6/1/09	UPDATED NOTES	L.B.L.47	
	5	1/8/07	CHANGED ARTWORK FROM "CONTROL" TO "LOT"		
	4	7/18/97	ADDED DV INFO		
	3	9-15-94	ADDED "EXP. DATE" TEXT		
	2	5-6-92	REDRAWN ON NEW FORMAT		
	1	2-9-90	DIMENSION CHANGE		


DRAWN: (b) (4)		 <b>McNEIL</b> CONSUMER PRODUCTS CO. CAMP HILL ROAD, FORT WASHINGTON, PA. 19034 TITLE: HA LABEL 5.00 L X 1.75 W
PLOT: 1:1		
DATE: 1-8-90		

**Active ingredient (in each gelcap)**  
Acetaminophen 650 mg. **Pain reliever/fever reducer**

**Uses** ■ temporarily relieves minor aches and pains due to: ■ minor pain of arthritis ■ muscular aches ■ backache ■ premenstrual and menstrual cramps ■ the common cold ■ headache ■ toothache ■ temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 6 gelcaps in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product  
 Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you have difficulty swallowing large tablets or capsules. People over 65 may have difficulty swallowing these tablets.  
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. **Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use and ask a doctor if ■ the tablet got stuck in your throat ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present.** These could be signs of a serious condition.

**READ THE LABEL**



If pregnant or breast-feeding, ask a health professional before use. Keep out of the reach of children. **Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than directed (see overdose warning). ■ Adults: ■ take 2 gelcaps every 8 hours. Swallow only one gelcap at a time. ■ take a sip of water before swallowing each gelcap and wash each gelcap down with water (up to a full 8 oz glass) ■ swallow whole - do not crush, chew, split or dissolve ■ do not take more than 6 gelcaps in 24 hours ■ do not use for more than 10 days unless directed by a doctor. Under 18 years of age: ■ ask a doctor

**Other information** ■ store at 20-25°C (68-77°F). Avoid high humidity. ■ do not use if neck wrap or foil inner seal imprinted with "SAFETY SEAL®" is broken

**Inactive ingredients** benzyl alcohol, butylparaben, castor oil, corn starch, edetate calcium disodium, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, gelatin, hydroxyethyl cellulose, hypromellose, magnesium stearate, methylparaben, microcrystalline cellulose, povidone, powdered cellulose, pregelatinized starch, propylene glycol, propylparaben, she lac, sodium lauryl sulfate, sodium propionate, sodium starch glycolate, titanium dioxide

Questions or comments? call 1-877-895-3665 [0000000]

150% ACTUAL SIZE FOR REVIEW



**Active ingredient (in each gelcap)**  
Acetaminophen 650 mg. **Pain reliever/fever reducer**

**Uses** ■ temporarily relieves minor aches and pains due to: ■ minor pain of arthritis ■ muscular aches ■ backache ■ premenstrual and menstrual cramps ■ the common cold ■ headache ■ toothache ■ temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 6 gelcaps in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product  
 Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you have difficulty swallowing large tablets or capsules. People over 65 may have difficulty swallowing these tablets.  
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. **Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use and ask a doctor if ■ the tablet got stuck in your throat ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present.** These could be signs of a serious condition.

**READ THE LABEL**



If pregnant or breast-feeding, ask a health professional before use. Keep out of the reach of children. **Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than directed (see overdose warning). ■ Adults: ■ take 2 gelcaps every 8 hours. Swallow only one gelcap at a time. ■ take a sip of water before swallowing each gelcap and wash each gelcap down with water (up to a full 8 oz glass) ■ swallow whole - do not crush, chew, split or dissolve ■ do not take more than 6 gelcaps in 24 hours ■ do not use for more than 10 days unless directed by a doctor. Under 18 years of age: ■ ask a doctor

**Other information** ■ store at 20-25°C (68-77°F). Avoid high humidity. ■ do not use if neck wrap or foil inner seal imprinted with "SAFETY SEAL®" is broken

**Inactive ingredients** benzyl alcohol, butylparaben, castor oil, corn starch, edetate calcium disodium, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, gelatin, hydroxyethyl cellulose, hypromellose, magnesium stearate, methylparaben, microcrystalline cellulose, povidone, powdered cellulose, pregelatinized starch, propylene glycol, propylparaben, she lac, sodium lauryl sulfate, sodium propionate, sodium starch glycolate, titanium dioxide

Questions or comments? call 1-877-895-3665 [0000000]

**Labeling Format Information:** Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts: NA pt	Body Text: 4.50 pt	Bullets: 3.50 pt	Horizontal Scale: 75%
Headers: 4.50 pt	Leading: 5.00 pt	Barlines: NA pt	Average Kerning: 0
Subheaders: 4.50 pt	Drug Facts (continued): NA pt	Hairlines: NA pt	

**McNeil Submission Artwork**

(b) (4)

---

**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**

---

/s/

---

ANDREA LEONARD SEGAL  
12/23/2011