


**1. Chlorhexidine Gluconate Solution, 0.75% (Product Code: 413) – 4 fl. oz. White Round Bottle, HDPE; SAMPLE REFERENCE LABEL**



**Drug Facts (continued)**  
If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs.** These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

**Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

**Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients**  
citric acid, cocamide DEA, FD&C yellow #5, FD&C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride

**Questions or comments?**  
call 1-800-581-2528, 24 hours a day, 7 days a week

Bajaj Medical, LLC  
Chicago, IL 60609

Dimensions: 1.9375" (top section), 1.9375" (middle section), 2" (bottom section), 2.125" (width)

Bajaj Medical, LLC.  
 DYNA-HEX® (CHG) Solution, 0.75%

NDA #: 020111  
 Sequence #0038

**3. Chlorhexidine Gluconate Solution, 0.75% (Product Code: 413) – 8 fl. oz.  
 White Round Bottle, HDPE; SAMPLE REFERENCE LABEL**

<p><b>DYNA-HEX<sup>TM</sup> 0.75</b>                  Chlorhexidine Gluconate                  0.75% Solution</p> <p><b>0.75%                  ANTISEPTIC</b></p> <p><b>FOR EXTERNAL                  USE ONLY</b></p> <p><a href="http://www.ScrubCHG.com">www.ScrubCHG.com</a></p> <p><b>8 fl oz (236 mL)</b></p> <p>NDC 61037-413-02</p> <p></p>		<p><b>Drug Facts</b></p> <p><b>Active ingredient</b>                  Chlorhexidine gluconate solution, 0.75%.....Antiseptic</p> <p><b>Purpose</b>                  Antiseptic</p> <p><b>Use</b>                  healthcare personnel handwash: helps reduce bacteria that potentially can cause disease</p> <p><b>Warnings</b>                  For external use only</p> <p><b>Allergy alert</b>                  This product may cause a severe allergic reaction. Symptoms may include:                  ■ wheezing/difficulty breathing ■ hives ■ shock                  ■ facial swelling ■ rash                  If an allergic reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b>                  ■ if you are allergic to chlorhexidine gluconate or any other ingredient in this product</p> <p><b>When using this product</b>                  ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.                  ■ if solution should contact these areas, rinse out promptly and thoroughly with water</p>		<p><b>Drug Facts (continued)</b>                  ■ do not use routinely if you have wounds which involve more than the superficial layers of the skin  <b>Stop use and ask a doctor</b> if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.  <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b>                  ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.  <b>Healthcare personnel handwash:</b>                  ■ wet hands with water                  ■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds                  ■ rinse and dry thoroughly</p> <p><b>Other information</b>                  ■ store at 20-25°C (68-77°F)                  ■ avoid excessive heat above 40°C (104°F)</p> <p><b>Inactive ingredients</b>                  citric acid, cocamide DEA, FD&amp;C yellow #5, FD&amp;C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, nicotoleamidopropyl trimethyl ammonium chloride</p> <p><b>Questions or comments?</b>                  call 1-800-581-2528, 24 hours a day, 7 days a week</p>		<p>3                  61037                  41302                  8</p> <p>Bajaj Medical, LLC                  Chicago, IL 60609</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--------------------------------------------------------------------------------------------------------------------------------------------------------

Bajaj Medical, LLC.  
 DYNA-HEX® (CHG) Solution, 0.75%

NDA #: 020111  
 Sequence #0038

**5. Chlorhexidine Gluconate Solution, 0.75% (Product Code: 413) – 16 fl. oz. White Round Bottle, HDPE; SAMPLE REFERENCE LABEL**

<p><b>DYNA-HEX<sup>TM</sup> 0.75</b>                  Chlorhexidine Gluconate 0.75% Solution</p> <p><b>0.75% ANTISEPTIC</b></p> <p>FOR EXTERNAL USE ONLY</p> <p><a href="http://www.ScrubCHG.com">www.ScrubCHG.com</a></p> <p>16 fl oz (473 mL)</p> <p>NDC 61037-413-03</p> <p>MADE IN THE USA</p> <p>FDA APPROVED</p>		<p><b>Drug Facts</b></p> <p><b>Active ingredient</b> Chlorhexidine gluconate solution, 0.75%                  Purpose Antiseptic</p> <p><b>Use</b> healthcare personnel handwash; helps reduce bacteria that potentially can cause disease</p> <p><b>Warnings</b>                  For external use only                  Allergy alert                  This product may cause a severe allergic reaction. Symptoms may include:                  ■ wheezing/difficultly breathing                  ■ facial swelling                  ■ hives                  ■ shock                  ■ rash                  if an allergic reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b>                  ■ if you are allergic to chlorhexidine gluconate or any other ingredient in this product</p> <p><b>When using this product</b>                  ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.                  ■ if solution should contact these areas, rinse out promptly and thoroughly with water                  ■ do not use routinely if you have wounds which involve more than the superficial layers of the skin</p>	
<p><b>Drug Facts (continued)</b>                  Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.                  Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b>                  ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</p> <p><b>Healthcare personnel handwash:</b>                  ■ wet hands with water                  ■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds                  ■ rinse and dry thoroughly</p> <p><b>Other information</b>                  ■ store at 20-25°C (68-77°F)                  ■ avoid excessive heat above 40°C (104°F)</p> <p><b>Inactive ingredients</b>                  citric acid, cocamide DEA, FD&amp;C yellow #5, FD&amp;C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, rionoleamidopropyl trimethyl ammonium chloride</p> <p><b>Questions or comments?</b>                  call 1-800-581-2528, 24 hours a day, 7 days a week</p>		<p>Chicago, IL 60609                  Bajaj Medical, LLC</p> <p>3 61037 41303 5</p>	

Bajaj Medical, LLC.  
 DYNA-HEX® (CHG) Solution, 0.75%

NDA #: 020111  
 Sequence #0038

**7. Chlorhexidine Gluconate Solution, 0.75% (Product Code: 413) – 32 fl. oz. White Round Bottle, HDPE; SAMPLE REFERENCE LABEL**



61037 41304 2

Bajaj Medical, LLC  
 Chicago, IL 60609

<p><b>Drug Facts</b></p> <p><b>Active ingredient</b> Chlorhexidine gluconate solution, 0.75%  <b>Purpose</b> Antiseptic</p> <p><b>Use</b>              -healthcare personnel handwash: helps reduce bacteria that potentially can cause disease</p> <p><b>Warnings</b>              For external use only  <b>Allergy alert</b>              This product may cause a severe allergic reaction. Symptoms may include:              -wheezing/difficulty breathing              -facial swelling              -hives              -rash              -shock              If an allergic reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b>              -if you are allergic to chlorhexidine gluconate or any other ingredient in this product</p> <p><b>When using this product</b>              -keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.              -if solution should contact these areas, rinse out promptly and thoroughly with water.              -do not use routinely if you have wounds which involve more than the superficial layers of the skin</p>	<p><b>Drug Facts (continued)</b>              Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.  <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b>              -use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</p> <p><b>Healthcare personnel handwash:</b>              -wet hands with water              -dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds              -rinse and dry thoroughly</p> <p><b>Other information</b>              -store at 20-25°C (68-77°F)              -avoid excessive heat above 40°C (104°F)</p> <p><b>Inactive ingredients</b>              citric acid, cocamide DEA, FD&amp;C yellow #5, FD&amp;C red #4, fragrances, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride</p> <p><b>Questions or comments?</b>              call 1-800-581-2528. 24 hours a day, 7 days a week</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

NDC 61037-413-04




**Chlorhexidine Gluconate**  
 0.75% Solution

**0.75%**  
**ANTISEPTIC**

**FOR EXTERNAL USE ONLY**

[www.ScrubCHG.com](http://www.ScrubCHG.com)



FDA APPROVED

**32 fl oz (946 mL)**

Bajaj Medical, LLC.  
 DYNA-HEX® (CHG) Solution, 0.75%

NDA #: 020111  
 Sequence #0038

**9. Chlorhexidine Gluconate Solution, 0.75% (Product Code: 413) – 1 US Gallon White Round Bottle, HDPE; SAMPLE REFERENCE LABEL**



**DYNA-HEX<sup>TM</sup> 0.75**

Chlorhexidine Gluconate  
0.75% Solution



**0.75%  
ANTISEPTIC**

**FOR EXTERNAL  
USE ONLY**

[www.ScrubCHG.com](http://www.ScrubCHG.com)

**1 Gallon (3.78 L)**




NDC 61037-413-05

**Drug Facts**

**Active ingredient** Chlorhexidine gluconate solution, 0.75%  
**Purpose** Antiseptic

**Use** Healthcare personnel handwash: helps reduce bacteria that potentially can cause disease

**Warnings**  
 For external use only  
**Allergy alert**  
 This product may cause a severe allergic reaction. Symptoms may include:  
 ■ wheezing/difficulty breathing  
 ■ facial swelling  
 ■ hives  
 ■ rash  
 If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**  
 ■ if you are allergic to chlorhexidine gluconate or any other ingredient in this product

**When using this product**  
 ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.  
 ■ if solution should contact these areas, rinse out promptly and thoroughly with water.  
 ■ do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Drug Facts (continued)**  
 Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.  
**Healthcare personnel handwash:**  
 ■ wet hands with water  
 ■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds  
 ■ rinse and dry thoroughly

**Other information**  
 ■ store at 20-25°C (68-77°F)  
 ■ avoid excessive heat above 40°C (104°F)

**Inactive ingredients**  
 citric acid, cocamide DEA, FD&C yellow #5, FD&C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride

**Questions or comments?**  
 call 1-800-581-2828, 24 hours a day, 7 days a week



61037 41305 9

Bajaj Medical, LLC  
 Chicago, IL 60609