

200%



100%



Actual Size 100%

Do not use if foil seal on bottle opening is missing or broken. See Caution For Full Information Warnings. **Allergy alert:** Naproxen sodium may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include: hives, facial swelling, asthma (wheezing), shock, skin reddening, rash, or blisters. If an allergic reaction occurs, stop use and seek medical help right away. **Stomach bleeding warning:** This product contains a nonsteroidal anti-inflammatory drug (NSAID), which may cause severe stomach bleeding. The chance is higher if you: ● are age 60 or older ● have had stomach ulcers or bleeding problems ● take a blood thinning (anticoagulant) or steroid drug ● take

86812665

DO NOT TAKE WITH ALCOHOL

Other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ● have 3 or more alcoholic drinks every day while using this product ● take more or for a longer time than directed. **Heart attack and stroke warning:** NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed. Do not use if you have ever had an allergic reaction to any other pain reliever/fever reducer. **Ask a doctor or pharmacist before use if you are taking any other drug. Stop use and ask a doctor if you experience any of the following signs of stomach bleeding:** (red, faint, vomit, blood, have bloody or black stools, have stomach pain that does

not get better), have symptoms of heart problems or stroke (chest pain, trouble breathing, weakness in one part or side of body, slurred speech, leg swelling), or if pain or fever gets worse. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. **Directions:** Adults and children 12 years and older: take 1 tablet with water every 8 to 12 hours while symptoms last. For the first dose you may take 2 tablets within the first hour. Do not exceed 3 tablets in a 24-hour period. Children under 12 years: ask a doctor. **Questions or comments? 1-800-335-0689** (Mon-Fri 9AM - 5PM EST)
 Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981

Reference ID: 4605630

ICL (updated 2/27/19)		
CATEGORY	Bayer Standard	ACTUAL IN FILE
Drug Facts Title	>7 pt*	NA
Drug Facts Continued	7 pt*	NA
Headings	7 pt- bold italic *	4.5 pt
Subheadings	6 pt*	4.5 pt
Body Text	6 pt*	4.5 pt
Bullets	5 pt	8 pt
Hairlines	0.5 pt rule	NA
Barlines†	> 0.5 pt rule	NA
Characters per inch rule is not applicable to ICL. *ICL minimum font size is 4.5 pt. < 0.5 pt leading may be used as long as ascenders and descenders do not touch. † FDA recommends size 2.5 pt type		




200%



100%



Actual Size 100%



Reference ID: 4605630

ICL (updated 2/27/19)		
CATEGORY	Bayer Standard	ACTUAL IN FILE
Drug Facts Title	>7 pt*	NA
Drug Facts Continued	7 pt*	NA
Headings	7 pt-bold italic*	4.5 pt
Subheadings	6 pt*	4.5 pt
Body Text	6 pt*	4.5 pt
Bullets	5 pt	8 pt
Hairlines	0.5 pt rule	NA
Barlines†	> 0.5 pt rule	NA
Characters per inch rule is not applicable to ICL. *ICL minimum font size is 4.5 pt. < 0.5 pt leading may be used as long as ascenders and descenders do not touch. † FDA recommends size 2.5 pt type		



200%



100%

Actual Size 100%

**This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>**



DRUG FACTS INFO		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt. **	-
Drug Facts Continued	8 pt.	-
Headings [§]	8 pt.-bold italic [§]	4.5 pt.
Subheadings	≥6 pt.	4.5 pt.
Body Text	≥6 pt.	4.5 pt.
Bullets	5 pt.	8 pt.
Leading	≥0.5 pt.	4.5 pt.
Hairlines	0.5 pt rule	-
Box and Barlines†	>0.5 pt. rule	-
Characters Per Inch:	No more than 39	> 39
[§] Headings are to be at least 2pts larger than Body Text. ^{**} Drug Facts Title to be larger than all other type size used in DFP † FDA Recommends 2.5pt rule		

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>

Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare

Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare

Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare

Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare

Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare

Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare

Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare

Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare

Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare Bayer HealthCare

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
05/08/2020 02:52:11 PM