






Dist. by:
COLGATE-PALMOLIVE COMPANY
 New York, NY 10022 Made in U.S.A.
www.colgate.com
 U.S. Pat. No. 5288480
 648
 104757



Drug Facts	
Active ingredients	Purpose
Sodium fluoride 0.24% (0.14% w/v fluoride ion)	Anticavity
Triclosan 0.30%	Antigingivitis
Uses aids in the prevention of: • cavities • plaque • gingivitis.	
Warnings Keep out of the reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
Directions supervise children as necessary until capable of using without supervision.	
adults and children 6 years of age and older	brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or a physician.
children under 12 years	instruct in good brushing and rinsing habits (to minimize swallowing).
children under 6 years	do not use unless directed by a dentist or a physician.
Antiplaque and antigingivitis use not proven in children.	
Inactive ingredients water, hydrated silica, glycerin, sorbitol, PVM/MA copolymer, sodium lauryl sulfate, cellulose gum, flavor, sodium hydroxide, propylene glycol, carrageenan, sodium saccharin, titanium dioxide.	
Questions or comments? Call toll-free 1-800-468-6502.	





Helvetica Narrow Bold Oblique 9 pt.
 Leading: 11 pt.

Helvetica Narrow Bold Oblique 8 pt.
 Leading: 10 pt.

.875" SEAL

Helvetica Narrow 6 pt.
 Leading: 6.5 pt.

.875" SEAL

Helvetica Narrow Bold 6 pt.
 Leading: 6.5 pt.

BLEED 1/16"

1.375"


2"

NO COPY AREA

0982
 1047874

U.S. Pat. No. 5288480

Dist. by:
COLGATE-PALMOLIVE COMPANY
 New York, NY 10022 Made in U.S.A.
www.colgatetotal.com



TEAR HERE

Drug Facts

Active ingredients	Purpose
Sodium fluoride 0.24% (0.14% w/v fluoride ion)	Anticavity
Triclosan 0.30%	Antigingivitis

Uses aids in the prevention of:
 • cavities • plaque • gingivitis

Warnings
 Keep out of the reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.


Directions supervise children as necessary until capable of using without supervision

adults and children 6 years of age and older	brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or a physician.
children under 12 years	instruct in good brushing and rinsing habits (to minimize swallowing).
children under 6 years	do not use unless directed by a dentist or a physician.

Antiplaque and antigingivitis use not proven in children.

Inactive ingredients water, hydrated silica, glycerin, sorbitol, PVP/MA copolymer, sodium lauryl sulfate, cellulose gum, flavor, sodium hydroxide, polyethylene glycol, carrageenan, sodium saccharin, mica, titanium dioxide, FD&C blue no. 1, D&C yellow no. 10.

Questions or comments?
 Call toll-free 1-800-466-6502.



**This is a representation of an electronic record that was signed electronically and
this page is the manifestation of the electronic signature.**

/s/

Linda Katz
4/30/02 09:24:32 AM