PEDIATRIC USE ONLY

45 mg for **6-month** administration

PULL TAB HERE

Lupron Depot-PED® NDC 0074-3575-01
45 mg for 6-month administration

LOT LOT

EXP. EXP.

20078807

SN

Includes:
- One prefilled dual-chamber syringe containing 23 gauge 1½ inch needle with LuproLoc® safety device
- One plunger
- Two alcohol swabs

Not made with natural rubber latex.

(01) 00300743575019

Do not remove from clamshell until ready to use.

Recommended dosage:
After mixing, a **healthcare provider** should immediately administer entire contents of syringe by intramuscular injection every 6 months.
See prescribing information.

Only Activate Safety Device Post-Injection.

Store at 20°C to 25°C (68°F to 77°F); excursions 15-30°C (59-86°F)

Manufactured for: AbbVie Inc.
North Chicago, IL 60064
by: Takeda Pharmaceutical Company Limited
Osaka, Japan 540-8645
Product of Japan.

Rx only

NDC 0074-3575-01
Single Dose Administration Kit
with prefilled dual-chamber syringe.

LUPRON DEPOT-PED®
(Leuprolide Acetate for Depot Suspension)

Dispense the accompanying Medication Guide to each patient.

45 mg
for **6-month** administration
FOR INTRAMUSCULAR INJECTION

The front chamber contains: leuprolide acetate 45 mg • polylactic acid 169.9 mg • D-mannitol 39.7 mg • stearic acid 10.1 mg

The second chamber contains: carboxymethylcellulose sodium 7.5 mg • D-mannitol 75.0 mg • polysorbate 80 1.5 mg • water for injection, USP, and glacial acetic acid, USP to control pH

t be the latest a
n, please visit h

NDC 0074-3575-01
SINGLE DOSE
(Prefilled Dual-Chamber Syringe)

LUPRON DEPOT–PED®

(Leuprolide Acetate for Depot Suspension)

45 mg for **6-month** administration

FOR INTRAMUSCULAR INJECTION

Each 1.5 mL (when mixed) contains: leuprolide acetate 45 mg

20078808

EXP.

LOT

PEDIATRIC USE ONLY

45 mg for **6-month** administration

20078806



Hasmukh Patel

Digitally signed by Hasmukh Patel
Date: 12/04/2023 11:13:15AM
GUID: 508da71e00029e3864a0ad90c32d1866
Comments: Signed for Ramesh Raghavachari, Ph.D.