

NDA 020309/S-032
Page 3

50 mL NDC 0409-5239-01

Magnesium Sulfate

in Water for Injection

2 g/50 mL (40 mg/mL)

2 g
TOTAL

Each 50 mL contains magnesium sulfate heptahydrate 2 g (equivalent to 16.25 mEq magnesium) in water for injection. May contain sulfuric acid and/or sodium hydroxide for pH adjustment. 325 mOsmol/Liter (CALC.) pH 4.5 (3.5 to 6.5)

DO NOT ADD SUPPLEMENTARY MEDICATION. WHENEVER POSSIBLE USE CENTRAL ROUTE.

Single-dose container. For intravenous use. Recommended dosage: See prescribing information. Sterile, nonpyrogenic. Use only if solution is clear. After removing the overwrap, check for minute leaks by squeezing container firmly. If leaks are found, discard unit as sterility may be impaired. Must not be used in series connections. The overwrap is a moisture barrier. Do not remove unit from overwrap until ready for use. Use unit promptly when pouch is opened. Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.] Protect from freezing. See prescribing information.
Not Made With Natural Rubber Latex

Rx ONLY



OTHER

Distributed by Hospira, Inc.,
Lake Forest, IL 60045 USA



(01)20304095239012



21-663-10

NDA 020309/S-032
Page 4



NDA 020309/S-032

Page 5

50 mL NDC 0409-6730-50

Magnesium Sulfate

in Water for Injection

4 g/50 mL (80 mg/mL) **4 g**
TOTAL

Each 50 mL contains magnesium sulfate heptahydrate 4 g (equivalent to 32.5 mEq magnesium) in water for injection. May contain sulfuric acid and/or sodium hydroxide for pH adjustment. 649 mOsmol/Liter (CALC.) pH 4.5 (3.5 to 6.5)

DO NOT ADD SUPPLEMENTARY MEDICATION. WHENEVER POSSIBLE USE CENTRAL ROUTE.

Single-dose container. For intravenous use. Recommended dosage: See prescribing information. Sterile, nonpyrogenic. Use only if solution is clear. After removing the overwrap, check for minute leaks by squeezing container firmly. If leaks are found, discard unit as sterility may be impaired. Must not be used in series connections. The overwrap is a moisture barrier. Do not remove unit from overwrap until ready for use. Use unit promptly when pouch is opened. Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.] Protect from freezing. See prescribing information. Not Made With Natural Rubber Latex.

Rx ONLY  OTHER

Distributed by Hospira, Inc.,
Lake Forest, IL 60045 USA 


(01) 20304096730501

21-663-11

NDA 020309/S-032
Page 6



NDA 020309/S-032

Page 7

100 mL NDC 0409-4121-01

Magnesium Sulfate

in Water for Injection

4 g/100 mL (40 mg/mL)

4 g
TOTAL

Each 100 mL contains magnesium sulfate heptahydrate 4 g (equivalent to 32.5 mEq magnesium) in water for injection. May contain sulfuric acid and/or sodium hydroxide for pH adjustment. 325 mOsmol/Liter (CALC.) pH 4.5 (3.5 to 6.5)

DO NOT ADD SUPPLEMENTARY MEDICATION. WHENEVER POSSIBLE USE CENTRAL ROUTE.

Single-dose container. For intravenous use. Recommended dosage: See prescribing information. Sterile, nonpyrogenic. Use only if solution is clear. After removing the overwrap, check for minute leaks by squeezing container firmly. If leaks are found, discard unit as sterility may be impaired. Must not be used in series connections. The overwrap is a moisture barrier. Do not remove unit from overwrap until ready for use. Use unit promptly when pouch is opened. Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.] Avoid excessive heat. Protect from freezing. See prescribing information. Not Made With Natural Rubber Latex

Rx ONLY  OTHER

Distributed by Hospira, Inc.,
Lake Forest, IL 60045 USA



(01) 20304094121011


21-663-12

NDA 020309/S-032
Page 8



NDA 020309/S-032

Page 9



NDA 020309/S-032
Page 10



This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>



Ramesh
Raghavachari

Digitally signed by Ramesh Raghavachari
Date: 7/28/2022 03:27:50PM
GUID: 502d0913000029f375128b0de8c50020