

This label may not be the latest approved by FDA.

For current labeling information, please visit <https://www.fda.gov/drugsatf>

Do not use if the inner seal imprinted with **SEALED FOR YOUR SAFETY** is broken or missing.
Active ingredient (in each tablet):

Famotidine 20 mg _____ Acid reducer

Uses: • relieves heartburn associated with acid indigestion and sour stomach • prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages. **Warnings:** Allergy alert: Do not use if you are allergic to famotidine or other acid reducers. Do not use if you have trouble or pain swallowing food, vomit, or blood, or bloody or black stools. These may be signs of a serious condition. See your doctor. • with other acid reducers. Ask a doctor before use if you have • had heartburn over 3 months. This may be a sign of a more serious condition. • heartburn with light-headedness, dizziness, or lightheadedness • chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders; or lightheadedness • frequent chest pain • frequent wheezing, particularly with heartburn • unexplained weight loss • nausea or vomiting • stomach pain • kidney disease. Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if • your heartburn continues or worsens • you need to take this product for more than 14 days. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-233-1222).



MAXIMUM STRENGTH

NDC 19 837-899-20

Pepcid[®]
AC

Famotidine Tablets 20 mg / Acid Reducer

ICY COOL MINT
Flavored Coating

Just One Tablet!

Prevents & Relieves Heartburn
Due to Acid Indigestion

20 Tablets

actual size

Directions: • adults and children 12 years and over: • to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew. • to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10 to 60 minutes before eating food or drinking beverages that cause heartburn • do not use more than 2 tablets in 24 hours • children under 12 years: ask a doctor

Other information: • read the directions and warnings before use • keep the carton. It contains important information. • store at 20°-25°C (68°-77°F) • protect from moisture

Contains inactive ingredients: carmellosex, FD&C blue no. 1 aluminum lake, flavors, hypromellose 2910, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyethylene glycol, pregelatinized starch, sucrose, talc, titanium dioxide

Questions or comments? 1-800-735-4888 (to 1-800-233-0755 (no text))

Famotidine (active ingredient) made in Hungary

Distributed by: JOHNSON & JOHNSON CONSUMER INC., Middle Consumer Healthcare Division

Fort Washington, PA 19034 USA ©McNeil Consumer Pharmaceuticals Co. 2023 PEPCID and PEPCID AC are registered trademarks. Pat. www.janvuetp.com

EXP.

LOT:

01018 US 05/2018

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfo>

Do not use if foil inner seal imprinted with SEALED FOR YOUR SAFETY is broken or missing
Acid ingredient (in each tablet)
Anyone

Famotidine 20 mg Acid reducer

Uses: Relieves heartburn associated with acid indigestion and sour stomach; prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages. **Warnings:** A large alert: Do not use if you are allergic to famotidine or other acid reducers. Do not use if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor if you have heartburn over 3 months. This may be a sign of a more serious condition. Heartburn with high blood pressure, sweating, or dizziness; chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulder; or lightheadedness; frequent chest pain; frequent wheezing, particularly with heartburn; unexplained weight loss; nausea or vomiting; stomach pain; kidney disease. Ask a doctor or pharmacist before use if you are taking or prescribe (including acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if your heartburn continues or worsens; you need to take this product or more than 14 days; if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-232-1232).

Directions: Adults and children 12 years and over: To relieve symptoms, swallow 1 tablet with a glass of water. Do not chew. To prevent symptoms, swallow 1 tablet with a glass of water at anytime from 10 to 60 minutes before eating food or drinking beverages that cause heartburn. Do not use more than 2 tablets in 24 hours. Children under 12 years: Ask a doctor.

Other information: Read the directions and warnings before use. Keep the carton. It contains important information. Store at 20°-25°C (68°-77°F) - protect from moisture.

Inactive ingredients: carmellose wax, FD&C Blue No. 1 aluminum lake, flavors, hypromellose 2910, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyorbate 03, pregelatinized starch, sucrose, talc, titanium dioxide.

Questions or comments? 1-800-395-4888 (toll-free) or 215-203-0255 (collect)

Famotidine (active ingredient) made in Hungary.
Distributed by: JOHNSON & JOHNSON CONSUMER INC., Medical Consumer Healthcare Division
Fort Washington, PA 19034 USA ©Mylan Consumer Pharmaceuticals Co. 2023 PEPCID and PEPCID AC are registered trademarks. Pat. www.janvuyata.com

EXP.:
LOT:

MAXIMUM STRENGTH
NDC 16 837-889-40

Pepcid[®] AC
Famotidine Tablets 20 mg / Acid Reducer

ICY COOL MINT
Flavored Coating

Just One Tablet!
Prevents & Relieves Heartburn
Due to Acid Indigestion

40 Tablets

actual size

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
12/14/2023 06:41:59 PM