


## NOT A FINAL DIELINE

### FRONT PANEL DISPLAY



### FRONT PANEL DISPLAY


### BACK PANEL DISPLAY



### BACK PANEL DISPLAY

(b) (4)

NOT A FINAL DIELINE



DATE: 11/15/13	TUBE SIZE: 1/2" X 2-1/2"
CUSTOMER: GALDERMA	EE SIZE: 1/4 X 1/4"
PRODUCT: N/A	

(b) (4)

(b) (4)

NOT A FINAL DIE LINE



Lot: Exp:



**DIFFERIN GEL**  
ADAPALENE GEL 0.1%  
ACNE TREATMENT

NET WT 0.5 OZ (15 g)

Active ingredient: Adapalene 0.1%

Purpose: Acne Treatment

Directions: Adults and children 12 years of age and older. Use once daily.

Clean the skin gently and pat dry before applying the product. Cover the entire

affected area with a thin layer. Children under 12 years of age: ask a doctor.

Warnings: For external use only.

Do not use on damaged skin (cuts, abrasions, eczema, sunburn).

If pregnant or breast-feeding, ask a doctor before use.

Store at room temperature 68°-77°F. Protect from freezing.

Distributed by: Galderma Laboratories, L.P., Fort Worth, TX 76177 USA

Made in Canada - PXXXX-X




GALDERMA

(b) (4)



X = 16.23 Y = 7.96  
 04/07/2016  
 PRINTED SIDE

# NOT A FINAL DIELINE



WARNING: THIS IS AN OVERLAY. DO NOT INCLUDE DIRECTLY ON YOUR ARTWORK.



ACTUAL SIZE

85%  
PRESCRIPTION  
DIRECTION  
FPO

GALDERMA

PXXXX-X  
All trademarks are the property  
of their respective owners.  
Made in Canada  
Galderma Laboratories, L.P.  
Fort Worth, TX 76177 USA  
Distributed by:

**Oil Free**  
**Fragrance Free**  
**Dermatologist  
developed and  
tested**

**First FDA-approved  
over-the-counter  
topical retinoid\* for  
acne treatment**

\* Read carton and enclosed  
consumer information leaflet  
before using this product. Keep  
this carton and consumer  
information leaflet. They contain  
important information.

**Drug Facts**

**Active ingredient**  
Adapalene 0.1% gelatin

**Purpose**  
Acne treatment

**Use**  
For the treatment of acne

**Warnings**  
For external use only  
Do not use  
on damaged skin (cuts, abrasions, eczema, sunburn)  
if you are allergic to adapalene or any of the ingredients in this product.  
If pregnant or breast-feeding, ask a doctor before use.

**When using this product**  
limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors  
do not use to remove hair in areas where the product has been applied  
during the early weeks of use, your acne may appear to worsen before it improves (this is normal). Continue using as directed, unless you get irritation that becomes severe  
irritation (redness, itching, dryness, burning) is more likely to occur in the first few weeks of use  
if using more than one topical acne medication at a time  
but irritation usually lessens with continued use of this product  
it may take up to 3 months of once daily use to see results  
avoid product contact with the eyes, lips, and mouth. If contact occurs, immediately flush the area with water.  
wash hands after use

**Stop use and ask a doctor if**  
you become pregnant, or are planning to become pregnant, while using the product  
you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and skin) or difficulty breathing

**Directions**  
Adults and children 12 years of age and older:  
use once daily  
clean the skin gently and pat dry before applying the product  
over the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.  
Do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.  
Children under 12 years of age: ask a doctor

**Other information**  
Store at room temperature (68°-77°F)  
product from freezing

**Inactive ingredients**  
carbon 940, ethbe disodium, methybenz, polymer 982, propylene glycol, purified water and sodium hydroxide.  
May contain hydrochloric acid to adjust pH.

**Questions?** 1-866-735-4137

**DIFFERIN<sup>®</sup>**  
**GEL**

**ADAPALENE GEL 0.1%  
ACNE TREATMENT**

- PREVIOUSLY AVAILABLE ONLY BY PRESCRIPTION
- FDA APPROVED
- DERMATOLOGIST DEVELOPED
- ONCE DAILY TOPICAL RETINOID\*

\*Read consumer information leaflet before use

NET WT 1.6 OZ (45 g)

X = 18.59 Y = 9.42  
 04/07/2016  
 PRINTED SIDE

Galderma Laboratories, L.P.  
Differin (adapalene) Gel 0.1% - NDA 020380 Seq 0037

## NOT A FINAL DIELINE

### FRONT



**DIFFERIN<sup>®</sup> GEL**  
ADAPALENE GEL 0.1%  
ACNE TREATMENT

#### Frequently Asked Questions

**What is Differin Gel and what is it used for?**

- Differin Gel is a topical retinoid medication used for the treatment of acne in people age 12 years and older.
- Use only one time a day.

**What should I know before using the product?**

- If pregnant or breast-feeding, ask a doctor before use.
- Some other retinoid drugs have been shown to cause birth defects. There is no specific evidence that Differin Gel 0.1% causes birth defects in humans when used topically as directed.
- Do not use Differin Gel if you are allergic to adapalene or any of the ingredients in this product.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**How often do I apply the product?**

- Apply this product only one time a day and try to apply the product at the same time each day.

**How do I apply the product?**

- Gently clean the affected areas using a mild (non-irritating) cleanser and pat dry.
- Apply Differin Gel as a thin layer to the affected areas of the skin only one time a day. For example, if you get acne on the face, clean, dry and apply the product to the entire face. Differin Gel is not a spot treatment and should not be used to treat a single pimple.
- Avoid product contact with eyes, lips and mouth. If contact occurs, immediately flush the area with water.
- Do not apply product to damaged skin (cuts, abrasions, eczema, or sunburn).
- Wash hands after use.


**How long will it take for Differin Gel to work?**

- It may take up to 3 months of daily use for results to appear.
- Do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

**What do I do if I need to be in the sun?**

- When possible, limit sun exposure, including light from tanning beds.
- When going outdoors, use a sunscreen as labeled. Your skin may be more sensitive while using Differin Gel. If you use this product during the day, allow it to dry before applying sunscreen.

### BACK



**DIFFERIN<sup>®</sup> GEL**  
ADAPALENE GEL 0.1%  
ACNE TREATMENT

#### Frequently Asked Questions (Continued)

**Can I use a moisturizer if my skin is dry?**

- Yes, use of a moisturizer may help decrease dryness and other signs of irritation. Avoid products containing alpha hydroxy or glycolic acids which may worsen irritation.

**When is my skin most likely to become irritated? And what do I do?**

- Irritation (redness, itching, dryness, burning) is more likely to occur:
  - In the first few weeks of use.
  - if using abrasive skin cleansers, products with drying effects or more than one topical acne medication at a time. You may want to delay starting Differin Gel until any irritation from using the other product(s) has gone away.
- Moisturizers may be used.
- Irritation usually lessens after 4 weeks of continued use.

**What do I do if my skin becomes severely irritated?**

- If irritation becomes severe (overly bothersome), stop use and ask a doctor before using the product again.

**Can I remove unwanted facial hair by waxing while using this product?**

- Do not use wax to remove hair in areas where the product has been applied because it may worsen skin irritation.

**What ingredients are used in Differin Gel?**

- Differin Gel contains:  
The active ingredient is adapalene 0.1%. The other ingredients are: carbomer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water, and sodium hydroxide. May contain hydrochloric acid to adjust the pH.

**How should I store this product?**

- Differin Gel should be stored at room temperature [68° – 77°F]. Protect from freezing.
- Do not use the product after the expiry date marked on the crimp of the tube.

**Other Questions? Where can I get more information?**  
Phone: 1-866-735-4137

PXXXXX-X

(b) (4)

---

**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**

---

/s/  
-----

JULIE G BEITZ  
07/08/2016

LESLEYANNE FURLONG  
07/08/2016