



PULL HERE TO OPEN

Drug Facts	
Active ingredient Adapalene 0.1% (retinoid)* *read consumer information leaflet	Purpose Acne treatment
Use ■ For the treatment of acne	
Warnings For external use only Do not use ■ on damaged skin (cuts, abrasions, eczema, sunburn) ■ if you are allergic to adapalene or any of the ingredients in this product. If pregnant or breast-feeding, ask a doctor before use. When using this product ■ limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors ■ do not wax to remove hair in areas where the product has been applied ■ during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe ■ irritation (redness, itching, dryness, burning) is more likely to occur: ■ in the first few weeks of use ■ if using more than one topical acne medication at a time ■ but irritation usually lessens with continued use of this product ■ it may take up to 3 months of once daily use to see results ■ avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water. ■ wash hands after use Stop use and ask a doctor if ■ you become pregnant, or are planning to become pregnant, while using the product ■ you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath) ■ irritation becomes severe ■ you see no improvement after 3 months of once daily use Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions Adults and children 12 years of age and older: ■ use once daily ■ clean the skin gently and pat dry before applying the product ■ cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face. ■ do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation. Children under 12 years of age: ask a doctor	
Other information ■ store at room temperature 68°-77°F ■ protect from freezing	
Inactive ingredients carbomer 940, edelate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide. May contain hydrochloric acid to adjust pH.	
Questions? 1-866-735-4137	
All trademarks are the property of their respective owners	
Lot. Exp area	

**DIFFERIN[®]
GEL**

**DIFFERIN[®]
GEL**

ADAPALENE GEL 0.1%

ACNE TREATMENT

- Previously available only by prescription
- FDA approved
- Dermatologist developed
- Once Daily Topical Retinoid*

*Read consumer information leaflet before use

NET WT 0.5 OZ (15 g)

OIL FREE
FRAGRANCE FREE
DERMATOLOGIST DEVELOPED AND TESTED

All trademarks are the property of their respective owners
PXXXXX-X

Nestlé Skin Health



3 02994 91045 8

Drug Facts

Active ingredient	Purpose
Adapalene 0.1% (retinoid)*	Acne treatment

**Read consumer information leaflet*

Use

- For the treatment of acne

Warnings

For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product.

If pregnant or breast-feeding, ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
 - in the first few weeks of use
 - if using more than one topical acne medication at a time
 - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

Stop use and ask a doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

- use once daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

Other information

- store at room temperature 68°-77°F
- protect from freezing

Inactive ingredients

carboxer 940, edetate disodium, methylparaben, polysorbate 182, propylene glycol, purified water and sodium hydroxide.
May contain hydrochloric acid to adjust pH.

Questions? 1-866-735-4137

Distributed by: Galderma Laboratories, L.P.
A Nestlé Skin Health Company
Fort Worth, TX 76177 USA
Made in Canada

First FDA-approved over-the-counter topical retinoid* for acne treatment

* Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.



ACTUAL SIZE

DIFFERIN[®]
GEL

DIFFERIN[®]
GEL

ADAPALENE GEL 0.1%

ACNE TREATMENT

- Previously available only by prescription
- FDA approved
- Dermatologist developed
- Once Daily Topical Retinoid*

*Read consumer information leaflet before use

ACTUAL SIZE

DIFFERIN[®]
GEL

ADAPALENE GEL 0.1%

ACNE TREATMENT

OIL FREE

FRAGRANCE FREE

DERMATOLOGIST DEVELOPED AND TESTED

All trademarks are the property of their respective owners
PXXXXX-X

Nestlé Skin Health



3 02994 491045 8

NET WT 0.5 OZ (15 g)

Drug Facts

Active ingredient	Purpose
Adapalene 0.1% (retinoid)*	Acne treatment
*read consumer information leaflet	
Use	
■ For the treatment of acne	
Warnings	
For external use only	
Do not use	
■ on damaged skin (cuts, abrasions, eczema, sunburn)	
■ if you are allergic to adapalene or any of the ingredients in this product.	
If pregnant or breast-feeding, ask a doctor before use.	
When using this product	
■ limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors	
■ do not wax to remove hair in areas where the product has been applied	
■ during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe	
■ irritation (redness, itching, dryness, burning) is more likely to occur:	
<ul style="list-style-type: none"> ■ in the first few weeks of use ■ if using more than one topical acne medication at a time ■ but irritation usually lessens with continued use of this product 	
■ it may take up to 3 months of once daily use to see results	
■ avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.	
■ wash hands after use	
Stop use and ask a doctor if	
■ you become pregnant, or are planning to become pregnant, while using the product	
■ you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)	
■ irritation becomes severe	
■ you see no improvement after 3 months of once daily use	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
Adults and children 12 years of age and older:	
■ use once daily	
■ clean the skin gently and pat dry before applying the product	
■ cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.	
■ do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.	
Children under 12 years of age: ask a doctor	
Other information	
■ store at room temperature 68°-77°F	
■ protect from freezing	
Inactive ingredients	
carbomer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide. May contain hydrochloric acid to adjust pH.	
Questions? 1-866-735-4137	
Distributed by: Galderma Laboratories, L.P. A Nestlé Skin Health Company Fort Worth, TX 76177 USA Made in Canada	



First FDA-approved over-the-counter topical retinoid* for acne treatment

*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

ACTUAL SIZE

DIFFERIN[®]
GEL

ADAPALENE GEL 0.1%

ACNE TREATMENT

- Previously available only by prescription
- FDA approved
- Dermatologist developed
- Once Daily Topical Retinoid*

*Read consumer information leaflet before use

OIL FREE
 FRAGRANCE FREE
 DERMATOLOGIST DEVELOPED AND TESTED

Nestlé Skin Health

NEW LOOK SAME FORMULA

NET WT 1.6 OZ (45 g)

Barcode: 02994 91045 8

Drug Facts	
Active ingredient	Purpose
Adapalene 0.1% (retinoid) <small>*read consumer information leaflet</small>	Acne treatment
Use	
<ul style="list-style-type: none"> For the treatment of acne 	
Warnings	
For external use only	
Do not use	
<ul style="list-style-type: none"> on damaged skin (cuts, abrasions, eczema, sunburn) if you are allergic to adapalene or any of the ingredients in this product. 	
If pregnant or breast-feeding, ask a doctor before use.	
When using this product	
<ul style="list-style-type: none"> limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors do not use to remove hair in areas where the product has been applied during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe irritation (redness, itching, dryness, burning) is more likely to occur: <ul style="list-style-type: none"> in the first few weeks of use if using more than one topical acne medication at a time but irritation usually lessens with continued use of this product it may take up to 3 months of once daily use to see results avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water. wash hands after use 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> you become pregnant, or are planning to become pregnant, while using the product you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath) irritation becomes severe you see no improvement after 3 months of once daily use 	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
Adults and children 12 years of age and older:	
<ul style="list-style-type: none"> use once daily clean the skin gently and pat dry before applying the product. cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face. do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation. 	
Children under 12 years of age: ask a doctor	
Other information	
<ul style="list-style-type: none"> store at room temperature 68°-77°F protect from freezing 	
Inactive ingredients	
cubamer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide. May contain hydrochloric acid to adjust pH.	
Questions? 1-866-735-4137	

Distributed by:
 Galderma Laboratories, L.P.
 A Nestlé Skin Health Company
 Fort Worth, TX 76177 USA
 Made in Canada
 All trademarks are the property of their respective owners
 PXXXXX-X



First FDA-approved over-the-counter topical retinoid* for acne treatment

* Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

ACTUAL SIZE

DIFFERIN® GEL

ADAPALENE GEL 0.1%

ACNE TREATMENT

- Previously available only by prescription
- FDA approved
- Dermatologist developed
- Once Daily Topical Retinoid*

*Read consumer information leaflet before use

OIL FREE
 FRAGRANCE FREE
 DERMATOLOGIST DEVELOPED AND TESTED

Nestlé Skin Health

Drug Facts	
Active ingredient	Purpose
Adapalene 0.1% (retinoid)* <small>*Read consumer information leaflet</small>	Acne treatment
Use	
<ul style="list-style-type: none"> For the treatment of acne 	
Warnings	
For external use only	
Do not use	
<ul style="list-style-type: none"> on damaged skin (cuts, abrasions, eczema, sunburn) if you are allergic to adapalene or any of the ingredients in this product. 	
If pregnant or breast-feeding, ask a doctor before use.	
When using this product	
<ul style="list-style-type: none"> limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors do not wax to remove hair in areas where the product has been applied during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe irritation (redness, itching, dryness, burning) is more likely to occur: <ul style="list-style-type: none"> in the first few weeks of use if using more than one topical acne medication at a time but irritation usually lessens with continued use of this product it may take up to 3 months of once daily use to see results avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water. wash hands after use 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> you become pregnant, or are planning to become pregnant, while using the product you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath) irritation becomes severe you see no improvement after 3 months of once daily use 	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
Adults and children 12 years of age and older:	
<ul style="list-style-type: none"> use once daily clean the skin gently and pat dry before applying the product cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face. do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation. 	
Children under 12 years of age: ask a doctor	
Other information	
<ul style="list-style-type: none"> store at room temperature 68°-77°F protect from freezing 	
Inactive ingredients	
carboner 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide. May contain hydrochloric acid to adjust pH.	
Questions? 1-866-735-4137	

Distributed by:
 Galderma Laboratories, L.P.
 A Nestlé Skin Health Company
 Fort Worth, TX 76177 USA
 Made in Canada
 All trademarks are the property of their respective owners
 PXXXXX-X