





# Front



# Back




Lot:                      Exp:



**DIFFERIN<sup>®</sup> GEL**  
**ADAPALENE GEL 0.1%**  
**ACNE TREATMENT**

NET WT 0.5 oz (15g)


**Active ingredient:** Adapalene 0.1%  
**Purpose:** Acne Treatment  
**Directions:** Adults and children 12 years of age and older: Use once daily. Clean the skin gently and pat dry before applying the product. Cover the entire affected area with a thin layer. Children under 12 years of age: ask a doctor.  
**Warnings:** For external use only.  
Do not use on damaged skin (cuts, abrasions, eczema, sunburn).  
If pregnant or breast-feeding, ask a doctor before use.  
Store at room temperature 68°-77°F; Protect from freezing.  
Distributed by: Galderma Laboratories, L.P., Fort Worth, TX 76177 USA  
Made in Canada Questions or comments? 1-866-735-4137  
[www.differin.com](http://www.differin.com) PS 6833-Q GALDERMA




### PANEL 1




### PANEL 2



### PANEL 3





**DIFFERIN<sup>®</sup>**  
GEL

First FDA-approved over-the-counter topical retinoid\* for acne treatment

\*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

**DIFFERIN<sup>®</sup>**  
GEL

**ADAPALENE GEL 0.1%**  
ACNE TREATMENT

Previously available only by prescription

FDA approved Dermatologist Developed

Once Daily Topical Retinoid\*


\* Read consumer information leaflet before use

NET WT 0.5 oz (15 g)


Oil Free  
Fragrance Free  
Dermatologist developed and tested


**GALDERMA**  
Distributed by: Galderma Laboratories, L.P., Fort Worth, TX 76177 USA  
All trademarks are the property of their respective owners.  
Made in Canada  
[www.differin.com](http://www.differin.com)

NDC: 0299-4910-10



ACTUAL SIZE





Easy pump!

P56849-0

LOT: \_\_\_\_\_

EXP: \_\_\_\_\_

**Drug Facts**

Active ingredient	Purpose
Adapalene 0.1% (retinoid)* <small>*read consumer information leaflet</small>	Acne treatment

**Use**

- For the treatment of acne

**Warnings**  
For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product.

If pregnant or breast-feeding, ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- Irritation (redness, itching, dryness, burning) is more likely to occur:
  - in the first few weeks of use
  - if using more than one topical acne medication at a time
  - but irritation usually lessens with continued use of this product
- It may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

**Stop use and ask a doctor if**

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Adults and children 12 years of age and older:
  - use once daily
  - clean the skin gently and pat dry before applying the product
  - cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
  - do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.
- Children under 12 years of age: ask a doctor

**Other information**

- store at room temperature 68°-77°F
- protect from freezing

**Inactive ingredients**  
carbomer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide.  
May contain hydrochloric acid to adjust pH.

**Questions?** 1-866-735-4137

Lot:            Exp:



The image shows a rectangular product box for Differin Gel. The top half of the box features a decorative graphic of blue dots of varying sizes arranged in a grid that tapers to the right. Below this graphic, the product name "DIFFERIN<sup>®</sup> GEL" is printed in large, bold, blue letters. Underneath, "ADAPALENE GEL 0.1%" is written in a smaller, bold, blue font, followed by "ACNE TREATMENT" in a smaller, blue font. The net weight "NET WT 1.6oz (45g)" is printed in the bottom left corner. The bottom half of the box contains detailed text in a smaller font, including the active ingredient, purpose, directions, warnings, and distributor information. The brand name "GALDERMA" is printed vertically on the right side of the box.

**DIFFERIN<sup>®</sup> GEL**  
**ADAPALENE GEL 0.1%**  
**ACNE TREATMENT**

NET WT 1.6oz (45g)

**Active ingredient:** Adapalene 0.1%  
**Purpose:** Acne Treatment  
**Directions:** Adults and children 12 years of age and older: Use once daily. Clean the skin gently and pat dry before applying the product. Cover the entire affected area with a thin layer.  
**Children under 12 years of age:** ask a doctor.  
**Warnings:** For external use only.  
Do not use on damaged skin (cuts, abrasions, eczema, sunburn).  
If pregnant or breast-feeding, ask a doctor before use.  
Store at room temperature 68°-77°F. Protect from freezing.  
**Distributed by:** Galderma Laboratories, L.P., Fort Worth, TX-76177 USA  
Made in Canada  
Questions or comments? 1-866-735-4137. [www.differin.com](http://www.differin.com)

GALDERMA

**DIFFERIN<sup>®</sup>**  
GEL

**DIFFERIN<sup>®</sup>**  
GEL

**ADAPALENE**  
**GEL 0.1%**  
ACNE TREATMENT

Previously available only  
by prescription

FDA approved  
Dermatologist  
Developed

Once Daily  
Topical Retinoid\*

\* Read consumer  
information leaflet  
before use

Oil Free  
Fragrance Free  
Dermatologist  
developed and tested

**GALDERMA**  
Distributed by:  
Galderma Laboratories, L.P.  
Fort Worth, TX 76177 USA

All trademarks are the  
property of their  
respective owners.

Made in Canada  
[www.differin.com](http://www.differin.com)

NDC: 0299-4910-45

3 02994 92045 7

Original tube

NET WT 1.6 oz (45 g)

First FDA-approved over-the-counter topical retinoid\* for acne treatment

\* Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

ACTUAL SIZE

**Drug Facts**

Active ingredient	Purpose
Adapalene 0.1% (retinoid)	Acne treatment
*read consumer information leaflet.	

**Use**

- For the treatment of acne

**Warnings**

For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product.

If pregnant or breast-feeding, ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
  - In the first few weeks of use
  - if using more than one topical acne medication at a time
  - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

Stop use and ask a doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Adults and children 12 years of age and older:
  - use once daily
  - clean the skin gently and pat dry before applying the product
  - cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
  - do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.
- Children under 12 years of age: ask a doctor

**Other information**

- store at room temperature 68°-77°F
- protect from freezing

**Inactive ingredients**

carbomer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide.  
May contain hydrochloric acid to adjust pH.

**Questions?** 1-866-735-4137

LOT: [REPEATING PATTERN]

EXP: [REPEATING PATTERN]

P56838-0

**DIFFERIN<sup>®</sup>**  
GEL

ADAPALENE GEL 0.1%  
ACNE TREATMENT

NETWT 1.6 oz (45 g)

**Active ingredient:** Adapalene 0.1%  
**Purpose:** Acne Treatment  
**Directions:** Adults and children 12 years of age and older:  
Use **ONCE** daily. Clean the skin gently and pat dry before applying the product. Cover the entire affected area with a thin layer. **Children under 12 years of age:** ask a doctor.  
**Warnings:** For external use only.  
Do not use on damaged skin (cuts, abrasions, eczema, sunburn).  
**If pregnant or breast-feeding,** ask a doctor before use.  
Store at room temperature 68°-77°F. Protect from freezing.


**GALDERMA**  
**Distributed by:** Galderma Laboratories, L.P., Fort Worth, TX 76177 USA  
All trademarks are the property of their respective owners.

Made in Canada  
Questions or comments?  
1-866-735-4137  
[www.differin.com](http://www.differin.com)

LOT:  
EXP:

PS4853-2-0





# DIFFERIN<sup>®</sup> GEL

## ADAPALENE GEL 0.1%

### ACNE TREATMENT

#### Frequently Asked Questions

##### What is Differin Gel and what is it used for?

- Differin Gel is a topical retinoid medication used for the treatment of acne in people age 12 years and older.
- Use only one time a day.

##### What should I know before using the product?

- **If pregnant or breast-feeding**, ask a doctor before use.
- Some other retinoid drugs have been shown to cause birth defects. There is no specific evidence that Differin Gel 0.1% causes birth defects in humans when used topically as directed.
- **Do not use** Differin Gel if you are allergic to adapalene or any of the ingredients in this product.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

##### How often do I apply the product?

- Apply this product **only one time a day** and try to apply the product at the same time each day.

##### How do I apply the product?

- Gently clean the affected areas using a mild (non-irritating) cleanser and pat dry.
- Apply Differin Gel as a thin layer to the affected areas of the skin **only one time a day**. For example, if you get acne on the face, clean, dry and apply the product to the entire face. Differin Gel is **not** a spot treatment and should not be used to treat a single pimple.
- Avoid product contact with eyes, lips and mouth. **If contact occurs, immediately flush the area with water.**
- Do not apply product to damaged skin (cuts, abrasions, eczema, or sunburn).
- Wash hands after use.

##### How long will it take for Differin Gel to work?

- It may take up to 3 months of daily use for results to appear.
- Do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

# DIFFERIN<sup>®</sup> GEL

## ADAPALENE GEL 0.1%

### ACNE TREATMENT

#### Frequently Asked Questions (Continued)

##### What do I do if I need to be in the sun?

- When possible, limit sun exposure, including light from tanning beds.
- When going outdoors, use a sunscreen as labeled.  
Your skin may be more sensitive while using Differin Gel.  
If you use this product during the day, allow it to dry before applying sunscreen.

##### Can I use a moisturizer if my skin is dry?

- Yes, use of a moisturizer may help decrease dryness and other signs of irritation.  
Avoid products containing alpha hydroxy or glycolic acids which may worsen irritation.

##### When is my skin most likely to become irritated? And what do I do?

- Irritation (redness, itching, dryness, burning) is more likely to occur:
  - In the first few weeks of use.
  - if using abrasive skin cleansers, products with drying effects or more than one topical acne medication at a time.  
You may want to delay starting Differin Gel until any irritation from using the other product(s) has gone away.
- Moisturizers may be used.
- Irritation usually lessens after 4 weeks of continued use.

##### What do I do if my skin becomes severely irritated?

- If irritation becomes severe (overly bothersome), stop use and ask a doctor before using the product again.

##### Can I remove unwanted facial hair by waxing while using this product?

- Do not use wax to remove hair in areas where the product has been applied because it may worsen skin irritation.

##### What ingredients are used in Differin Gel?

- Differin Gel contains:  
The active ingredient is adapalene 0.1%. The other ingredients are: carbomer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water, and sodium hydroxide. May contain hydrochloric acid to adjust the pH.

##### How should I store this product?

- Differin Gel should be stored at room temperature [68° – 77°F]. Protect from freezing.
- Do not use the product after the expiry date marked on the packaging.

##### Other Questions? Where can I get more information?

Phone: 1-866-735-4137

P56836-0

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

NUSHIN F TODD  
06/14/2022 12:58:28 PM