

CONSUMER CARTON  
Nasacort Allergy 24 Hour 30 Spray - OUTSIDE CARTON (inside carton/coupon on next page)  
06.28.17  
NAS\_Allergy\_24hr\_30sp\_CON\_CARTN\_FNL4



Sanofi Regulatory Specifications		Verified Date: 06/28/17
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	14 point size
Drug Facts (continued)	Font name: Helvetica Neue 77 Bold Condensed Oblique / Helvetica Neue 57 Condensed	8.00 point size
Warnings	Font name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point size
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6.50 point size
Body Text	Font name: Helvetica Neue 57 Condensed	6.00 point size
Bullets	Font name: Univers Helvetica with Commercial PI 57	5.00 point size
Bullets on same lines, end of statement separated from bulleted statement by two ems		Yes
Spacing of the headlines from edge of box - i.e. Minimum of 1 space either side of Drug Facts Box		Yes
Tracking	9.00 pt.   Helvetica Neue	94%-100%
Leading (Minimum display in body of Drug Facts)	6.25 pt.	Maximum Characters/lines
Columns	3.0 pt.	30 pt.
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)	1.00 in.	
PDP dimensions (in square inches)		
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")	V 11 pt. H 0.00 pt.	
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")	V 4.5 pt. H 0.00 pt.	
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity pct. (Divided by Largest Logo Copy pct.)	V 25% H 0%	

PROFESSIONAL CARTON  
**Nasacort Allergy 24 Hour 30 Spray - OUTSIDE CARTON** (inside carton/coupon on next page)  
 06.28.17  
 NAS\_Allergy\_24hr\_30sp\_PRO\_CARTN\_FNL4




Sanofi Regulatory Specifications		Verified Dates: 06/28/17
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	14 point size
Drug Facts (continued)	Font name: Helvetica Neue 77 Bold Condensed Oblique / Helvetica Neue 57 Condensed	8.00 point size
Ingredients	Font name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point size
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6.50 point size
Body Text	Font name: Helvetica Neue 57 Condensed	6.00 point size
Bullets	Font name: Univers Helvetica Commercial PS 87	5.00 point size
Bullets on same lines, end of statement separated from bulleted statement by two ems		Yes
Spacing of the headlines from edge of box - i.e. Minimum of 1 space either side of Drug Facts Box		Yes
Tracking	9.25 pt. size	Helvetica Neue
Leading (Minimum display in body of Drug Facts)	6.25 pt.	Maximum Characters/lines
Columns	3.5 pt.	30 pt.
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		1.02 in
PDF Dimensions (in square inches)		
Font size of Statement of Identity if not live text, to be measured in Helvetica capital "M"	V 11 pt.	H 0.00 pt.
Font size of Logo/Largest Copy on PDF (if not live text, to be measured in Helvetica capital "M")	V 43.5 pt.	H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDF		
Statement of Identity pct. (Divided by Largest Logo Copy pct.)		V 25% H 0%

PROFESSIONAL CARTON  
Nasacort Allergy 24 Hour 30 Spray - INSIDE CARTON (Outside carton on previous page)

06.28.17

NAS\_Allergy\_24hr\_30sp\_PRO\_CARTN\_FNL4



# Nasacort Allergy 24 Hour 60 Spray Childrens

06.28.17

NAS\_Allergy\_24hr\_60sp\_KIDS\_LID\_FNL3



Sanofi Regulatory Specifications		Verified Date: 06/28/17
<b>Drug Facts Info</b>		
<b>Drug Facts</b> (Title)	Font name:	N/A
<b>Drug Facts</b> (continued)	Font name:	N/A
Headings	Font name:	N/A
Subheadings	Font name:	N/A
Body Text	Font name:	N/A
Bullets	Font name:	N/A
Bullets on same lines: end of statement separated from bulleted statement by two ems		N/A
Spacing of the hairlines from edge of box – i.e. Minimum of 2 spaces either side of Drug Facts Box		N/A
Tracking:	N/A	Horizontal Scale: N/A
Leading (Minimum space in body of Drug Facts):	N/A	Maximum Characters/Inch: N/A
Barlines:	N/A	Hairlines: N/A
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		.125 in.
PDP dimensions (in square inches)		19 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		V 14.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		V 58 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 25% H 0%

# Nasacort Allergy 24 Hour 60 Spray

06.28.17

NAS\_Allergy\_24hr\_60sp\_LID\_FNL3



Sanofi Regulatory Specifications		Verified Date: 06/28/17
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name:	N/A
Drug Facts (continued)	Font name:	N/A
Headings	Font name:	N/A
Subheadings	Font name:	N/A
Body Text	Font name:	N/A
Bullets	Font name:	N/A
Bullets on same lines: end of statement separated from bulleted statement by two ems		N/A
Spacing of the hairlines from edge of box – i.e. Minimum of 2 spaces either side of Drug Facts Box		N/A
Tracking:	N/A	Horizontal Scale: N/A
Leading (Minimum space in body of Drug Facts):	N/A	Maximum Characters/Inch: N/A
Barlines:	N/A	Hairlines: N/A
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		.125 in.
PDP dimensions (in square inches)		19 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		V 14.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		V 58 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 25% H 0%

# Nasacort Allergy 24 Hour 120 Spray

06.28.17

NAS\_Allergy\_24hr\_120sp\_LID\_FNL3



Sanofi Regulatory Specifications		Verified Date: 06/28/17
<b>Drug Facts Info</b>		
<i>Drug Facts</i> (Title)	Font name:	N/A
<i>Drug Facts</i> (continued)	Font name:	N/A
Headings	Font name:	N/A
Subheadings	Font name:	N/A
Body Text	Font name:	N/A
Bullets	Font name:	N/A
Bullets on same lines: end of statement separated from bulleted statement by two ems		N/A
Spacing of the hairlines from edge of box – i.e. Minimum of 2 spaces either side of Drug Facts Box		N/A
Tracking:	N/A	Horizontal Scale: N/A
Leading (Minimum space in body of Drug Facts):	N/A	Maximum Characters/Inch: N/A
Barlines:	N/A	Hairlines: N/A
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		.125 in.
PDP dimensions (in square inches)		19 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		V 14.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		V 58 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 25% H 0%

# Nasacort Allergy 24 Hour 120+30 Spray Bonus Pack

06.28.17

NAS\_Allergy\_24hr\_120+30sp\_Bonus-Pk\_LID\_FNL4



Sanofi Regulatory Specifications		Verified Date: 06/28/17
<b>Drug Facts Info</b>		
<b>Drug Facts</b> (Title)	Font name:	N/A
<b>Drug Facts</b> (continued)	Font name:	N/A
Headings	Font name:	N/A
Subheadings	Font name:	N/A
Body Text	Font name:	N/A
Bullets	Font name:	N/A
Bullets on same lines: end of statement separated from bulleted statement by two ems		N/A
Spacing of the hairlines from edge of box – i.e. Minimum of 2 spaces either side of Drug Facts Box		N/A
Tracking:	N/A	Horizontal Scale: N/A
Leading (Minimum space in body of Drug Facts):	N/A	Maximum Characters/Inch: N/A
Barlines:	N/A	Hairlines: N/A
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		.125 in.
PDP dimensions (in square inches)		19 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		V 14.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		V 58 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 25% H 0%

# Nasacort Allergy 24 Hour 120+30 Spray Multi-Pack

06.28.17

NAS\_Allergy\_24hr\_120+30sp\_Multi-Pk\_LID\_FNL3



Sanofi Regulatory Specifications		Verified Date: 06/28/17
<b>Drug Facts Info</b>		
<b>Drug Facts</b> (Title)	Font name:	N/A
<b>Drug Facts</b> (continued)	Font name:	N/A
Headings	Font name:	N/A
Subheadings	Font name:	N/A
Body Text	Font name:	N/A
Bullets	Font name:	N/A
Bullets on same lines: end of statement separated from bulleted statement by two ems		N/A
Spacing of the hairlines from edge of box – i.e. Minimum of 2 spaces either side of Drug Facts Box		N/A
Tracking:	N/A	Horizontal Scale: N/A
Leading (Minimum space in body of Drug Facts):	N/A	Maximum Characters/Inch: N/A
Barlines:	N/A	Hairlines: N/A
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		.125 in.
PDP dimensions (in square inches)		19 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		V 14.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		V 58 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 25% H 0%

# Nasacort Allergy 24 Hour 240 Spray Multi-Pack

06.28.17

NAS\_Allergy\_24hr\_240sp\_Multi-Pk\_LID\_FNL3



Sanofi Regulatory Specifications		Verified Date: 06/28/17
<b>Drug Facts Info</b>		
<b>Drug Facts</b> (Title)	Font name:	N/A
<b>Drug Facts</b> (continued)	Font name:	N/A
Headings	Font name:	N/A
Subheadings	Font name:	N/A
Body Text	Font name:	N/A
Bullets	Font name:	N/A
Bullets on same lines: end of statement separated from bulleted statement by two ems		N/A
Spacing of the hairlines from edge of box – i.e. Minimum of 2 spaces either side of Drug Facts Box		N/A
Tracking:	N/A	Horizontal Scale: N/A
Leading (Minimum space in body of Drug Facts):	N/A	Maximum Characters/Inch: N/A
Barlines:	N/A	Hairlines: N/A
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		.125 in.
PDP dimensions (in square inches)		19 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		V 14.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		V 58 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 25% H 0%

# Nasacort Allergy 24 Hour 240 Spray Multi-Pack - ALTERNATE

## 06.28.17

NAS\_Allergy\_24hr\_240sp\_Multi-Pk\_LID\_ALT\_FNL3




Sanofi Regulatory Specifications		Verified Date: 06/28/17
<b>Drug Facts Info</b>		
<i>Drug Facts</i> (Title)	Font name:	N/A
<i>Drug Facts</i> (continued)	Font name:	N/A
Headings	Font name:	N/A
Subheadings	Font name:	N/A
Body Text	Font name:	N/A
Bullets	Font name:	N/A
Bullets on same lines: end of statement separated from bulleted statement by two ems		N/A
Spacing of the hairlines from edge of box – i.e. Minimum of 2 spaces either side of Drug Facts Box		N/A
Tracking:	N/A	Horizontal Scale: N/A
Leading (Minimum space in body of Drug Facts):	N/A	Maximum Characters/Inch: N/A
Barlines:	N/A	Hairlines: N/A
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		.125 in.
PDP dimensions (in square inches)		19 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		V 14.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		V 58 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 25% H 0%

Nasacort Allergy 24 Hour 360 Spray Club Pack - FRONT (Back is on next page)

06.28.17

NAS\_Allergy\_24hr\_360sp\_Club-Pk\_CARD\_FNL4




Sanofi Regulatory Specifications		Verified Date: 06/28/17
<b>Drug Facts Info</b>		
<b>Drug Facts</b> (Title)	Font name:	N/A
<b>Drug Facts</b> (continued)	Font name:	N/A
Headings	Font name:	N/A
Subheadings	Font name:	N/A
Body Text	Font name:	N/A
Bullets	Font name:	N/A
Bullets on same lines: end of statement separated from bulleted statement by two ems		N/A
Spacing of the hairlines from edge of box – i.e. Minimum of 2 spaces either side of Drug Facts Box		N/A
Tracking:	N/A	Horizontal Scale: N/A
Leading (Minimum space in body of Drug Facts):	N/A	Maximum Characters/Inch: N/A
Barlines:	N/A	Hairlines: N/A
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		.138 in
PDP dimensions (in square inches)		48 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		V 16 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		V 61 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 26% H 0%

Nasacort Allergy 24 Hour 360 Spray Club Pack - BACK (Front is on previous page)


06.28.17

NAS\_Allergy\_24hr\_360sp\_Club-Pk\_CARD\_FNL4



LOT \_\_\_\_\_  
EXP \_\_\_\_\_

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each spray)</b> <span style="float: right;"><b>Purpose</b></span> Triamcinolone acetonide 55 mcg (glucocorticoid) Allergy symptom reliever</p> <p><b>Uses</b> Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:  <ul style="list-style-type: none"> <li>■ nasal congestion</li> <li>■ runny nose</li> <li>■ sneezing</li> <li>■ itchy nose</li> </ul> </p> <p><b>Warnings</b>  <b>Do not use</b> <ul style="list-style-type: none"> <li>■ in children under 2 years of age</li> <li>■ if you have ever had an allergic reaction to any of the ingredients</li> </ul> <b>Ask a doctor before use if you</b> <ul style="list-style-type: none"> <li>■ have had recent nose ulcers or nose surgery</li> <li>■ have had a nose injury that has not healed</li> <li>■ are using a steroid medicine for asthma, allergies or skin rash</li> <li>■ have an eye infection</li> <li>■ have or had glaucoma or cataracts</li> </ul> <b>When using this product</b> <ul style="list-style-type: none"> <li>■ the growth rate of some children may be slower</li> <li>■ some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief.</li> <li>■ do not share this bottle with anyone else as this may spread germs</li> <li>■ remember to tell your doctor about all the medicines you take, including this one</li> </ul> <b>Stop use and ask a doctor if</b> <ul style="list-style-type: none"> <li>■ you have, or come into contact with someone who has, chickenpox, measles or tuberculosis</li> <li>■ you have or develop symptoms of an infection such as a persistent fever</li> <li>■ you have any change in vision</li> <li>■ you have severe or frequent nosebleeds</li> </ul> <p><b>If pregnant or breast-feeding,</b> ask a health professional before use.  <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p> </p>	<p><b>Drug Facts</b> (continued)</p> <p><b>Directions</b>  <b>Read insert (inside package) on how to:</b> <ul style="list-style-type: none"> <li>■ get a new bottle ready (primed) before first use</li> <li>■ prime bottle again if not used for more than 2 weeks</li> <li>■ use the spray</li> <li>■ clean the spray nozzle</li> </ul> </p> <p style="text-align: center;"><b>ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER</b></p> <p><b>adults and children 12 years of age and older</b> <ul style="list-style-type: none"> <li>■ once daily, spray 2 times into each nostril while sniffing gently</li> <li>■ once your allergy symptoms improve, reduce to 1 spray in each nostril per day</li> </ul> </p> <p style="text-align: center;"><b>CHILDREN 2 TO UNDER 12 YEARS OF AGE</b></p> <p>■ the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.</p> <p><b>children 6 to under 12 years of age</b> <ul style="list-style-type: none"> <li>■ an adult should supervise use</li> <li>■ once daily, spray 1 time into each nostril while sniffing gently</li> <li>■ if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.</li> </ul> </p> <p><b>children 2 to under 6 years of age</b> <ul style="list-style-type: none"> <li>■ an adult should supervise use</li> <li>■ once daily, spray 1 time into each nostril while sniffing gently</li> </ul> </p> <p><b>children under 2 years of age</b> <ul style="list-style-type: none"> <li>■ do not use</li> </ul> </p> <p>■ do not use more than directed          ■ if you forget a dose, do not double the next dose          ■ do not spray into eyes or mouth          ■ if allergy symptoms do not improve after one week, stop using and talk to a doctor          ■ do not use for the common cold          ■ shake well before each use</p> <p><b>Other information</b>          ■ do not use if sealed package is torn or opened          ■ keep package and insert. They contain important information.          ■ store between 20°-25°C (68°-77°F)</p> <p><b>Inactive ingredients</b>          benzalkonium chloride, carbonylmethylcellulose sodium, dextrose, edetate disodium, hydrochloric acid or sodium hydroxide (for pH adjustment), microcrystalline cellulose, polysorbate 80, purified water</p> <p><b>Questions or comments?</b> call toll-free 1-800-633-1610</p>
---	--



Dist. by: Chatterm, Inc., a Sanofi Company  
Chattanooga, TN 37408-0219 © 2017  
Origin France 000000-01

Sanofi Regulatory Specifications		Verified Date: 06/28/17
<b>Drug Facts Info</b>		
<b>Drug Facts</b> (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	14 point type
<b>Drug Facts</b> (continued)	Font name: Helvetica Neue 77 Bold Condensed Oblique / Helvetica Neue 57 Condensed	8.00 point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6.00 point type
Body Text	Font name: Helvetica Neue 57 Condensed	6.00 point type
Bullets	Font name: Universal News with Commercial Pi 97	6.00 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		Yes
Spacing of the hairlines from edge of box – i.e. Minimum of 2 spaces either side of Drug Facts Box		Yes
Tracking:	0 to 16 pt.	Horizontal Scale: 94%-100%
Leading (Minimum space in body of Drug Facts):	6.5 pt.	Maximum Characters/Inch: 29
Barlines:	2.5 pt.	Hairlines: .50 pt.
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		.138 in
PDP dimensions (in square inches)		48 sq. in.
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 16 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V 61 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 26% H 0%

# Nasacort Allergy 24 Hour 1"x1" IRC

06.27.17

NAS\_1x1\_IRC\_FNL3




MANUFACTURER'S COUPON EXPIRATION DATE: 00/00/00  
**Consumer:** There is a limit of one coupon per purchase, and the coupon can't be combined with other offers. Good only in the U.S. and overseas commissaries on the purchase of the specified product/size. Void where prohibited or if altered, copied, transferred, auctioned, or sold. You must pay sales tax. Cash value: 1/100 of 1¢. **Retailer:** We will reimburse you for the face value of this coupon plus 6¢ if redeemed in compliance with our Coupon Reimbursement Policy (available at address below). Invoices proving purchase of sufficient stock to cover coupons presented for redemption must be provided upon request. Failure to follow the policy may constitute fraud and may void all coupons submitted. Mail to: Chattem, Inc. 1050, NCH Marketing Services, P.O. Box 880001, El Paso, TX 88588-0001. ©2017 Chattem, Inc. 0000000-00

# Children's Nasacort Allergy 24 Hour Consumer Information Leaflet

06.27.17

NAS\_Kids\_Consumer\_Info\_Leaflet\_FNL4



**Children's  
Nasacort<sup>®</sup>**  
ALLERGY 24HR

**IMPORTANT INFORMATION**


- Read both sides of this insert for complete instructions on how to get a bottle ready (primed), how to use the spray bottle and how to clean the spray nozzle.
- Keep this insert as it contains important information.

**STEPS TO GET A NEW BOTTLE READY FOR USE (PRIMED)**

**1. Before first use, a new bottle must be primed.**

- Remove cap (Figure A).
- Shake bottle.
- Press and release spray nozzle until a fine mist is produced (as shown in Figure B). This may take several times. Take care not to spray in face.

Figure A



Cap

Spray Nozzle

Bottle

**PRIME BOTTLE AGAIN IF NOT USED FOR MORE THAN 2 WEEKS**

- Repeat steps for priming a bottle (see above).

**USE INSTRUCTIONS**

- Blow nose gently to clear nostrils.
- Remove cap, then shake bottle.
- Hold bottle with thumb under bottle and spray nozzle between fingers (as shown in Figure B).
- Press against the outside of your nose with your finger to close off one nostril (as shown in Figure C).
- Place the tip of the spray nozzle into the other nostril. The spray nozzle should not reach far into the nose. Aim nozzle toward back of nose (as shown in Figure C).




Figure B

**DO NOT** spray toward nasal septum (the wall between the 2 nostrils) (as shown in Figure D).




Figure C

Correct Position




Figure D

Wrong Position

- While sniffing gently, spray into nostril.

**IMPORTANT: For complete dosing instructions, See "Directions for use" on next side.**

- Repeat steps "4" through "6" for the other nostril.
- After using the nasal spray, wipe nozzle with a tissue and replace cap by pressing it down over the spray nozzle.

*NOTE: Avoid blowing nose for 15 minutes after use.*

*If nozzle does not spray properly, see cleaning instructions on next side.*

(continued on side 2)

**SIDE 1**

**DIRECTIONS FOR USE**

- BEFORE first use, you must get a new bottle ready (primed).**
- If bottle is not used for more than 2 weeks, prime bottle again.**

**Dosing**

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER	
adults and children 12 years of age and older	<ul style="list-style-type: none"> <li>once daily, spray 2 times into each nostril while sniffing gently</li> <li>once your allergy symptoms improve, reduce to 1 spray in each nostril per day</li> </ul>

CHILDREN 2 TO UNDER 12 YEARS OF AGE	
<ul style="list-style-type: none"> <li>the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.</li> </ul>	
children 6 to under 12 years of age	<ul style="list-style-type: none"> <li>an adult should supervise use</li> <li>once daily, spray 1 time into each nostril while sniffing gently</li> <li>if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.</li> </ul>
children 2 to under 6 years of age	<ul style="list-style-type: none"> <li>an adult should supervise use</li> <li>once daily, spray 1 time into each nostril while sniffing gently</li> </ul>
children under 2 years of age	<ul style="list-style-type: none"> <li>do not use</li> </ul>

**Other important information for use**

- Do not use more than directed.
- If you forget a dose, do **not** double the next dose.
- Do not spray into eyes or mouth.
- If you get the spray in your eyes, rinse well with water.
- If allergy symptoms do not improve after one week, stop using and talk to a doctor.
- Do not share this bottle with anyone else as this may spread germs.

**IF PUMP DOES NOT SPRAY PROPERLY, THE NOZZLE MAY BE BLOCKED**

- Never try to unblock nozzle with a pin or any other object (as shown in Figure E).
- Clean the nozzle as shown below.




Figure E

**CLEANING INSTRUCTIONS**

- Gently pull spray nozzle away from bottle (as shown in Figure F).
- Rinse **SPRAY NOZZLE ONLY** under warm water (as shown in Figure G).
- Shake or tap to remove excess water.
- Re-attach spray nozzle to bottle.
- Press and release spray nozzle until a fine spray is produced, taking care not to spray in face.




Figure F




Figure G

**Children's Nasacort<sup>®</sup> Allergy 24HR**  
pump is now ready to use.

**Where can I get more information?**  
1-800-633-1610

---


Store between 20°-25°C (68°-77°F)  
Distributed by: Chattem, Inc., a Sanofi Company  
Chattanooga, TN 37409-0219 XXXXXX-XX © 2017 Chattem, Inc.

**SIDE 2**

# Nasacort Allergy 24 Hour Consumer Information Leaflet

06.27.17

NAS\_Consumer\_Info\_Leaflet\_FNL4



**IMPORTANT INFORMATION**


- Read both sides of this insert for complete instructions on how to get a bottle ready (primed), how to use the spray bottle and how to clean the spray nozzle.
- Keep this insert as it contains important information.

**STEPS TO GET A NEW BOTTLE READY FOR USE (PRIMED)**

**1. Before first use, a new bottle must be primed.**

- Remove cap (Figure A).
- Shake bottle.
- Press and release spray nozzle until a fine mist is produced (as shown in Figure B). This may take several times. Take care not to spray in face.

Figure A



Cap

Spray Nozzle

Bottle

**PRIME BOTTLE AGAIN IF NOT USED FOR MORE THAN 2 WEEKS**

- Repeat steps for priming a bottle (see above).

**USE INSTRUCTIONS**

- Blow nose gently to clear nostrils.
- Remove cap, then shake bottle.
- Hold bottle with thumb under bottle and spray nozzle between fingers (as shown in Figure B).
- Press against the outside of your nose with your finger to close off one nostril (as shown in Figure C).
- Place the tip of the spray nozzle into the other nostril. The spray nozzle should not reach far into the nose. Aim nozzle toward back of nose (as shown in Figure C).

**DO NOT** spray toward nasal septum (the wall between the 2 nostrils) (as shown in Figure D).




Figure C

Correct Position




Figure D

Wrong Position

- While sniffing gently, spray into nostril.

**IMPORTANT: For complete dosing instructions, See "Directions for use" on next side.**

- Repeat steps "4" through "6" for the other nostril.
- After using the nasal spray, wipe nozzle with a tissue and replace cap by pressing it down over the spray nozzle.

*NOTE: Avoid blowing nose for 15 minutes after use.*

*If nozzle does not spray properly, see cleaning instructions on next side.*

(continued on side 2)

**SIDE 1**

**DIRECTIONS FOR USE**

- BEFORE first use, you must get a new bottle ready (primed).**
- If bottle is not used for more than 2 weeks, prime bottle again.**

**Dosing**

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER	
adults and children 12 years of age and older	<ul style="list-style-type: none"> <li>once daily, spray 2 times into each nostril while sniffing gently</li> <li>once your allergy symptoms improve, reduce to 1 spray in each nostril per day</li> </ul>

CHILDREN 2 TO UNDER 12 YEARS OF AGE	
<ul style="list-style-type: none"> <li>the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.</li> </ul>	
children 6 to under 12 years of age	<ul style="list-style-type: none"> <li>an adult should supervise use</li> <li>once daily, spray 1 time into each nostril while sniffing gently</li> <li>if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.</li> </ul>
children 2 to under 6 years of age	<ul style="list-style-type: none"> <li>an adult should supervise use</li> <li>once daily, spray 1 time into each nostril while sniffing gently</li> </ul>
children under 2 years of age	<ul style="list-style-type: none"> <li>do not use</li> </ul>

**Other important information for use**

- Do not use more than directed.
- If you forget a dose, do **not** double the next dose.
- Do not spray into eyes or mouth.
- If you get the spray in your eyes, rinse well with water.
- If allergy symptoms do not improve after one week, stop using and talk to a doctor.
- Do not share this bottle with anyone else as this may spread germs.

**IF PUMP DOES NOT SPRAY PROPERLY, THE NOZZLE MAY BE BLOCKED**

- Never try to unblock nozzle with a pin or any other object (as shown in Figure E).
- Clean the nozzle as shown below.




Figure E

**CLEANING INSTRUCTIONS**

- Gently pull spray nozzle away from bottle (as shown in Figure F).
- Rinse **SPRAY NOZZLE ONLY** under warm water (as shown in Figure G).
- Shake or tap to remove excess water.
- Re-attach spray nozzle to bottle.
- Press and release spray nozzle until a fine spray is produced, taking care not to spray in face.




Figure F




Figure G

**Nasacort® Allergy 24HR pump is now ready to use.**

**Where can I get more information?**  
1-800-633-1610

---


Store between 20°-25°C (68°-77°F)  
Distributed by: Chattem, Inc., a Sanofi Company  
Chattanooga, TN 37409-0219 XXXXXX-XX © 2017 Chattem, Inc.

**SIDE 2**

# Nasacort Allergy 24 Hour Consumer Information Leaflet

07.06.17

NAS\_Consumer\_Info\_Leaflet\_with CPN\_FNL5


COUPON  
BELOW

**IMPORTANT INFORMATION**

- Read both sides of this insert for complete instructions on how to get a bottle ready (primed), how to use the spray bottle and how to clean the spray nozzle.
- Keep this insert as it contains important information.

**STEPS TO GET A NEW BOTTLE READY FOR USE (PRIMED)**

**1. Before first use, a new bottle must be primed.**

- Remove cap (Figure A).
- Shake bottle.
- Press and release spray nozzle until a fine mist is produced (as shown in Figure B). This may take several times. Take care not to spray in face.




Figure A

Cap

Spray Nozzle

Bottle

**PRIME BOTTLE AGAIN IF NOT USED FOR MORE THAN 2 WEEKS**

- Repeat steps for priming a bottle (see above).

**USE INSTRUCTIONS**

- Blow nose gently to clear nostrils.
- Remove cap, then shake bottle.
- Hold bottle with thumb under bottle and spray nozzle between fingers (as shown in Figure B).
- Press against the outside of your nose with your finger to close off one nostril (as shown in Figure C).
- Place the tip of the spray nozzle into the other nostril. The spray nozzle should not reach far into the nose. Aim nozzle toward back of nose (as shown in Figure C). **DO NOT** spray toward nasal septum (the wall between the 2 nostrils) (as shown in Figure D).




Figure C

**Correct Position**




Figure D

**Wrong Position**

- While sniffing gently, spray into nostril.

**IMPORTANT: For complete dosing instructions, See "Directions for use" on next side.**

- Repeat steps "4" through "6" for the other nostril.
- After using the nasal spray, wipe nozzle with a tissue and replace cap by pressing it down over the spray nozzle.

*NOTE: Avoid blowing nose for 15 minutes after use.*

*If nozzle does not spray properly, see cleaning instructions on next side.*

(continued on side 2)

SIDE 1

---

# SAVE \$X

on any one  
**Nasacort® Allergy 24HR**  
**120 spray or larger**

Use as directed. ©2017 Chatterm, Inc.

**DIRECTIONS FOR USE**

- BEFORE first use, you must get a new bottle ready (primed).**
- If bottle is not used for more than 2 weeks, prime bottle again.**

**Dosing**

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER	
<b>adults and children 12 years of age and older</b>	<ul style="list-style-type: none"> <li>once daily, spray 2 times into each nostril while sniffing gently</li> <li>once your allergy symptoms improve, reduce to 1 spray in each nostril per day</li> </ul>
CHILDREN 2 TO UNDER 12 YEARS OF AGE	
<ul style="list-style-type: none"> <li>the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.</li> </ul>	
<b>children 6 to under 12 years of age</b>	<ul style="list-style-type: none"> <li>an adult should supervise use</li> <li>once daily, spray 1 time into each nostril while sniffing gently</li> <li>if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.</li> </ul>
<b>children 2 to under 6 years of age</b>	<ul style="list-style-type: none"> <li>an adult should supervise use</li> <li>once daily, spray 1 time into each nostril while sniffing gently</li> </ul>
<b>children under 2 years of age</b>	<ul style="list-style-type: none"> <li>do not use</li> </ul>

**Other important information for use**

- Do not use more than directed.
- If you forget a dose, do **not** double the next dose.
- Do not spray into eyes or mouth.
- If you get the spray in your eyes, rinse well with water.
- If allergy symptoms do not improve after one week, stop using and talk to a doctor.
- Do not share this bottle with anyone else as this may spread germs.

**IF PUMP DOES NOT SPRAY PROPERLY, THE NOZZLE MAY BE BLOCKED**

- Never try to unblock nozzle with a pin or any other object (as shown in Figure E).
- Clean the nozzle as shown below.



**CLEANING INSTRUCTIONS**

- Gently pull spray nozzle away from bottle (as shown in Figure F).
- Rinse **SPRAY NOZZLE ONLY** under warm water (as shown in Figure G).
- Shake or tap to remove excess water.
- Re-attach spray nozzle to bottle.
- Press and release spray nozzle until a fine spray is produced, taking care not to spray in face.



Nasacort® Allergy 24HR pump is now ready to use.

**Where can I get more information?**  
1-800-633-1610

Store between 20°-25°C (68°-77°F)

Distributed by: Chatterm, Inc., a Sanofi Company  
Chattanooga, TN 37409-0219 XXXXXX-XX © 2017 Chatterm, Inc.

**SIDE 2**

**MANUFACTURER'S COUPON | EXPIRES: XX/XX/XX**

Consumer: There is a limit of one coupon per purchase, and the coupon can't be combined with other offers. Good only in the U.S. and overseas commissaries on the purchase of the specified products. Void where prohibited or if altered, copied, transferred, auctioned, or sold. You must pay sales tax. Cash value: 1/100 of 1¢. Retailer: We will reimburse you for the face value of this coupon plus 5¢ if redeemed in compliance with our Coupon Reimbursement Policy (available at address below). Invoices proving purchase of sufficient stock to cover coupons presented for redemption must be provided upon request. Failure to follow the policy may constitute fraud and may void all coupons submitted. Mail to: Chatterm, Inc. 1050, NCP Marketing Services, P.O. Box 680001, El Paso, TX 88568-0001



Nasacort Allergy 24 Hour Drug Facts Label

11.13.17

NAS\_60Sp\_KIDS\_PeelAway\_DFL\_FNL2

**Drug Facts**

**Active ingredient (in each spray)** *Fluticasone propionate* 0.05 mg/mL (glucocorticoid) **Purpose** Allergy symptom reliever

**Uses** Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: **nasal congestion** **runny nose** **sneezing** **itchy nose**

**Warnings**  
**Do not use**  
 • if you have ever had an allergic reaction to any of the ingredients  
 • if you are under 2 years of age

**When using this product**  
 • the growth rate of some children may be slower  
 • some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief.  
 • do not share this bottle with anyone else as this may spread germs.  
 • remember to tell your doctor about all the medicines you take, including this one.

**Other information**  
 • do not use if sealed package is torn or opened  
 • keep package and insert. They contain important information.  
 • store between 20°-25°C (68°-77°F).

**Inactive ingredients**  
 benzalkonium chloride, carbomer, methylcellulose sodium, dextran, edetate disodium, hydrochloric acid or sodium hydroxide (for pH adjustment), microcrystalline cellulose, polyacrylate B5, purified water

**Questions or comments?** call toll-free 1-800-633-1610

000000-01

**Drug Facts (continued)**

**Stop use and ask a doctor if**  
 • you have, or come into contact with someone who has, chickenpox, measles or tuberculosis  
 • you have or develop symptoms of an infection such as a persistent fever  
 • you have any change in vision  
 • you have severe or frequent nosebleeds

**Directions**  
**Read insert (inside package) on how to:**  
 • get a new bottle ready (primed) before first use  
 • prime bottle again if not used for more than 2 weeks  
 • use the spray  
 • clean the spray nozzle

**ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER**  
**adults and children 12 years of age and older**  
 • once daily, spray 2 times into each nostril while sniffing gently  
 • once your allergy symptoms improve, reduce to 1 spray in each nostril per day

**CHILDREN 2 TO UNDER 12 YEARS OF AGE**  
 • the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.  
**children 6 to under 12 years of age**  
 • an adult should supervise use  
 • once daily, spray 1 time into each nostril while sniffing gently

**Drug Facts (continued)**

**CHILDREN 2 TO UNDER 12 YEARS OF AGE (continued)**  
**children 6 to under 12 years of age (continued)**  
 • if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.  
**children 2 to under 6 years of age**  
 • an adult should supervise use  
 • once daily, spray 1 time into each nostril while sniffing gently  
**children under 2 years of age**  
 • do not use

**Other information**  
 • do not use more than directed  
 • if you forget a dose, do not double the next dose  
 • do not spray into eyes or mouth  
 • if allergy symptoms do not improve after one week, stop using and talk to a doctor  
 • do not use for the common cold  
 • shake well before each use

**Questions or comments?** call toll-free 1-800-633-1610

Sanofi Regulatory Specifications		Verified Date: 11/13/17
<b>Drug Facts Info</b>		
<b>Drug Facts (Title)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	14.00 point type
<b>Drug Facts (continued)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique / Helvetica Neue 57 Condensed	8.00 point type
<b>Headings</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
<b>Subheadings</b>	Font name: Helvetica Neue 77 Bold Condensed	6.00 point type
<b>Body Text</b>	Font name: Helvetica Neue 57 Condensed	6.00 point type
<b>Bullets</b>	Font name: Universal News with Commercial Pl 97	6.00 point type
<b>Bullets on same lines: end of statement separated from bulleted statement by two ems</b>		Yes
<b>Spacing of the hairlines from edge of box – i.e. Minimum of 1 space either side of Drug Facts Box</b>		Yes
<b>Tracking:</b>	0 to 16	Horizontal Scale: 94%-100%
<b>Leading (Minimum space in body of Drug Facts):</b>	6.3 pt.	Maximum Characters/Inch (Characters plus spaces): 32
<b>Baselines:</b>	2.0 pt.	Hairlines: 0.50 pt.
<b>Principal Display Panel Info</b>		
<b>Font size of Net Quantity of Contents (Smallest character height in inches)</b>		NA
<b>PDP dimensions (in square inches)</b>		NA
<b>Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Ratio of Statement of Identity to Logo/Largest Copy on PDP</b>		NA
<b>Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)</b>		NA

Nasacort Allergy 24 Hour Drug Facts Label  
 11.13.17

NAS\_60sp\_PeelAway\_DFL\_FNL6

**Drug Facts**

**Active ingredient (in each spray)** *Fluticasone propionate* 55 mcg (glucocorticoid) **Purpose** Allergy symptom reliever

**Uses** Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: **nasal congestion** **runny nose** **sneezing** **itchy nose**

**Warnings**  
**Do not use**  
 • if children under 2 years of age  
 • if you have ever had an allergic reaction to any of the ingredients

**Ask a doctor before use if you**  
 • have had recent nose surgery or nose surgery  
 • have had a nose injury that has not healed  
 • are using a steroid medicine for asthma, allergies or skin rash  
 • have an eye infection • have or had glaucoma or cataracts

**When using this product**  
 • the growth rate of some children may be slower  
 • some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief.  
 • do not share this bottle with anyone else as this may spread germs  
 • remember to tell your doctor about all the medicines you take, including this one

Del. by Challen, Inc., a Sanofi Company, Chatham, GA 31709-0219 ©2017 Origin France

000000-01

**Drug Facts (continued)**

**Stop use and ask a doctor if**  
 • you have or come into contact with someone who has, chickenpox, measles or tuberculosis  
 • you have or develop symptoms of an infection such as a persistent fever  
 • you have any change in vision  
 • you have severe or frequent nosebleeds

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
**Read insert (inside package) on how to:**  
 • get a new bottle ready (primed) before first use  
 • prime bottle again if not used for more than 2 weeks  
 • use the spray  
 • clean the spray nozzle

**ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER**  
**adults and children 12 years of age and older**  
 • once daily, spray 2 times into each nostril while sniffing gently  
 • once your allergy symptoms improve, reduce to 1 spray in each nostril per day

**CHILDREN 2 TO UNDER 12 YEARS OF AGE**  
 • the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.

**children 6 to under 12 years of age**  
 • an adult should supervise use  
 • once daily, spray 1 time into each nostril while sniffing gently

**Drug Facts (continued)**

**CHILDREN 2 TO UNDER 12 YEARS OF AGE (continued)**

**children 6 to under 12 years of age (continued)**  
 • if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.

**children 2 to under 6 years of age**  
 • an adult should supervise use  
 • once daily, spray 1 time into each nostril while sniffing gently

**children under 2 years of age**  
 • do not use

**do not use more than directed**  
 • if you forget a dose, do not double the next dose  
 • do not spray into eyes or mouth  
 • if allergy symptoms do not improve after one week, stop using and talk to a doctor  
 • do not use for the common cold  
 • shake well before each use

**Other information**  
 • do not use if sealed package is torn or opened  
 • keep package and insert. They contain important information.  
 • store between 20°-25° (68°-77°)

**Inactive ingredients**  
 benzalkonium chloride, carbomer, methylcellulose sodium, dextran, edetate disodium, hydrochloric acid or sodium hydroxide (for pH adjustment), microcrystalline cellulose, polyacrylate B5, purified water

**Questions or comments?** call toll-free 1-800-633-1610

Sanofi Regulatory Specifications		Verified Date: 11/13/17
<b>Drug Facts Info</b>		
<b>Drug Facts (Title)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	14.00 point type
<b>Drug Facts (continued)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique / Helvetica Neue 57 Condensed	8.00 point type
<b>Headings</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
<b>Subheadings</b>	Font name: Helvetica Neue 77 Bold Condensed	6.00 point type
<b>Body Text</b>	Font name: Helvetica Neue 57 Condensed	6.00 point type
<b>Bullets</b>	Font name: Universal News with Commercial Pl 97	6.00 point type
<b>Bullets on same lines: end of statement separated from bulleted statement by two ems</b>		Yes
<b>Spacing of the hairlines from edge of box – i.e. Minimum of 1 space either side of Drug Facts Box</b>		Yes
<b>Tracking:</b>	0 to 16	Horizontal Scale: 94%-100%
<b>Leading (Minimum space in body of Drug Facts):</b>	6.3 pt.	Maximum Characters/Inch (Characters plus spaces): 32
<b>Barlines:</b>	2.0 pt.	Hairlines: 0.50 pt.
<b>Principal Display Panel Info</b>		
<b>Font size of Net Quantity of Contents (Smallest character height in inches)</b>		NA
<b>PDP dimensions (in square inches)</b>		NA
<b>Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Ratio of Statement of Identity to Logo/Largest Copy on PDP</b>		NA
<b>Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)</b>		NA

Nasacort Allergy 24 Hour Drug Facts Label  
 11.13.17

NAS\_120sp\_PeelAway DFL\_FNL2

**Drug Facts**

**Active ingredient (in each spray)** *Fluticasone propionate* 55 mcg (glucocorticoid) **Purpose** Allergy symptom reliever


**Uses** Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: **nasal congestion** **runny nose** **sneezing** **itchy nose**

**Warnings**  
**Do not use**  
 • if children under 2 years of age  
 • if you have ever had an allergic reaction to any of the ingredients

**Ask a doctor before use if you**  
 • have had recent nose surgery or nose surgery  
 • have had a nose injury that has not healed  
 • are using a steroid medicine for asthma, allergies or skin rash  
 • have an eye infection • have or had glaucoma or cataracts

**When using this product**  
 • the growth rate of some children may be slower  
 • some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief.  
 • do not share this bottle with anyone else as this may spread germs  
 • remember to tell your doctor about all the medicines you take, including this one

Dist. by: Challen, Inc., a Sanofi Company, Chatham, GA 31707 ©2017 Origin France

000000-01  411671580059

**Drug Facts (continued)**

**Stop use and ask a doctor if**  
 • you have or come into contact with someone who has, chickenpox, measles or tuberculosis  
 • you have or develop symptoms of an infection such as a persistent fever  
 • you have any change in vision  
 • you have severe or frequent nosebleeds

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
**Read insert (inside package) on how to:**  
 • get a new bottle ready (primed) before first use  
 • prime bottle again if not used for more than 2 weeks  
 • use the spray  
 • clean the spray nozzle

**ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER**  
**adults and children 12 years of age and older**  
 • once daily, spray 2 times into each nostril while sniffing gently  
 • once your allergy symptoms improve, reduce to 1 spray in each nostril per day

**CHILDREN 2 TO UNDER 12 YEARS OF AGE**  
 • the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.  
**children 6 to under 12 years of age**  
 • an adult should supervise use  
 • once daily, spray 1 time into each nostril while sniffing gently

**Drug Facts (continued)**

**CHILDREN 2 TO UNDER 12 YEARS OF AGE (continued)**  
**children 6 to under 12 years of age (continued)**  
 • if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.  
**children 2 to under 6 years of age**  
 • an adult should supervise use  
 • once daily, spray 1 time into each nostril while sniffing gently  
**children under 2 years of age**  
 • do not use

**do not use more than directed**  
 • if you forget a dose, do not double the next dose  
 • do not spray into eyes or mouth  
 • if allergy symptoms do not improve after one week, stop using and talk to a doctor  
 • do not use for the common cold  
 • shake well before each use

**Other information**  
 • do not use if sealed package is torn or opened  
 • keep package and insert. They contain important information.  
 • store between 20°-25° (68°-77°)

**Inactive ingredients**  
 benzalkonium chloride, carbomer, methylcellulose sodium, dextran, edetate disodium, hydrochloric acid or sodium hydroxide (for pH adjustment), microcrystalline cellulose, polyacrylate B5, purified water

**Questions or comments?** call toll-free 1-800-633-1610

Sanofi Regulatory Specifications		Verified Date: 11/13/17
<b>Drug Facts Info</b>		
<b>Drug Facts (Title)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	14.00 point type
<b>Drug Facts (continued)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique / Helvetica Neue 57 Condensed	8.00 point type
<b>Headings</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
<b>Subheadings</b>	Font name: Helvetica Neue 77 Bold Condensed	6.00 point type
<b>Body Text</b>	Font name: Helvetica Neue 57 Condensed	6.00 point type
<b>Bullets</b>	Font name: Universal News with Commercial Pl 97	6.00 point type
<b>Bullets on same lines: end of statement separated from bulleted statement by two ems</b>		Yes
<b>Spacing of the hairlines from edge of box – i.e. Minimum of 1 space either side of Drug Facts Box</b>		Yes
<b>Tracking:</b>	0 to 16	Horizontal Scale: 94%-100%
<b>Leading (Minimum space in body of Drug Facts):</b>	6.3 pt.	Maximum Characters/Inch (Characters plus spaces): 32
<b>Baselines:</b>	2.0 pt.	Hairlines: 0.50 pt.
<b>Principal Display Panel Info</b>		
<b>Font size of Net Quantity of Contents (Smallest character height in inches)</b>		NA
<b>PDP dimensions (in square inches)</b>		NA
<b>Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Ratio of Statement of Identity to Logo/Largest Copy on PDP</b>		NA
<b>Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)</b>		NA

Nasacort Allergy 24 Hour Drug Facts Label  
 11.13.17

NAS\_120+30sp\_Bonus-Pk\_PeelAway\_DFL\_FNL2

**Drug Facts**

**Active ingredient (in each spray)** *Fluticasone propionate* 0.05 mg/mL (glucocorticoid) **Purpose**  
 Allergy symptom reliever

**Uses** Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: **nasal congestion** **runny nose** **sneezing** **itchy nose**

**Warnings**  
**Do not use**  
 if you have ever had an allergic reaction to any of the ingredients

**When using this product**  
 the growth rate of some children may be slower  
 some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief.  
 do not share this bottle with anyone else as this may spread germs.  
 remember to tell your doctor about all the medicines you take, including this one.

**Other information**  
 Do not use if sealed package is torn or opened.  
 Keep package and insert. They contain important information.  
 Store between 20°-25°C (68°-77°F).

**Inactive ingredients**  
 benzalkonium chloride, carbomer, methylcellulose sodium, dextran, edetate disodium, hydrochloric acid or sodium hydroxide (for pH adjustment), microcrystalline cellulose, polyacrylate 80, purified water

**Questions or comments?** call toll-free 1-800-633-1610

**Drug Facts (continued)**

**Stop use and ask a doctor if**  
 you have or come into contact with someone who has, chickenpox, measles or tuberculosis  
 you have or develop symptoms of an infection such as a persistent fever  
 you have any change in vision  
 you have severe or frequent nosebleeds

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 Read insert (inside package) on how to use.  
 Use a new bottle every 3 months before first use.  
 prime bottle again if not used for more than 2 weeks  
 use the spray  
 clean the spray nozzle

**ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER**  
 adults and children 12 years of age and older  
 once daily, spray 2 times into each nostril while sniffing gently  
 once your allergy symptoms improve, reduce to 1 spray in each nostril per day

**CHILDREN 2 TO UNDER 12 YEARS OF AGE**  
 the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.

**children 6 to under 12 years of age**  
 an adult should supervise use  
 once daily, spray 1 time into each nostril while sniffing gently

**Drug Facts (continued)**

**CHILDREN 2 TO UNDER 12 YEARS OF AGE (continued)**  
 children 6 to under 12 years of age (continued)  
 children 2 to under 6 years of age  
 children under 2 years of age

**Other information**  
 do not use if sealed package is torn or opened  
 keep package and insert. They contain important information.  
 store between 20°-25°C (68°-77°F)

**Inactive ingredients**  
 benzalkonium chloride, carbomer, methylcellulose sodium, dextran, edetate disodium, hydrochloric acid or sodium hydroxide (for pH adjustment), microcrystalline cellulose, polyacrylate 80, purified water

**Questions or comments?** call toll-free 1-800-633-1610

Sanofi Regulatory Specifications		Verified Date: 11/13/17
<b>Drug Facts Info</b>		
<b>Drug Facts (Title)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	14.00 point type
<b>Drug Facts (continued)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique / Helvetica Neue 57 Condensed	8.00 point type
<b>Headings</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
<b>Subheadings</b>	Font name: Helvetica Neue 77 Bold Condensed	6.00 point type
<b>Body Text</b>	Font name: Helvetica Neue 57 Condensed	6.00 point type
<b>Bullets</b>	Font name: Universal News with Commercial Pl 97	6.00 point type
<b>Bullets on same lines: end of statement separated from bulleted statement by two ems</b>		Yes
<b>Spacing of the hairlines from edge of box – i.e. Minimum of 1 space either side of Drug Facts Box</b>		Yes
<b>Tracking:</b>	0 to 16	Horizontal Scale: 94%-100%
<b>Leading (Minimum space in body of Drug Facts):</b>	6.3 pt.	Maximum Characters/Inch (Characters plus spaces): 32
<b>Baselines:</b>	2.0 pt.	Hairlines: 0.50 pt.
<b>Principal Display Panel Info</b>		
<b>Font size of Net Quantity of Contents (Smallest character height in inches)</b>		NA
<b>PDP dimensions (in square inches)</b>		NA
<b>Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Ratio of Statement of Identity to Logo/Largest Copy on PDP</b>		NA
<b>Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)</b>		NA

Nasacort Allergy 24 Hour Drug Facts Label  
 11.13.17

NAS\_120+30sp\_Multi-Pk\_PeelAway\_DFL\_FNL2

**Drug Facts**

**Active ingredient (in each spray)** *Fluticasone propionate* 0.05 mg/mL (glucocorticoid) **Purpose**  
 Allergy symptom reliever

**Uses** Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: **nasal congestion** **runny nose** **sneezing** **itchy nose**


**Warnings**  
**Do not use**  
 if you are children under 2 years of age  
 if you have ever had an allergic reaction to any of the ingredients

**Ask a doctor before use if you**  
 have had recent nose surgery or nose surgery  
 have had a nose injury that has not healed  
 are using a steroid medicine for asthma, allergies or skin rash  
 have an eye infection **have or had glaucoma or cataracts**

**When using this product**  
 the growth rate of some children may be slower  
 some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief.  
 do not share this bottle with anyone else as this may spread germs  
 remember to tell your doctor about all the medicines you take, including this one

Dist. by: Chaslem, Inc., a Sanofi Company, Chatham, GA 31709-0219 ©2017 Origin France

000000-01



**Drug Facts (continued)**

**Stop use and ask a doctor if**  
 you have or come into contact with someone who has, chickenpox, measles or tuberculosis  
 you have or develop symptoms of an infection such as a persistent fever  
 you have any change in vision  
 you have severe or frequent nosebleeds

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
**Read insert (inside package) on how to:**  
 get a new bottle ready (primed) before first use  
 prime bottle again if not used for more than 2 weeks  
 use the spray  
 clean the spray nozzle

**ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER**

**adults and children 12 years of age and older**  
 once daily, spray 2 times into each nostril while sniffing gently  
 once your allergy symptoms improve, reduce to 1 spray in each nostril per day

**CHILDREN 2 TO UNDER 12 YEARS OF AGE**

the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.

**children 6 to under 12 years of age**  
 an adult should supervise use  
 once daily, spray 1 time into each nostril while sniffing gently

**Drug Facts (continued)**

**CHILDREN 2 TO UNDER 12 YEARS OF AGE (continued)**

**children 6 to under 12 years of age (continued)**  
 if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.

**children 2 to under 6 years of age**  
 an adult should supervise use  
 once daily, spray 1 time into each nostril while sniffing gently

**children under 2 years of age**  
 do not use

**do not use more than directed**  
 if you forget a dose, do not double the next dose  
 do not spray into eyes or mouth  
 if allergy symptoms do not improve after one week, stop using and talk to a doctor  
 do not use for the common cold  
 shake well before each use

**Other information**  
 do not use if sealed package is torn or opened  
 keep package and insert. They contain important information.  
 store between 20°-25°C (68°-77°F)

**Inactive ingredients**  
 benzalkonium chloride, carbomer, methylcellulose sodium, dextran, edetate disodium, hydrochloric acid or sodium hydroxide (for pH adjustment), microcrystalline cellulose, polyacrylate B5, purified water

**Questions or comments?** call toll-free 1-800-633-1610

Sanofi Regulatory Specifications		Verified Date: 11/13/17
<b>Drug Facts Info</b>		
<b>Drug Facts (Title)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	14.00 point type
<b>Drug Facts (continued)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique / Helvetica Neue 57 Condensed	8.00 point type
<b>Headings</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
<b>Subheadings</b>	Font name: Helvetica Neue 77 Bold Condensed	6.00 point type
<b>Body Text</b>	Font name: Helvetica Neue 57 Condensed	6.00 point type
<b>Bullets</b>	Font name: Universal News with Commercial Pl 97	6.00 point type
<b>Bullets on same lines: end of statement separated from bulleted statement by two ems</b>		Yes
<b>Spacing of the hairlines from edge of box – i.e. Minimum of 1 space either side of Drug Facts Box</b>		Yes
<b>Tracking:</b>	0 to 16	Horizontal Scale: 94%-100%
<b>Leading (Minimum space in body of Drug Facts):</b>	6.3 pt.	Maximum Characters/Inch (Characters plus spaces): 32
<b>Baselines:</b>	2.0 pt.	Hairlines: 0.50 pt.
<b>Principal Display Panel Info</b>		
<b>Font size of Net Quantity of Contents (Smallest character height in inches)</b>		NA
<b>PDP dimensions (in square inches)</b>		NA
<b>Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Ratio of Statement of Identity to Logo/Largest Copy on PDP</b>		NA
<b>Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)</b>		NA

Nasacort Allergy 24 Hour Drug Facts Label  
 11.13.17

NAS\_2x120sp\_Multi-Pk\_PeelAway\_DFL\_FNL2

**Drug Facts**

**Active ingredient (in each spray)** *Fluticasone propionate* 0.05 mg/mL (glucocorticoid) **Purpose** Allergy symptom reliever

**Uses** Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: **nasal congestion** **runny nose** **sneezing** **itchy nose**

**Warnings**  
**Do not use**  
 • if children under 2 years of age  
 • if you have ever had an allergic reaction to any of the ingredients

**Ask a doctor before use if you**  
 • have had recent nose surgery or nose surgery  
 • have had a nose injury that has not healed  
 • are using a steroid medicine for asthma, allergies or skin rash  
 • have an eye infection • have or had glaucoma or cataracts

**When using this product**  
 • the growth rate of some children may be slower  
 • some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief.  
 • do not share this bottle with anyone else as this may spread germs  
 • remember to tell your doctor about all the medicines you take, including this one

Dist. by: Chaslem, Inc., a Sanofi Company, Chatham, GA 31709-0219 ©2017 Origin France

000000-01

4 1167 58002 8

**Drug Facts (continued)**

**Stop use and ask a doctor if**  
 • you have or come into contact with someone who has, chickenpox, measles or tuberculosis  
 • you have or develop symptoms of an infection such as a persistent fever  
 • you have any change in vision  
 • you have severe or frequent nosebleeds

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
**Read insert (inside package) on how to:**  
 • get a new bottle ready (primed) before first use  
 • prime bottle again if not used for more than 2 weeks  
 • use the spray  
 • clean the spray nozzle

**ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER**  
**adults and children 12 years of age and older**  
 • once daily, spray 2 times into each nostril while sniffing gently  
 • once your allergy symptoms improve, reduce to 1 spray in each nostril per day

**CHILDREN 2 TO UNDER 12 YEARS OF AGE**  
 • the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.  
**children 6 to under 12 years of age**  
 • an adult should supervise use  
 • once daily, spray 1 time into each nostril while sniffing gently

**Drug Facts (continued)**

**CHILDREN 2 TO UNDER 12 YEARS OF AGE (continued)**  
**children 6 to under 12 years of age (continued)**  
 • if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.  
**children 2 to under 6 years of age**  
 • an adult should supervise use  
 • once daily, spray 1 time into each nostril while sniffing gently  
**children under 2 years of age**  
 • do not use

**do not use more than directed**  
 • if you forget a dose, do not double the next dose  
 • do not spray into eyes or mouth  
 • if allergy symptoms do not improve after one week, stop using and talk to a doctor  
 • do not use for the common cold  
 • shake well before each use

**Other information**  
 • do not use if sealed package is torn or opened  
 • keep package and insert. They contain important information.  
 • store between 20°-25°C (68°-77°F)

**Inactive ingredients**  
 benzalkonium chloride, carbomer, methylcellulose sodium, dextran, edetate disodium, hydrochloric acid or sodium hydroxide (for pH adjustment), microcrystalline cellulose, polyacrylate B5, purified water

**Questions or comments?** call toll-free 1-800-633-1610

Sanofi Regulatory Specifications		Verified Date: 11/13/17
<b>Drug Facts Info</b>		
<b>Drug Facts (Title)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	14.00 point type
<b>Drug Facts (continued)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique / Helvetica Neue 57 Condensed	8.00 point type
<b>Headings</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
<b>Subheadings</b>	Font name: Helvetica Neue 77 Bold Condensed	6.00 point type
<b>Body Text</b>	Font name: Helvetica Neue 57 Condensed	6.00 point type
<b>Bullets</b>	Font name: Universal News with Commercial Pl 97	6.00 point type
<b>Bullets on same lines: end of statement separated from bulleted statement by two ems</b>		Yes
<b>Spacing of the hairlines from edge of box – i.e. Minimum of 1 space either side of Drug Facts Box</b>		Yes
<b>Tracking:</b>	0 to 16	Horizontal Scale: 94%-100%
<b>Leading (Minimum space in body of Drug Facts):</b>	6.3 pt.	Maximum Characters/Inch (Characters plus spaces): 32
<b>Baselines:</b>	2.0 pt.	Hairlines: 0.50 pt.
<b>Principal Display Panel Info</b>		
<b>Font size of Net Quantity of Contents (Smallest character height in inches)</b>		NA
<b>PDP dimensions (in square inches)</b>		NA
<b>Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Ratio of Statement of Identity to Logo/Largest Copy on PDP</b>		NA
<b>Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)</b>		NA

Nasacort Allergy 24 Hour Drug Facts Label  
 11.13.17

NAS\_2x120sp\_Multi-Pk-ALT\_PeelAway DFL\_FNL2

**Drug Facts**

**Active ingredient (in each spray)** *Fluticasone propionate* 55 mcg (glucocorticoid) **Purpose**  
 Allergy symptom reliever

**Uses** Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: **nasal congestion** **runny nose** **sneezing** **itchy nose**

**Warnings**  
**Do not use**  
 if you are under 2 years of age  
 if you have ever had an allergic reaction to any of the ingredients

**Ask a doctor before use if you**  
 have had recent nose surgery or nose surgery  
 have had a nose injury that has not healed  
 are using a steroid medicine for asthma, allergies or skin rash  
 have an eye infection **have or had glaucoma or cataracts**

**When using this product**  
 the growth rate of some children may be slower  
 some symptoms may get better on the first day of treatment. It may take up to one week of daily use to feel the most symptom relief.  
 do not share this bottle with anyone else as this may spread germs  
 remember to tell your doctor about all the medicines you take, including this one

Dist. by: Chaslin, Inc., a Sanofi Company, Chatham, GA 31709-0219 ©2017 Origin France

000000-01

0 41167 58002 8

**Drug Facts (continued)**

**Stop use and ask a doctor if**  
 you have or come into contact with someone who has, chickenpox, measles or tuberculosis  
 you have or develop symptoms of an infection such as a persistent fever  
 you have any change in vision  
 you have severe or frequent nosebleeds

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
**Read insert (inside package) on how to:**  
 get a new bottle ready (primed) before first use  
 prime bottle again if not used for more than 2 weeks  
 use the spray  
 clean the spray nozzle

**ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER**

**adults and children 12 years of age and older**  
 once daily, spray 2 times into each nostril while sniffing gently  
 once your allergy symptoms improve, reduce to 1 spray in each nostril per day

**CHILDREN 2 TO UNDER 12 YEARS OF AGE**

the growth rate of some children may be slower while using this product. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.

**children 6 to under 12 years of age**  
 an adult should supervise use  
 once daily, spray 1 time into each nostril while sniffing gently

**Drug Facts (continued)**

**CHILDREN 2 TO UNDER 12 YEARS OF AGE (continued)**

**children 6 to under 12 years of age (continued)**  
 if allergy symptoms do not improve, increase to 2 sprays in each nostril per day. Once allergy symptoms improve, reduce to 1 spray in each nostril per day.

**children 2 to under 6 years of age**  
 an adult should supervise use  
 once daily, spray 1 time into each nostril while sniffing gently

**children under 2 years of age**  
 do not use

**do not use more than directed**  
 if you forget a dose, do not double the next dose  
 do not spray into eyes or mouth  
 if allergy symptoms do not improve after one week, stop using and talk to a doctor  
 do not use for the common cold  
 shake well before each use

**Other information**  
 do not use if sealed package is torn or opened  
 keep package and insert. They contain important information.  
 store between 20°-25° (68°-77°)

**Inactive ingredients**  
 benzalkonium chloride, carbomer, methylcellulose sodium, dextran, edetate disodium, hydrochloric acid or sodium hydroxide (for pH adjustment), microcrystalline cellulose, polyacrylate B5, purified water


**Questions or comments?** call toll-free 1-800-633-1610

Sanofi Regulatory Specifications		Verified Date: 11/13/17
<b>Drug Facts Info</b>		
<b>Drug Facts (Title)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	14.00 point type
<b>Drug Facts (continued)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique / Helvetica Neue 57 Condensed	8.00 point type
<b>Headings</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
<b>Subheadings</b>	Font name: Helvetica Neue 77 Bold Condensed	6.00 point type
<b>Body Text</b>	Font name: Helvetica Neue 57 Condensed	6.00 point type
<b>Bullets</b>	Font name: Universal News with Commercial Pl 97	6.00 point type
<b>Bullets on same lines: end of statement separated from bulleted statement by two ems</b>		Yes
<b>Spacing of the hairlines from edge of box – i.e. Minimum of 1 space either side of Drug Facts Box</b>		Yes
<b>Tracking:</b>	0 to 16	Horizontal Scale: 94%-100%
<b>Leading (Minimum space in body of Drug Facts):</b>	6.3 pt.	Maximum Characters/Inch (Characters plus spaces): 32
<b>Baselines:</b>	2.0 pt.	Hairlines: 0.50 pt.
<b>Principal Display Panel Info</b>		
<b>Font size of Net Quantity of Contents (Smallest character height in inches)</b>		NA
<b>PDP dimensions (in square inches)</b>		NA
<b>Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")</b>		NA
<b>Ratio of Statement of Identity to Logo/Largest Copy on PDP</b>		NA
<b>Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)</b>		NA


# Nasacort Allergy 24 Hour 1.75"x1" In Pack Coupon

## 12.14.17

NAS\_1.75x1\_In Pack Coupon\_DSN1



Opened Front of Booklet



Opened Back of Booklet



Sanofi Consumer Health Care Spec Box		Verified Date: 012/14/17
1.75" x 1" InPack Coupon		
Headline	Font name: Helvetica Neue 95 Black	27.00 point type
Sub Headline/Message	Font name: Myriad Pro Semi Bold	9.00 point type
Body Text	Font name: Helvetica Neue 57 Condensed	8.00 point type
Exp. Date	Font name: Helvetica Neue 57 Condensed	6.00 point type
Tracking:	0 to 16	Horizontal Scale: 95%-100%
Leading:	6 pt.	Maximum Characters/Inch: (Characters plus spaces) 36
Barrlines:	NA	Hairlines: NA

# Nasacort Allergy 24 Hour 2.75"x1" In-Pack Coupon

## 01.10.18

NAS\_2.75x1\_In-Pack Coupon\_FNL1



MANUFACTURER'S COUPON | EXPIRATION DATE: 00/00/00

**Consumer:** There is a limit of one coupon per purchase, and the coupon can't be combined with other offers. Good only in the U.S. and overseas commissaries on the purchase of the specified product/size. Void where prohibited or if altered, copied, transferred, auctioned, or sold. You must pay sales tax. Cash value: 1/100 of 1¢. **Retailer:** We will reimburse you for the face value of this coupon plus 8¢ if redeemed in compliance with our Coupon Reimbursement Policy (available at address below). Invoices proving purchase of sufficient stock to cover coupons presented for redemption must be provided upon request. Failure to follow the policy may constitute fraud and may void all coupons submitted.

Mail to: Chattem, Inc. 1050,  
NCH Marketing Services,  
P.O. Box 880001,  
El Paso, TX 88588-0001.  
©2017 Chattem, Inc.

0041167-014501



0000000-01