

# Zantac 75 2ct Carton

## 06.13.19

ZAN\_75\_2ct\_CTN\_0140050-01\_Mex\_2019\_FDA\_DSN3



Sanofi Regulatory Specifications		Verified Date: 06/13/19
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	9.0 point type
Drug Facts (continued)	Font name: Helvetica Neue 77 Bold Condensed Oblique	9.0 point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	8 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6 point type
Body Text	Font name: Helvetica Neue 57 Condensed	6 point type
Bullets	Font name: Helvetica Neue 57 Condensed	5 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box - i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking:	0 to 8 pt. Horizontal Scale:	97%-102%
Leading (Minimum space in body of Drug Facts):		39
Bartines: 2.5 pt. Hairlines:		0.5 pt.
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		0.070 in
PDP dimensions (in millimeters)		H 60mm W 97mm
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 8.81 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V 61 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (View of Largest Logo Copy (pt.))		V 15% H 0%

# Zantac 75 2ct Carton

## 06.13.19

ZAN\_75\_2ct\_CTN\_0140049-01\_Spain\_2019\_FDA\_DSN2



Sanofi Regulatory Specifications		Verified Date: 06/13/19
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	9.0 point type
Drug Facts (continued)	Font name: Helvetica Neue 77 Bold Condensed Oblique	NA point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	8 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6 point type
Body Text	Font name: Helvetica Neue 57 Condensed	6 point type
Bullets	Font name: Helvetica Neue 57 Condensed	5 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box - i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking:	0 to 8 pt.	Horizontal Scale: 97%-102%
Leading (Minimum space in body of Drug Facts):	5.8 pt.	Maximum Characters/Inch: 39
Batlines:	2.5 pt.	Hairlines: 0.5 pt.
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		0.070 in
PDP dimensions (in millimeters)		H 60mm W 97mm
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 8.81 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V 61 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (View only) Largest Logo Copy (pt.)		V 15% H 0%

Zantac 75 10ct Carton  
03.28.19

ZAN\_75\_10ct\_CTN\_0140059-01\_Mex\_2019\_FDA\_DSN3

**Regular Strength**  
**Zantac**  
Ranitidine Tablets 75 mg / Acid Reducer  
**75**

**Regular Strength**  
**Zantac**  
Ranitidine Tablets 75 mg / Acid Reducer  
**75**

**PREVENTS & RELIEVES HEARTBURN** associated with acid indigestion and sour stomach

**10 TABLETS (10 DOSES)**

**Sanofi**

Distributed by: Chatham, Inc., a Sanofi Company  
P.O. Box 2219  
Chattanooga, TN 37409-0219  
©2019 Origin Mexico 0140059-01

**Tips for managing heartburn**

• Eat slowly and do not eat big meals  
• If you are overweight, lose weight  
• If you smoke, quit smoking  
• Raise the head of your bed  
• Wear loose fitting clothing around your stomach

**Tips for managing heartburn**

• Do not lie flat or bend over soon after eating  
• Do not eat late at night, or just before bedtime  
• Carbs, fatty, or fried foods are more likely to cause heartburn, such as rich, spicy, fatty, and fried foods, chocolate, caffeine, alcohol, even some fruits and vegetables

**Questions?** Call 1-800-633-1810 or visit [www.zantac.com](http://www.zantac.com)

**Other Information**

• do not use if individual blister unit is open or tampered  
• store at 20°-25°C (68°-77°F) • avoid excessive heat or humidity  
• this product is sodium and sugar free

**Directions**

• adults and children 12 years and over:  
to relieve symptoms, swallow 1 tablet with a glass of water  
to prevent symptoms, swallow 1 tablet with a glass of water  
30 to 60 minutes before eating food or drinking beverages  
that cause heartburn  
• can be used up to twice daily (do not take more than 2 tablets in 24 hours)  
• do not chew tablet  
• child or under 12 years: ask a doctor

**Drug Facts (continued)**

**Active ingredient (in each tablet)** Purpose  
Ranitidine 75 mg  
Acid reducer

**Uses**  
• relieve heartburn associated with acid indigestion and sour stomach  
• events in heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

**Warnings**  
• **Very important:** Do not use if you are allergic to ranitidine or other acid reducers  
• if you have trouble or pain swallowing food, vomiting with blood, or body or black stools, these may be signs of a serious condition. See your doctor.  
• with other acid reducers

**Ask a doctor before use if you have**  
• had heartburn over 3 months. This may be a sign of a more serious condition.  
• heartburn with difficulty breathing, sweating or dizziness, chest pain or spreading to arms, neck or shoulders, or lightheadedness  
• frequent chest pain  
• frequent wheezing, particularly with heartburn  
• unexplained weight loss • nausea or vomiting  
• stomach pain • kidney disease

**Ask a doctor or pharmacist before use if you are taking a prescription drug, acid reducers may interact with certain prescription drugs.**

**Stop and ask a doctor if**  
• your heartburn continues or worsens  
• you need to take this product for more than 14 days

**Read the directions and warnings before use. Keep the carton. It contains important information including tips for managing heartburn.**  
ZANTAC does not supply store brands

6 8142103003 8

Sanofi Regulatory Specifications		Verified Date: 03/28/19
<b>Drug Facts Info</b>		
<b>Drug Facts (Title)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	10 point type
<b>Drug Facts (continued)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	9 point type
<b>Headings</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	8 point type
<b>Subheadings</b>	Font name: Helvetica Neue 77 Bold Condensed	9 point type
<b>Body Text</b>	Font name: Helvetica Neue 57 Condensed	9 point type
<b>Bullets</b>	Font name: Helvetica Neue 57 Condensed	5 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box – i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking:	0 to 8 pt. Horizontal Scale:	97%-102%
Leading (Minimum space in body of Drug Facts):	6.0 pt. Maximum Characters/Inch:	39
Barlines:	2.5 pt. Hairlines:	0.5 pt.
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		0.098 in
PDP dimensions (in millimeters)		H 89mm W 97mm
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 11.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V 82 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		V 15% H 0%
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 15% H 0%



Zantac 75 30ct Carton  
03.18.19

ZAN\_75\_30ct\_CTN\_0140058-01\_Mex\_2019\_FDA\_DSN



Sanofi Regulatory Specifications		Verified Date: 03/18/19
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	10 point type
Drug Facts (continued)	Font name: Helvetica Neue 77 Bold Condensed Oblique	9 point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	8 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6 point type
Body Text	Font name: Helvetica Neue 57 Condensed	6 point type
Bullets	Font name: Helvetica Neue 57 Condensed	5 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box -- i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking:	0 to 8 pt. Horizontal Scale:	97%-102%
Leading (Minimum space in body of Drug Facts):	6.0 pt. Maximum Characters/Inch:	39
Barlines:	2.5 pt. Hairlines:	0.5 pt.
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		0.088 in
PDP dimensions (in millimeters)		H 89mm W 97mm
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 11.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V 82 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 15% H 0%

Zantac 75 30ct Carton  
03.18.19

ZAN\_75\_30ct\_CTN\_0140057-01\_Spain\_2019\_FDA\_DSN



Sanofi Regulatory Specifications		Verified Date: 03/18/19
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	10 point type
Drug Facts (continued)	Font name: Helvetica Neue 77 Bold Condensed Oblique	9 point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	8 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6 point type
Body Text	Font name: Helvetica Neue 57 Condensed	6 point type
Bullets	Font name: Helvetica Neue 57 Condensed	5 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box -- i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking:	0 to 8 pt. Horizontal Scale:	97%-102%
Leading (Minimum space in body of Drug Facts):	6.0 pt. Maximum Characters/Inch:	39
Barlines:	2.5 pt. Hairlines:	0.5 pt.
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		0.088 in
PDP dimensions (in millimeters)		H 89mm W 97mm
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 11.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V 82 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 15% H 0%

Zantac 75 40ct Carton  
03.06.19

ZAN\_75\_40ct\_Bonus\_CTN\_0140073-01\_Mex\_2019\_FDA\_DSN2



Sanofi Regulatory Specifications		Verified Date: 03/06/19
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	10 point type
Drug Facts (continued)	Font name: Helvetica Neue 77 Bold Condensed Oblique	9 point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	8 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6 point type
Body Text	Font name: Helvetica Neue 57 Condensed	6 point type
Bullets	Font name: Helvetica Neue 57 Condensed	5 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box -- i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking:	0 to 8 pt. Horizontal Scale:	97%-102%
Leading (Minimum space in body of Drug Facts):	6.0 pt. Maximum Characters/Inch:	39
Barlines:	2.5 pt. Hairlines:	0.5 pt.
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		0.088 in
PDP dimensions (in millimeters)		H 89mm W 97mm
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 11.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V 82 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 15% H 0%

Zantac 75 40ct Carton  
03.14.19

ZAN\_75\_40ct\_Bonus\_CTN\_0140076-01\_Spain\_2019\_FDA\_DSN



Sanofi Regulatory Specifications		Verified Date: 03/14/19
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	10 point type
Drug Facts (continued)	Font name: Helvetica Neue 77 Bold Condensed Oblique	9 point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	8 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6 point type
Body Text	Font name: Helvetica Neue 57 Condensed	6 point type
Bullets	Font name: Helvetica Neue 57 Condensed	5 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box -- i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking:	0 to 8 pt. Horizontal Scale:	97%-102%
Leading (Minimum space in body of Drug Facts):	6.0 pt. Maximum Characters/Inch:	39
Barlines:	2.5 pt. Hairlines:	0.5 pt.
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		0.088 in
PDP dimensions (in millimeters)		H 89mm W 97mm
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 11.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V 82 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 15% H 0%

Zantac 75 60ct Carton  
03.14.19

ZAN\_75\_60ct\_CTN\_0140055-01\_Mex\_2019\_FDA\_DSN

Regular Strength

# Zantac

Ranitidine Tablets 75 mg /Acid Reducer

# 75

Regular Strength

# Zantac

Ranitidine Tablets 75 mg /Acid Reducer

# 75

PREVENTS & RELIEVES  
HEARTBURN associated with  
acid indigestion and sour stomach

60 TABLETS  
(60 DOSES)

**Sanofi**

Distributed by: Chattem, Inc., a Sanofi Company  
P.O. Box 2219  
Chattanooga, TN 37403-0219  
© 2019, Origin Mexico  
0140055-01

**Tips for managing heartburn**

- Eat slowly and do not eat too much.
- If you are overweight lose weight.
- If you smoke, quit smoking.
- Raise the head of your bed.
- Wear loose fitting clothing around your stomach.

Read the directions and warnings before use. Keep the carton.  
It contains important information including tips for managing heartburn.

**Drug Facts**

**Active ingredient (in each tablet)** Purpose  
Ranitidine 75 mg (as ranitidine hydrochloride 84 mg) ..... Acid reducer

**Uses**  
• relieves heartburn associated with acid indigestion and sour stomach  
• prevents heartburn associated with eating or drinking certain foods and beverages  
• soothes heartburn brought on by eating or drinking certain foods and beverages

**Warnings**  
Allergy alert Do not use if you are allergic to ranitidine or other addititives  
Do not use if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.  
Ask a doctor before use if you have:  
• had heartburn over 3 months. There may be signs of a more serious condition.  
• heartburn with lightheadedness, sweating or dizziness  
• chest pain or shoulder pain with stress or breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness  
• frequent chest pain  
• frequent weight loss • nausea or vomiting  
• stomach pain • kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:  
• your heartburn continues or worsens  
• you need to take this product for more than 14 days

**Other information**  
• do not use if printed red under bottle cap is open or torn  
• treat 20-25°C (68-77°F) • a wide range of heat or humidity  
• this product is not a stimulant or depressant

**Inactive ingredients**  
hydroxypropyl methylcellulose, microcrystalline cellulose, iron oxide, titanium dioxide, triacetin

**Questions?** call 1-800-833-1610 or visit [www.zantac.com](http://www.zantac.com)

**Tips for managing heartburn**

- Do not lie flat or bend over soon after eating.
- Do not eat late at night or just before bedtime.
- Carb foods or drinks more likely to cause heartburn, such as rich, spicy, fatty, and fried foods, chocolate, caffeine, alcohol, even some fruits and vegetables.

**MORE TIPS ON BOTTOM PANEL**

Regular Strength

**Zantac**

Ranitidine Tablets 75 mg /Acid Reducer

**75**

60 TABLETS  
(60 DOSES)

8 1421 03006 9

Sanofi Regulatory Specifications		Verified Date: 03/14/19
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	10 point type
Drug Facts (continued)	Font name: Helvetica Neue 77 Bold Condensed Oblique	9 point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	8 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6 point type
Body Text	Font name: Helvetica Neue 57 Condensed	6 point type
Bullets	Font name: Helvetica Neue 57 Condensed	5 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		
Spacing of the hairlines from edge of box - i.e. Minimum of 1 space either side of Drug Facts Box		
Tracking: 0 to 8 pt. Horizontal Scale: 97%-102%		
Leading (Minimum space in body of Drug Facts): 6.0 pt. Maximum Characters/Inch: 39		
Barlines: 2.5 pt. Hairlines: 0.5 pt.		
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		0.088 in
PDP dimensions (in millimeters)		H 99mm W 97mm
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 11.5 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V 82 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		V 15% H 0%
Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 15% H 0%





Zantac 75 80ct Carton  
03.14.19

ZAN\_75\_80ct\_CTN\_0140053-01\_Spain\_2019\_FDA\_DSN.ai

Regular Strength

# Zantac

Ranitidine Tablets 75 mg /Acid Reducer

# 75

Regular Strength

# Zantac

Ranitidine Tablets 75 mg /Acid Reducer

# 75

PREVENTS & RELIEVES  
HEARTBURN associated with  
acid indigestion and sour stomach

80 TABLETS  
(80 DOSES)

**Drug Facts**

**Active ingredient (in each tablet)** Purpose  
Ranitidine 75 mg (as ranitidine hydrochloride 84 mg)..... Acid reducer

**Uses**  
• relieves heartburn associated with acid indigestion and sour stomach  
• prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages  
• if you have trouble or pain swallowing food, vomiting with food, or bloating or black stools, these may be signs of a serious condition. See your doctor.

**Do not use**  
• if you have had a heart attack or are having chest pain or other symptoms of a heart attack.

**Warnings**  
Allergy alert: Do not use if you are allergic to ranitidine or other ingredients.

**Other information**  
• do not use if printed under bottle cap is open or torn.  
• treat 20-25°C (68-77°F) • a wide range of heat or humidity.  
• this product is not a stimulant or depressant.

**Inactive ingredients**  
hydroxypropylcellulose, hydroxypropylmethylcellulose, iron oxide, titanium dioxide, triacetin.

**Questions?** call 1-800-833-1610 or visit [www.zantac.com](http://www.zantac.com)

**Tips for managing heartburn**  
• Do not lie flat or bend over soon after eating.  
• Do not eat late at night or just before bedtime.  
• Certain foods or drinks may make you more likely to cause heartburn, such as rich, spicy, fatty, and fried foods, chocolate, caffeine, alcohol, even some fruits and vegetables.

**MORE TIPS ON BOTTOM PANEL**

**Drug Facts (continued)**

**Directions**  
• adults and children 12 years and over:  
to relieve symptoms, swallow 1 tablet with a glass of water 30 to 60 minutes before eating food or drinking beverages that cause heartburn.  
• can be used up to twice daily (do not take more than 2 tablets in 24 hours)  
• do not chew tablet  
• children under 12 years: ask a doctor.

**Warnings**  
Allergy alert: Do not use if you are allergic to ranitidine or other ingredients.

**Other information**  
• do not use if printed under bottle cap is open or torn.  
• treat 20-25°C (68-77°F) • a wide range of heat or humidity.  
• this product is not a stimulant or depressant.

**Inactive ingredients**  
hydroxypropylcellulose, hydroxypropylmethylcellulose, iron oxide, titanium dioxide, triacetin.

**Questions?** call 1-800-833-1610 or visit [www.zantac.com](http://www.zantac.com)

**Tips for managing heartburn**  
• Do not lie flat or bend over soon after eating.  
• Do not eat late at night or just before bedtime.  
• Certain foods or drinks may make you more likely to cause heartburn, such as rich, spicy, fatty, and fried foods, chocolate, caffeine, alcohol, even some fruits and vegetables.

**MORE TIPS ON BOTTOM PANEL**

**Sanofi**

Distributed by: Chattem, Inc., a Sanofi Company  
P.O. Box 2219  
Chattanooga, TN 37403-0219  
©2019 Chattem, Inc.  
0140053-01

**Tips for managing heartburn**

- Eat slowly and do not eat big meals.
- If you are overweight lose weight.
- If you smoke, quit smoking.
- Raise the head of your bed.
- Wear loose fitting clothing around your stomach.

Read the directions and warnings before use. Keep the carton. It contains important information including tips for managing heartburn.

Regular Strength

80 TABLETS (80 DOSES)

Regular Strength

80 TABLETS (80 DOSES)

Sanofi Regulatory Specifications		Verified Date: 03/14/19
<b>Drug Facts Info</b>		
<b>Drug Facts (Title)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	10 point type
<b>Drug Facts (continued)</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	9 point type
<b>Headings</b>	Font name: Helvetica Neue 77 Bold Condensed Oblique	8 point type
<b>Subheadings</b>	Font name: Helvetica Neue 77 Bold Condensed	6 point type
<b>Body Text</b>	Font name: Helvetica Neue 57 Condensed	6 point type
<b>Bullets</b>	Font name: Helvetica Neue 57 Condensed	5 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		
Spacing of the hairlines from edge of box - i.e. Minimum of 1 space either side of Drug Facts Box		
Tracking: 0 to 8 pt. Horizontal Scale: 97%-102%		
Leading (Minimum space in body of Drug Facts): 6.0 pt. Maximum Characters/Inch: 39		
Barlines: 2.5 pt. Hairlines: 0.5 pt.		
<b>Principal Display Panel Info</b>		
Font size of Net Quantity of Contents (Smallest character height in inches)		
PDP dimensions (in millimeters)		
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (if not live text, to be measured in Helvetica capital "M")		
Ratio of Statement of Identity to Logo/Largest Copy (pt.)		





Zantac 75 1ct Sachet/Pouch Dispenser (100ct)  
03.14.19  
ZAN\_75\_100ct\_Dispenser\_0140079-01\_Mex\_2019\_FDA\_DSN

Sanofi Regulatory Specifications		Verified Date: 03/14/19
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	11.5 point type
Drug Facts (Subtitle)	Font name: Helvetica Neue 77 Bold Condensed Oblique	10 point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	9.25 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	7 point type
Body Text	Font name: Helvetica Neue 57 Condensed	7 point type
Bullets	Font name: Helvetica Neue 57 Condensed	6 point type
Bullets on same line; end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box - i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking	0 to 8 pt.   Horizontal Scale:	97%-103%
Leading (Minimum space in body of Drug Facts)	6.5 pt.   Maximum Characters/line:	30
Barlines	2.5 pt.   Hairlines:	.5 pt.
<b>Principal Display Panel Info</b>		
Each size of font quantity of Contents (Smallest character height in inches)		.0903 in
PDP dimensions (in inches)		H 4.00 in W 4.75 in
Font size of Statement of Identity (if not line text, to be measured in Helvetica capital "M")		V 13 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (if not line text, to be measured in Helvetica capital "M")		V 94 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		V 15% H 0%
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 15% H 0%



**Regular Strength**  
**Zantac**  
Ranitidine Tablets 75 mg / Acid Reducer  
**75**

**Drug Facts**

**Active ingredient (in each tablet)** Purpose  
Ranitidine 75 mg (as ranitidine hydrochloride 84 mg) ..... Acid reducer

**Uses**  
• relieve heartburn associated with acid indigestion and sour stomach  
• prevent heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

**Warnings**  
Allergy alert: Do not use if you are allergic to ranitidine or other acid reducers

**Do not use:**  
• if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.  
• with other acid reducers

**Ask a doctor before use if you have:**  
• had heartburn over 3 months. This may be a sign of a more serious condition.  
• heartburn with nighttime, sweating, or dizziness  
• chest pain or shoulder pain with numbness of hands, tingling, pain spreading to arms, neck or shoulders, or lightheadedness  
• frequent chest pain  
• frequent indigestion, particularly with heartburn  
• unexplained weight loss • nausea or vomiting  
• stomach pain • kidney disease

**Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.**  
• Stop use and ask a doctor if:  
• your heartburn continues or worsens  
• you need to take this product for more than 14 days

**SANOFI**  
Distributed by: Chatterm, Inc., a Sanofi Company  
P.O. Box 22715  
Chattanooga, TN 37409-0219  
©2019 Sanofi Mexico

0140079-01



Do not discard this carton.  
It contains important consumer information.

100 POUCHES  
TO OPEN  
PUSH IN TAB AND PULL OUT

Zantac 75 1ct Sachet/Pouch Dispenser (100ct)  
03.07.19  
ZAN\_75\_100ct\_Dispenser\_0140078-01\_Spain\_2019\_FDA\_DSN2



Sanofi Regulatory Specifications		Verified Date: 03/07/19
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	11.5 point type
Drug Facts (Subtitle)	Font name: Helvetica Neue 77 Bold Condensed Oblique	10 point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	9.25 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	7 point type
Body Text	Font name: Helvetica Neue 57 Condensed	7 point type
Bullets	Font name: Helvetica Neue 57 Condensed	6 point type
Bullets on same line: end of statement separated from bulleted statement by two ems		YES
Spacing of the headlines from edge of box - i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking	0 to 8 pt.   Horizontal Scale:	97%-103%
Leading (Minimum space in body of Drug Facts)	6.5 pt.   Maximum Characters/line:	30
Baselines	2.5 pt.   Hairline:	.5 pt.
<b>Principal Display Panel Info</b>		
Each size of 1st Quantity of Contents (Smallest character height in inches)		.0903 in
PDP dimensions (in inches)		H 4.00 in W 4.75 in
Font size of Statement of Identity (if not line text, to be measured in Helvetica capital "M")		V 13 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (if not line text, to be measured in Helvetica capital "M")		V 94 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		V 15% H 0%
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 15% H 0%

0140078-01



Do not discard this carton.  
It contains important consumer information.

100 POUCHES  
1 TABLET (1 DOSE)

TO OPEN  
PUSH IN TAB AND PULL OUT

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

VALERIE S PRATT  
09/18/2019 04:35:47 PM