

STANDARD FORMAT	
Helvetica Condensed	
Variable horizontal scale adheres to 39 characters per inch	
Drug Facts - 10.5 pt Helvetica Bold Condensed Oblique	
Headings - 9.3 pt Helvetica Bold Condensed Oblique	
Sub Heads - 7 pt Helvetica Bold Condensed	
Text - 7 pt Helvetica Condensed, minimum leading 7.5	
Square Bullets - 4 pt Zapf Dingbats no compression	
Border - 1 pt rule, 3/64" gap all around	
Barline - 1 pt rule	_____
Hairline - .5 pt rule	_____
MM=	■ or 8 pts

Certified by: dw
APD #: 2015-1942
04.22.15 ju



ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch
Headings - 9 pt Helvetica Cnd. Bold Italic
Sub Heads - 6.5 pt Helvetica Cnd. Bold
 Text - 6.5 pt Helvetica Cnd, minimum leading 7
 Square Bullets - 3.5 pt Zaph Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around

Certified by: ju

AP0 #: 2015-2343
 07.24.15 - eb





Drug Facts

Active ingredient (in each 5 mL teaspoonful)	Purpose
Loratadine 5 mg	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
■ each teaspoonful contains: sodium 6 mg
■ do not use if tape imprinted with "SEALED FOR YOUR PROTECTION" on top and bottom flaps of carton is not intact
■ store between 20° to 25° C (68° to 77° F)

Inactive ingredients
edetate disodium, flavor, glycerin, maltitol, monobasic sodium phosphate, phosphoric acid, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments?
1-800-CLARITIN (1-800-252-7484) or www.claritin.com

STANDARD FORMAT
Helvetica Condensed
Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 10.5 pt Helvetica Bold Condensed Oblique
Headings - 9.3 pt Helvetica Bold Condensed Oblique
Sub Heads - 7 pt Helvetica Bold Condensed
Text - 7 pt Helvetica Condensed, minimum leading 7.5
Square Bullets - 4 pt Zapf Dingbats no compression
Border - 1 pt rule, 3/64" gap all around
Barline - 1 pt rule
Hairline - .5 pt rule
MM= ■ or 8 pts

Certified by: dw
APO #: 2015-1358
03.07.15 mg

**ATTACH LEGEND ON ALL
 DIGITAL MECHANICALS**

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters
 per inch
Headings - 9.3 pt Helvetica Cnd. Bold Italic
Sub Heads - 7 pt Helvetica Cnd. Bold
 Text - 7 pt Helvetica Cnd, minimum leading 7.5
 Square Bullets - 4 pt Zaph Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around

Certified by: dw

APO #: 2015-1359
 03.10.15 ju



