

Dye-Free

ages **2 years** and older

Children's Claritin

Allergy

loratadine oral solution
5 mg/5 mL-antihistamine

Indoor & Outdoor Allergies

TWO 6 FL. OZ. BOTTLES

TWO 6 FL. OZ. (180 ml) BOTTLES
TOTAL 12 FL. OZ. (360 ml)



ITM# 960690

Claritin and the Claritin Vial
are registered trademarks of Bayer.
© Bayer 2015
Dist. by: Bayer HealthCare LLC
Whisper, NJ 07981
Product of Ireland
XXXXXXXXXX

Drug Facts	
Active ingredient (in each 5 mL teaspoonful) Loratadine 5 mg.....Antihistamine	Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions ■ use only with enclosed dosing cup adults and children 2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours children 2 to under 6 years of age 1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours children under 2 years of age ask a doctor consumers with liver or kidney disease ask a doctor	
Drug Facts (continued)	
Other information ■ each teaspoonful contains: sodium 6 mg ■ do not use if tape imprinted with "SEALED FOR YOUR PROTECTION" on top and bottom flaps of carton is not intact ■ store between 20° to 25° C (68° to 77° F)	
Inactive ingredients edate disodium, flavor, glycerin, methylol, monobasic sodium phosphate, phosphoric acid, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose	
Questions or comments? 1-800-CLARITIN (1-800-252-7484) or www.claritin.com	

Dye-Free

ages **2 years** and older

Children's Claritin

Allergy

STANDARD FORMAT
Helvetica Condensed
Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 15.75 pt Helvetica Bold Condensed Oblique
Drug Facts (continued)
Drug Facts - 15.75 pt Helvetica Bold Cond. Oblique (continued) - 15.75 pt Helvetica Condensed
Headings - 14 pt Helvetica Bold Condensed Oblique
Sub Heads - 10.5 pt Helvetica Bold Condensed
Text - 10.5 pt Helvetica Condensed, minimum leading 6.5
Square Bullets - 6.13 pt Zapf Dingbats no compression
Border - 1.5 pt rule, 7/16" gap all around
Barline - 1.5 pt rule
Hairline - .75 pt rule

STANDARD FORMAT
Helvetica Condensed
Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 10.5 pt Helvetica Bold Condensed Oblique
Headings - 9.3 pt Helvetica Bold Condensed Oblique
Sub Heads - 7 pt Helvetica Bold Condensed
Text - 7 pt Helvetica Condensed, minimum leading 7.5
Square Bullets - 4 pt Zapf Dingbats no compression
Border - 1 pt rule, 3/64" gap all around
Barline - 1 pt rule
Hairline - .5 pt rule
MM= ■ or 8 pts


(b) (4)



ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch
Headings - 9 pt Helvetica Cnd. Bold Italic
Sub Heads - 6.5 pt Helvetica Cnd. Bold
 Text - 6.5 pt Helvetica Cnd, minimum leading 7
 Square Bullets - 3.5 pt Zaph Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around

(b) (4)





APO: P0914-09
08.12.09