

Non-Drowsy*
Claritin
RediTabs C10

24 HOUR Relief of:
 • Sneezing
 • Runny Nose
 • Itchy, Watery Eyes
 • Itchy Throat or Nose

50 ORALLY DISINTEGRATING TABLETS

Original Prescription Strength
 Non-Drowsy*
Claritin
RediTabs C10

24 HOUR Relief of:
 • Sneezing
 • Runny Nose
 • Itchy, Watery Eyes
 • Itchy Throat or Nose

50 ORALLY DISINTEGRATING TABLETS

loratadine orally disintegrating tablets
 10 mg/antihistamine

Indoor & Outdoor Allergies

50 ORALLY DISINTEGRATING TABLETS

LOT/EXP/MADE/INT

NO VARNISH NO INK

NO VARNISH NO INK

AMCO SP PAPER BOX MULT-LAYER TRAY

0 000000 000000 0

Bayer

Bayer, the Bayer Cross, Claritin, the Claritin Vista and RediTabs are registered trademarks of Bayer.
 © 2022 Bayer.
 Dist by: Bayer HealthCare LLC, Whippany, NJ 07981.
 Pat.: patents.live/bayer.com
 00000000

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

GLUE STRIP

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

NO VARNISH NO INK

Non-Drowsy*

Claritin®

RediTabs® C10

24 HOUR

60 ORALLY DISINTEGRATING TABLETS

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

RediTabs®

Non-Drowsy*

Claritin®

24 HOUR

Original Prescription Strength

Claritin®

RediTabs® C10

loratadine orally disintegrating tablets
10 mg/antihistamine

Indoor & Outdoor Allergies

24 HOUR

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

**MELTS IN YOUR MOUTH,
NO WATER NEEDED**

NO VARNISH
NO INK

60 ORALLY DISINTEGRATING TABLETS

* When taken as directed.
See Drug Facts Panel.

60 ORALLY DISINTEGRATING TABLETS

LOT/EXP/MADE/IN

USP
PAPER BOX
MULTI-LAYER TRAY

0 000000 000000 0

Bayer, the Bayer Cross, Claritin, the Claritin Vista and RediTabs are registered trademarks of Bayer.
© 2022 Bayer.
Dist by: Bayer HealthCare LLC, Whippany, NJ 07981.
Pat.: patents.livecell.bayer.com
00000000

Bayer

Drug Facts

Active ingredient (in each tablet) Loratadine 10 mg; Antihistamine

Purpose temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ place 1 tablet on tongue; tablet disintegrates, with or without water
adults and children 6 years and over 1 tablet daily; 1 tablet in 24 hours
children under 6 years of age ask a doctor
consumers with liver or kidney disease ask a doctor

Follow these directions carefully. Do not attempt to push the tablet through the foil.

1. Peel back outer edge.
2. Gently push tablet out.
3. Place the tablet on tongue and close mouth. The tablet will disintegrate.

• No Water Needed • Melts in your mouth

RediTabs

Non-Drowsy*
Claritin
24 HOUR

Questions or comments?
1-800-CLARITIN (1-800-252-7484)

Inactive ingredients
anhydrous citric acid, gelatin, mannitol, mint flavor and Tact 2 for Disintegration

Other information
with Damaris RediTabs® is open or torn with Damaris RediTabs® is open or torn
safety sealed; do not use if the individual blister unit imprinted

Drug Facts (continued)

NO VARNISH

NO VARNISH

GLUE STRIP

00000000

NO VARNISH

Glide Area

Drug Facts

Active ingredient (in each tablet)	Purpose
Loratadine 10 mg	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

place 1 tablet on tongue; tablet disintegrates, with or without water	1 tablet daily; not more than 1 tablet in 24 hours
adults and children 6 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- safety sealed: do not use if the individual blister unit imprinted with Claritin® RediTabs® is open or torn
- store between 20° to 25° C (68° to 77° F)
- use tablet immediately after opening individual blister
- complies with USP Procedure 2 for Assay and Organic Impurities and Test 2 for Disintegration

Inactive ingredients
 anhydrous citric acid, gelatin, mannitol, mint flavor

Questions or comments?
 1 800 CLARITIN (1 800 252 7484)

• No Water Needed • Melts in your mouth

Follow these directions carefully. Do not attempt to push the tablet through the foil.



1. Peel back outer edge.



2. Gently push tablet out.



3. Place the tablet on tongue and close mouth. The tablet will disintegrate.

Juniors Ages 6 years and older

Non-Drowsy* **24 HOUR**

Claritin
RediTabs

Juniors Ages 6+ years

Non-Drowsy*

Claritin
RediTabs

loratadine orally disintegrating tablets
10 mg/antihistamine

24 HOUR Non-Drowsy* Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Indoor & Outdoor Allergies

**MELTS IN YOUR MOUTH
NO WATER NEEDED**

10 ORALLY DISINTEGRATING TABLETS

* When taken as directed. See Drug Facts Panel.

LOT/EXP/MADE IN

24 HOUR Non-Drowsy* Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

10 ORALLY DISINTEGRATING TABLETS

00000000

NO VARNISH
NO INK

00000000

NO VARNISH

CLUE STRIP

Drug Facts

Active ingredient (in each tablet) **Purpose**
Loratadine 10 mg.....Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

■ runny nose	■ itchy, watery eyes
■ sneezing	■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ place 1 tablet on tongue; tablet disintegrates, with or without water

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
■ safety sealed: do not use if the individual blister unit imprinted with Claritin® RediTabs® is open or torn
■ store between 20° to 25° C (68° to 77° F)
■ use tablet immediately after opening individual blister
■ complies with USP Procedure 2 for Assay and Organic Impurities and Test 2 for Disintegration

Inactive ingredients
anhydrous citric acid, gelatin, mannitol, mint flavor

Questions or comments?
1 800 CLARITIN (1 800 252 7484)

• No Water Needed • Melts in your mouth

Follow these directions carefully. Do not attempt to push the tablet through the foil.



1. Peel back outer edge.



2. Gently push tablet out.



3. Place the tablet on tongue and close mouth. The tablet will disintegrate.

Bayer

Bayer, the Bayer Cross, Claritin, the Claritin Vista and RediTabs are registered trademarks of Bayer.
© 2022 Bayer.
Distributed by: Bayer HealthCare LLC, Whippany, NJ 07981.
Pharmaceuticals.Welcome@Bayer.com
00000000

ATNO SN



how2recycle.info

0 000000 000000 0

NO VARNISH
NO INK

00000000

NO VARNISH

Non-Drowsy*
Claritin
RediTabs® 24 HOUR

24 HOUR Relief of:
• Sneezing
• Runny Nose
• Itchy, Watery Eyes
• Itchy Throat or Nose

80 ORALLY DISINTEGRATING TABLETS

LOT/EXP/MADE IN

NO YARNISH
NO INK

Original Prescription Strength

Non-Drowsy*
Claritin
RediTabs® 24 HOUR

loratadine orally disintegrating tablets
10 mg/antihistamine

Indoor & Outdoor Allergies

80 ORALLY DISINTEGRATING TABLETS

* When taken as directed.
See Drug Facts Panel.

Bayer, the Bayer Cross, Claritin, the Claritin Vista and RediTabs are registered trademarks of Bayer.
© 2022 Bayer.
Dist by: Bayer HealthCare LLC, Whippany, NJ 07981.
Pat.: patents.livewell.bayer.com
00000000

Bayer

US NO 24 HOUR
PAPER BOX MULTILAYER TRAY

1. Peel back outer edge.
2. Gently push tablet out.
3. Place the tablet on tongue and close mouth. The tablet will disintegrate.

Follow these directions carefully. Do not attempt to push the tablet through the foil.

• No Water Needed • Melts in your mouth

RediTabs
Claritin
Non-Drowsy
24 HOUR

1-800-CLARITIN (1-800-252-7144)

Questions or comments?
anytyous, citric acid, gelatin, mannitol, mint flavor

Inactive ingredients
and Test 2 for Disintegration
■ complies with USP Procedure 2 for Assay and Organic Impurities
■ use tablet immediately after opening individual blister
■ store between 20° to 25° C (68° to 77° F)
with Claritin® RediTabs® is open or torn
■ safety sealed; do not use if the individual blister unit is imprinted

Other information

Drug Facts (continued)

Drug Facts

Active ingredient (in each tablet) Loratadine 10 mg; antihistamine

Purpose temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ itchy, watery eyes
■ sneezing
■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ place 1 tablet on tongue; tablet disintegrates, with or without water
adults and children 6 years and over
ask a doctor
not more than 1 tablet in 24 hours
children under 6 years of age
ask a doctor
ask a doctor
kidney disease


0000000000

HSKMYVA 01V


GLUE STRIP

0000000000

NO YARNISH



00000000
Pat. Patents: www.bayer.com
© 2022 Bayer
Bayer HealthCare LLC
Whispering Will 07981
Bayer
The Claritin logo and RediTabs are registered trademarks of Bayer.



Follow these directions carefully. Do not attempt to push the tablet through the foil.

Drug Facts (continued)
Other Information Claritin® RediTabs is open to turn safely sealed. Do not use if the individual blister unit is imprinted with
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ itchy, watery eyes ■ itching of the nose or throat ■ sneezing ■ runny nose
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If you have a seizure, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions ■ place 1 tablet on tongue; tablet disintegrates, with or without water adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours ask a doctor ask a doctor ask a doctor consumers with liver or kidney disease
Questions or comments? 1-800-CLARITIN (1-800-252-7484)
Inactive ingredients amylaceous citric acid, gelatin, mannitol, mint flavor
Questions or comments? 1-800-CLARITIN (1-800-252-7484)

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

24 Hour

Non-Drowsy*
Relief of:
Sneezing • Runny Nose • Itchy, Watery Eyes • Itchy Throat or Nose

Claritin®
RediTabs®

Non-Drowsy*
Claritin®
RediTabs®
loratadine orally disintegrating tablets
10 mg/antihistamine

MELTS IN YOUR MOUTH NO WATER NEEDED



24 Hour

Non-Drowsy* Relief of:

Sneezing • Runny Nose • Itchy, Watery Eyes • Itchy Throat or Nose

Indoor & Outdoor Allergies



* When taken as directed. See Drug Facts Panel.

70 ORALLY DISINTEGRATING TABLETS



0 000000 000000 0

Bayer

000000000
Pat. : Patents (I)weil, Bayer.com
Whippany, NJ 07981
© 2022 Bayer
Registered trademarks of Bayer.
The Claritin Vial and RediTabs are
the Bayer Cross, Claritin,
Bayer, the Bayer Cross, Claritin,
Whippany, NJ 07981
Pat. : Patents (I)weil, Bayer.com
000000000



AMINO STYRENE
PAPER PLASTIC PAPER
CAMP TRAY BOX

1. Peel back outer edge.
2. Gently push tablet out.
3. Place the tablet on tongue and close mouth. The tablet will disintegrate.



Follow these directions carefully. Do not attempt to push the tablet through the foil.

Drug Facts (continued)

Active ingredient (in each tablet) Loratadine 10 mg, Antihistamine

Purpose temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: itchy, watery eyes; itching of the nose or throat; sneezing; runny nose.

Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use if you have liver or kidney disease.** Your doctor should determine if you need a different dose. **When using this product** do not take more than directed. Taking more than directed may cause drowsiness. **Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away. **If pain or breast-feeding, ask a health professional before use.** **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions Place 1 tablet on tongue; tablet disintegrates, with or without water. Adults and children 6 years and older: 1 tablet daily; not more than 1 tablet in 24 hours. Children under 6 years of age: ask a doctor. Ask a doctor if you have kidney disease or liver or kidney disease.

Questions or comments? 1-800-CLARITIN (1-800-252-7484)

Inactive ingredients amygdalic acid, gelatin, mannitol, mint flavor and Test 2 for Disintegration

Other Information Claritin RediTabs is open to turn. Store between 20° to 25° C (68° to 77° F). Use tablet immediately after opening individual blister. Complies with USP Procedure 2 for Assay and Organic Impurities and Test 2 for Disintegration

24 Hour Non-Drowsy* Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Indoor & Outdoor Allergies

Claritin RediTabs

loratadine orally disintegrating tablets
10 mg/antihistamine

MELTS IN YOUR MOUTH NO WATER NEEDED


80 ORALLY DISINTEGRATING TABLETS

80 ORALLY DISINTEGRATING TABLETS

24 Hour Non-Drowsy* Relief of:

Indoor & Outdoor Allergies

80 ORALLY DISINTEGRATING TABLETS



This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
05/25/2023 05:54:06 PM