




3/16" X 3/16" ARRAY ALPHA NUMERIC DATA MATRIX CODE (ECC 200) PRINTED IN BLACK OR DARK BLUE ON WHITE FIELD WITH 1/8" QUIET ZONE ON ALL 4 SIDES
DATA MATRIX CODE = 083398

PRODUCTION

(NOT COLOR ACCURATE)

(b) (4)

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces



Infants' Advil[®]
 Concentrated Drops
 Ibuprofen Oral Suspension
 50 mg per 1.25 mL
 Pain Reliever/Fever Reducer (NSAID)

White Grape-Flavored Drops
 1 FL OZ (30 mL)

READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION


SHAKE WELL
 Do Not Use if plastic wrap imprinted with "SAFETY SEAL" is broken or missing.

Active ingredient: Ibuprofen 50 mg in each 1.25 mL.
Use: temporarily reduces fever, relieves minor aches and pains due to the common cold, flu, headaches and toothaches.

Warnings:
 Ask doctor before use if child is under a doctor's care for a serious condition, taking other drugs or has stomach problems.

UP
 HERE

TOP
 PANEL 1



5/16" HINGE AREA UNVARNISHED

Directions: Does not contain directions or complete warnings for adult use. Do not give more than directed. Shake well before using. Find right dose on chart. Use weight to dose; otherwise use age. Repeat dose every 6-8 hours, if needed. Do not use more than 4 times a day. Measure with the dosing device provided.

Weight (lb)	Age (mos)	Dose (mL)
under 6 mos		ask a doctor
12-17 lb	6-11 mos	1.25 mL
18-23 lb	12-23 mos	1.875 mL

Questions or comments?
 call 1-800-88-Advil
 Pfizer, Madison, NJ 07940 USA
 For most recent product information, visit www.Advil.com.
 © 2016 Pfizer Inc. PAA083399

UNVARNISHED AREA

BASE
 PANEL 3

VARNISHED 1/8" x 1/8"
 DATA MATRIX CODE (ECC 200),
 IN BLACK OR DARK BLUE.
 DATA MATRIX CODE = 083399



May cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include: hives, facial swelling, asthma (wheezing), shock, skin reddening, rash, blisters. If allergic reaction occurs, stop use, seek medical help right away. Do not use if child has ever had an allergic reaction to any pain reliever/fever reducer. **Stomach bleeding warning:** This product contains a nonsteroidal anti-inflammatory drug (NSAID), which may cause severe stomach bleeding. The chance is higher if the child has had stomach ulcers or bleeding problems, takes a blood thinning (anticoagulant) or steroid drug, takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others), takes more or for a longer time than directed. **Heart attack and stroke warning:** NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

5/16" HINGE AREA UNVARNISHED

RELEASED BACK
 PANEL 2

PRODUCTION

(NOT COLOR ACCURATE)



DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	6 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.25 pt
• BULLETS	N/A
• SPACE BEFORE BULLET	N/A
• WARNING BOX LINE, HAIRLINES	.5 pt

090177e18afa5cf3\Final\Final On: 03-Jan-2017 17:04



3/16" X 3/16" ARRAY ALPHA NUMERIC DATA MATRIX CODE (ECC 200) PRINTED IN BLACK OR DARK BLUE ON WHITE FIELD WITH 1/8" QUIET ZONE ON ALL 4 SIDES
DATA MATRIX CODE = 082444


LOT & EXP AREA - UNVARNISHED

PRODUCTION

(NOT COLOR ACCURATE)

(b) (4)

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces



Infants' Advil
 Concentrated Drops
 Ibuprofen Oral Suspension
 50 mg per 1.25 mL
 Pain Reliever/Fever Reducer (NSAID)

White Grape-Flavored Drops
 3/4 FL OZ (22.5 mL)

READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION

SHAKE WELL


Do Not Use if plastic wrap imprinted with "SAFETY SEAL" is broken or missing.

Warnings
 Ask doctor before use if child is under a doctor's care for a serious condition, taking other drugs or has stomach problems.

Active ingredient: Ibuprofen 50 mg in each 1.25 mL.
Uses: temporarily reduces fever, relieves minor aches and pains due to the common cold, flu, headaches and toothaches.

LIFT HERE

TOP PANEL 1



5/16" HINGE AREA UNVARNISHED

Directions: Does not contain directions or complete warnings for adult use. Do not give more than directed. Shake well before using. Find right dose on chart. Use weight to dose; otherwise use age. Repeat dose every 6-8 hours, if needed. Do not use more than 4 times a day. Measure with the dosing device provided.

Weight (lb)	Age (mos)	Dose (mL)
under 6 mos		ask a doctor
12-17 lb	6-11 mos	1.25 mL
18-23 lb	12-23 mos	1.875 mL


Pfizer, Madison, NJ 07940 USA
 For most recent product information, visit www.Advil.com.
 © 2016 Pfizer Inc. PAA082445

Questions or comments? call 1-800-88-Advil

UNVARNISHED AREA

BASE PANEL 3

VARNISHED 1/8" x 1/8" DATA MATRIX CODE (ECC 200), IN BLACK OR DARK BLUE. DATA MATRIX CODE = 082445



May cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include: hives, facial swelling, asthma (wheezing), shock, skin reddening, rash, blisters. If allergic reaction occurs, stop use, seek medical help right away. Do not use if child has ever had an allergic reaction to any pain reliever/fever reducer. **Stomach bleeding warning:** This product contains a nonsteroidal anti-inflammatory drug (NSAID), which may cause severe stomach bleeding. The chance is higher if the child has had stomach ulcers or bleeding problems, takes a blood thinning (anticoagulant) or steroid drug, takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others), takes more or for a longer time than directed. **Heart attack and stroke warning:** NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

5/16" HINGE AREA UNVARNISHED

RELEASED BACK PANEL 2

PRODUCTION

(NOT COLOR ACCURATE)



DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	5.45 pt
• SUBHEADINGS/BODY TEXT	5.45 pt
• LEADING	5.95 pt
• BULLETS	N/A
• SPACE BEFORE BULLET	N/A
• WARNING BOX LINE, HAIRLINES	.5 pt

090177e18afa5edb\Final\Final On: 03-Jan-2017 16:54



3/16" X 3/16" ARRAY ALPHA NUMERIC DATA MATRIX CODE (ECC 200) PRINTED IN BLACK OR DARK BLUE ON WHITE FIELD WITH 1/8" QUIET ZONE ON ALL 4 SIDES
DATA MATRIX CODE = 082315

PRODUCTION

(NOT COLOR ACCURATE)



DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces







3/16" X 3/16" ARRAY ALPHA NUMERIC DATA MATRIX CODE (ECC 200) PRINTED IN BLACK OR DARK BLUE ON WHITE FIELD WITH 1/8" QUIET ZONE ON ALL 4 SIDES
DATA MATRIX CODE = 082451


PRODUCTION (NOT COLOR ACCURATE)



DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces



BASE



RELEASED BACK

PRODUCTION


(NOT COLOR ACCURATE)









DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	5.45 pt
• SUBHEADINGS/BODY TEXT	5.45 pt
• LEADING	5.8 pt
• BULLETS	N/A
• SPACE BEFORE BULLET	N/A
• WARNING BOX LINE, HAIRLINES	.5 pt



090177e18afa5399\Final\Final On: 03-Jan-2017 16:10







PRODUCTION

(NOT COLOR ACCURATE)



DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	5.45 pt
• SUBHEADINGS/BODY TEXT	5.45 pt
• LEADING	5.8 pt
• BULLETS	N/A
• SPACE BEFORE BULLET	N/A
• WARNING BOX LINE, HAIRLINES	.5 pt



DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

PRODUCTION

(NOT COLOR ACCURATE)

(b) (4)



This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

VALERIE S PRATT
03/24/2017