

Allegra Allergy 24hr IRC

8.09.11

ALG_\$2_IRC_DD0070266-01

Addition of an Instant Redeemable Coupon glued to carton. Partially obscuring 2 marketing claims until removed at check-out.



Version 2:

IRC placed on existing PDP


No other treatment or rearrangement of any elements to the Approved PDP, nor Drug Facts or any other panel of carton.



IRC peeled open

IRC peeled open to reveal language included, reverse of IRC simply UPC code.

back panel of IRC shows legal info



BACK w/Front

Allegra Allergy 24hr IRC

8.09.11

ALG_52_IRC_DD0070266-01

Addition of an Instant Redeemable Coupon glued to an affixed extra "panel" or tab with a clear, transparent backing so as not to obscure any Drug Facts language located on the rear of carton.

Version 1:

IRC placed on hang tab adhered to back




No treatment or rearrangement of any elements to the Approved PDP, nor Drug Facts or any other panel of carton except as noted above.



Tab shown on back of carton.
 Tab is clear covering drug facts.

IRC peeled open to reveal language included, reverse of IRC simply UPC code.


back panel of IRC shows legal info



Allegra Allergy 24hr 35ct Bonus Label

8.09.11

ALG_24hr_DD35100L-00




Approved 30 count tablet bottle label changed to a 35 count Net Contents SKU.

Allegra Allergy 24hr 36ct Bonus Label

8.09.11

ALG_24hr_DD36100L-00



Approved 30 count tablet bottle label changed to a 36 count Net Contents SKU.

Allegra Allergy 24hr 37ct Bonus Label

8.09.11

ALG_24hr_DD37100L-00

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY

NDC 41167 XXXX X

Allegra[®] Allergy

fexofenadine HCl tablet
180 mg /
antihistamine

24 HOUR

Indoor and Outdoor Allergies

37 Tablets 180 mg each

Active ingredient (in each tablet)
Fexofenadine HCl 180 mg.....Antihistamine

Purpose
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat.

Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use** if you have kidney disease. Your doctor should determine if you need a different dose. **When using this product** ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) **Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or

contact a Poison Control Center right away.

Directions ■ **adults and children 12 years of age and over** take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours ■ **children under 12 years of age** do not use ■ **adults 65 years of age and older** ask a doctor ■ **consumers with kidney disease** ask a doctor **Other information** ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture

Inactive ingredients colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

Questions or comments? call toll-free 1-800-633-1610 or www.allegra.com

The trade dress of this Allegra[®] package is subject to trademark protection.
Dist. By: Chatterm, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2010

DD37100L-00

Approved 30 count
tablet bottle label
changed to a 37
count Net Contents
SKU.

Allegra Allergy 24hr 40ct Bonus Label

8.09.11

ALG_24hr_DD40100L-00

The image shows a rectangular label for Allegra Allergy 24hr 40ct Bonus Label. The label is primarily purple and white with a blue and orange gradient at the top. It contains the following text:

**ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY**

NDC 41167 XXXX X

Allegra® Allergy

fexofenadine HCl tablet
180 mg/
antihistamine

24 HOUR

Indoor and Outdoor Allergies

40 Tablets 180 mg each

Active ingredient (in each tablet)
Fexofenadine HCl 180 mg.....

Purpose
Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use** if you have kidney disease. Your doctor should determine if you need a different dose. **When using this product** ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) **Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or

contact a Poison Control Center right away.

Directions ■ **adults and children 12 years of age and over** take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours ■ **children under 12 years of age** do not use ■ **adults 65 years of age and older** ask a doctor ■ **consumers with kidney disease** ask a doctor **Other information** ■ safety sealed; do not use if carton was opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture

Inactive ingredients colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

Questions or comments? call toll-free 1-800-633-1610 or www.allegra.com

The trade dress of this Allegra® package is subject to trademark protection.
Dist. By: Chattem, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2010


DD40100L-00

Approved 30 count
tablet bottle label
changed to a 40
count Net Contents
SKU.

Allegra Allergy 24hr 52ct Bonus Label

8.09.11

ALG_24hr_DD52100L-00




Approved 45 count
tablet bottle label
changed to a 50
count Net Contents
SKU.

Allegra Allergy 24hr 54ct Bonus Label

8.09.11

ALG_24hr_DD54100L-00



Approved 45 count
tablet bottle label
changed to a 54
count Net Contents
SKU.

Allegra Allergy 24hr 35ct Bonus Carton 01.17.12

ALG_24hr_DD35200C-00



Allegra® Allergy

30 **35** Tablets 180 mg each

BONUS!
5 TABLETS FREE

Allegra® Allergy

fexofenadine HCl tablet 180 mg/antihistamine

Indoor and Outdoor Allergies

30 **35** Tablets 180 mg each

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY



1 BOTTLE INSIDE

24 HOUR

NDC 41167 xxxx x

RELIEF OF:

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose
- o rThroat

24 HOUR



Drug Facts

Active ingredient (in each tablet) Purpose
 Fexofenadine HCl 180 mg..... Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.
When using this product
 ■ do not take more than directed
 ■ do not take at the same time as aluminum or magnesium antacids
 ■ do not take with fruit juices (see Directions)
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶

Drug Facts (continued)

Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

Inactive ingredients
 colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

Questions or comments?
 call toll-free 1-800-633-1610 or www.allegra.com

The makers of Allegra® do not make store brand products. The trade dress of this Allegra® package is subject to trademark protection.
 Dist. By: Chattem, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2010 DD35200C-00



895760



0 41167 xxxxx 0

Allegra Allergy 24hr 36ct Bonus Carton 01.17.12

ALG_24hr_DD36200C-00



Allegra[®] Allergy

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY



**1 BOTTLE
INSIDE**

24 HOUR

36 Tablets 180 mg each

**BONUS!
6 TABLETS FREE**

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY

NDC 41167 xxxx x

Allegra[®] Allergy

Allegra[®] Allergy

RELIEF OF:

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose
- o r Throat

fexofenadine HCl tablet **180 mg**/antihistamine

Indoor and Outdoor Allergies

24 HOUR

36 Tablets 180 mg each



LOT

EXP

FPO
0 4 1 1 6 7 x x x x x 0



Drug Facts

Active ingredient (in each tablet) Purpose
Fexofenadine HCl 180 mg..... Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶

Drug Facts (continued)

Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

Inactive ingredients

colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

Questions or comments?

call toll-free **1-800-633-1610** or www.allegra.com

The makers of Allegra[®] do not make store brand products. The trade dress of this Allegra[®] package is subject to trademark protection.
 Dist. By: Chatterm, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2010 DD36200C-00

Allegra Allergy 24hr 37ct Bonus Carton 01.17.12

ALG_24hr_DD37500C-00



Allegra® Allergy

37 Tablets 180 mg each

BONUS!
7 TABLETS FREE

Allegra® Allergy

fexofenadine HCl tablet 180 mg/antihistamine

Indoor and Outdoor Allergies

37 Tablets 180 mg each

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY



1 BOTTLE INSIDE

24 HOUR

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY

NDC 41167 xxxx x

RELIEF OF:

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

24 HOUR





895760

Drug Facts	
Active ingredient (in each tablet)	Purpose
Fexofenadine HCl 180 mg.....	Antihistamine
Uses	
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:	
<ul style="list-style-type: none"> ■ runny nose ■ sneezing 	<ul style="list-style-type: none"> ■ itchy, watery eyes ■ itching of the nose or throat
Warnings	
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.	
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.	
When using this product	
<ul style="list-style-type: none"> ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) 	
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶	
Drug Facts (continued)	
Directions	
adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor
Other information	
<ul style="list-style-type: none"> ■ safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture 	
Inactive ingredients	
colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide	
Questions or comments?	
call toll-free 1-800-633-1610 or www.allegra.com	

LOT

EXP



0 41167 xxxxx 0

Allegra Allergy 24hr 40ct Bonus Carton 01.17.12
 ALG_24hr_DD40200C-00



Allegra Allergy
 ORIGINAL PRESCRIPTION STRENGTH
 NON DROWSY

Allegra Allergy
 ORIGINAL PRESCRIPTION STRENGTH
 NON DROWSY

Allegra Allergy
 fexofenadine HCl tablet 180 mg/antihistamine
 Indoor and Outdoor Allergies

RELIEF OF:
 ✓ Sneezing
 ✓ Runny Nose
 ✓ Itchy, Watery Eyes
 ✓ Itchy Nose or Throat

24 HOUR

24 HOUR

24 HOUR

30 40 Tablets 180 mg each

BONUS! 10 TABLETS FREE

30 40 Tablets 180 mg each

LOT
 EXP

FPO
 0 4 1 1 6 7 x x x x x 0



1 BOTTLE INSIDE

1 BOTTLE INSIDE
 Actual Size

1 BOTTLE INSIDE
 Actual Size

Drug Facts
Active ingredient (in each tablet) Purpose
 Fexofenadine HCl 180 mg..... Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product
 ■ do not take more than directed
 ■ do not take at the same time as aluminum or magnesium antacids
 ■ do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ►

Drug Facts (continued)

Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information
 ■ safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
 ■ store between 20° and 25°C (68° and 77°F)
 ■ protect from excessive moisture

Inactive ingredients
 colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

Questions or comments?
 call toll-free 1-800-633-1610 or www.allegra.com

The makers of Allegra® do not make store brand products. The trade dress of this Allegra® package is subject to trademark protection.
 Dist. By: Chatterm, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2010 DD40200C-00

Allegra Allergy 24hr 52ct Bonus Carton 01.17.12
ALG_24hr_DD52500C-00

**Allegra[®]
Allergy**

4x **52** Tablets 180 mg each

BONUS!
7 TABLETS FREE

**Allegra[®]
Allergy**

fexofenadine HCl tablet 180 mg/antihistamine

Indoor and Outdoor Allergies

4x **52** Tablets 180 mg each

LOT _____

EXP _____

FPO

0 4 1 1 6 7 x x x x x 0

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY

**Allegra[®]
Allergy**



**1 BOTTLE
INSIDE**

24 HOUR

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY

NDC 41167 xxxx x

RELIEF OF:

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose
- o r Throat

24 HOUR



**1 BOTTLE
INSIDE**
Actual Size

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY

**Allegra[®]
Allergy**

fexofenadine HCl tablet
180 mg/
antihistamine

Indoor and Outdoor Allergies

24 HOUR

52 Tablets 180 mg each



866260

Drug Facts

Active ingredient (in each tablet) Purpose
Fexofenadine HCl 180 mg..... Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.
When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶

Drug Facts (continued)

Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

Inactive ingredients
colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

Questions or comments?
call toll-free 1-800-633-1610 or www.allegra.com

The makers of Allegra® do not make store brand products. The trade dress of this Allegra® package is subject to trademark protection. Dist. By: Chatterm, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2010 DD52500C-00

Allegra Allergy 24hr 54ct Bonus Carton

ALG_24hr_DD54200C-00

Allegra Allergy

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY

Allegra Allergy

54 Tablets 180 mg each

24 HOUR

1 BOTTLE INSIDE

BONUS!
9 TABLETS FREE

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY

NDC 41167 xxxx x

Allegra Allergy

RELIEF OF:

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

fexofenadine HCl tablet 180 mg/antihistamine

Indoor and Outdoor Allergies

24 HOUR

54 Tablets 180 mg each

LOT

EXP

FPO

0 41167 xxxxx 0



Allegra Allergy

ORIGINAL PRESCRIPTION STRENGTH
NON DROWSY

1 BOTTLE INSIDE
Actual Size

Allegra Allergy

fexofenadine HCl tablet
180 mg/antihistamine
Indoor and Outdoor Allergies

24 HOUR

54 Tablets 180 mg each

Drug Facts

Active ingredient (in each tablet) Purpose
 Fexofenadine HCl 180 mg..... Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.
When using this product
 ■ do not take more than directed
 ■ do not take at the same time as aluminum or magnesium antacids
 ■ do not take with fruit juices (see Directions)
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶

Drug Facts (continued)

Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

Inactive ingredients
 colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

Questions or comments?
 call toll-free 1-800-633-1610 or www.allegra.com

The makers of Allegra® do not make store brand products. The trade dress of this Allegra® package is subject to trademark protection.
 Dist. By: Chatterm, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2010 DD54200C-00

Allegra, Allegra-D and Children's Allegra 01.17.12

In-pack placed in Allegra 24hr 30ct and 45ct

ALG_DD34567CP-01

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XX

SAVE \$3.00
on any one Allegra®
30ct or higher Allergy Relief

Allegra®


AVAILABLE WITHOUT A PRESCRIPTION



READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS. ©2011 Chatterm, Inc.

AVAILABLE WITHOUT A PRESCRIPTION

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XX



Allegra-D® sold at pharmacy or service counter.

SAVE \$3.00
on any one Allegra-D®
Allergy & Congestion Relief

Allegra-D®

READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS. ©2011 Chatterm, Inc.

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XX

SAVE \$3.00
on any one Children's Allegra®

Allegra®

CHILDREN'S ALLERGY

AVAILABLE WITHOUT A PRESCRIPTION



READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS.

DD34567CP-01

©2011 Chatterm, Inc.

Find us on:   To learn more, visit www.Allegra.com

Allegra, Allegra-D and Children's Allegra 01.17.12

In-pack placed in Allegra 24hr 30ct and 45ct

ALG_DD34567CP-01

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XX

AVAILABLE WITHOUT A PRESCRIPTION

SAVE \$3.00
on any one
Allegra®
30ct or higher



0041167-033066

FPO

9

READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS.
 This coupon good only on the purchase of any one adult Allegra® Allergy 30ct or higher. Any other use constitutes fraud. THIS COUPON IS NOT TRANSFERABLE. LIMIT ONE COUPON PER TRANSACTION. TO THE RETAILER: Chatterm, Inc. will reimburse you the face value of this coupon plus 8¢ if submitted in compliance with the terms of this offer. Customer must pay sales tax. Valid only if redeemed by distributors of our merchandise or anyone specifically authorized by Chatterm, Inc. Cash value 1/20¢. Mail to: Chatterm, Inc., P.O. Box 880445, El Paso, TX 88588-0445. ©2011 Chatterm, Inc.

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XX

AVAILABLE WITHOUT A PRESCRIPTION

SAVE \$3.00
on any one



0041167-033066

FPO

9

READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS.
 This coupon good only on the purchase of any one Allegra-D® Allergy and Congestion. Any other use constitutes fraud. THIS COUPON IS NOT TRANSFERABLE. LIMIT ONE COUPON PER TRANSACTION. TO THE RETAILER: Chatterm, Inc. will reimburse you the face value of this coupon plus 8¢ if submitted in compliance with the terms of this offer. Customer must pay sales tax. Valid only if redeemed by distributors of our merchandise or anyone specifically authorized by Chatterm, Inc. Cash value 1/20¢. Mail to: Chatterm, Inc., P.O. Box 880445, El Paso, TX 88588-0445. ©2011 Chatterm, Inc.

Allegra-D® sold at pharmacy or service counter.

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XX

AVAILABLE WITHOUT A PRESCRIPTION

SAVE \$3.00
on any one CHILDREN'S
Allegra®



004116 -

FPO

9

READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS.
 This coupon good only on the purchase of any one Children's Allegra® Allergy. Any other use constitutes fraud. THIS COUPON IS NOT TRANSFERABLE. LIMIT ONE COUPON PER TRANSACTION. TO THE RETAILER: Chatterm, Inc. will reimburse you the face value of this coupon plus 8¢ if submitted in compliance with the terms of this offer. Customer must pay sales tax. Valid only if redeemed by distributors of our merchandise or anyone specifically authorized by Chatterm, Inc. Cash value 1/20¢. Mail to: Chatterm, Inc., P.O. Box 880445, El Paso, TX 88588-0445. ©2011 Chatterm, Inc.

Allegra, Allegra-D and Children's Allegra 01.17.12

In-pack placed in Allegra 24hr 5ct and 15ct

ALG_DD12345CP-01

AVAILABLE WITHOUT A PRESCRIPTION

MANUFACTURER'S COUPON EXPIRATION DATE XXXXXX



SAVE \$3.00
On any one Allegra®
30ct or higher Allergy Relief

Allegra®

READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS. ©2011 Chatterm, Inc.

AVAILABLE WITHOUT A PRESCRIPTION

MANUFACTURER'S COUPON EXPIRATION DATE XXXXXX



SAVE \$3.00
On any one Allegra-D®
Allergy & Congestion Relief

Allegra-D®

READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS. ©2011 Chatterm, Inc.

CHILDREN'S ALLEGRA

READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS.

12 Daily Allergy Relief Tablets 12 Hours 12 Hours

DD12345CP-01 ©2011 Chatterm, Inc.

Find us on:   To learn more, visit www.Allegra.com

Allegra, Allegra-D and Children's Allegra 01.17.12

In-pack placed in Allegra 24hr 5ct and 15ct

ALG__DD12345CP-01

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XX **AVAILABLE WITHOUT A PRESCRIPTION**

SAVE \$3.00
on any one
Allegra®
30ct or higher



0041167-033066


FPO

READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS.

This coupon good only on the purchase of any one adult Allegra® Allergy 30ct or higher. Any other use constitutes fraud. THIS COUPON IS NOT TRANSFERABLE. LIMIT ONE COUPON PER TRANSACTION. TO THE RETAILER: Chatterm, Inc. will reimburse you the face value of this coupon plus 8¢ if submitted in compliance with the terms of this offer. Customer must pay sales tax. Valid only if redeemed by distributors of our merchandise or anyone specifically authorized by Chatterm, Inc. Cash value 1/20¢. Mail to: Chatterm, Inc., P.O. Box 880445, El Paso, TX 88588-0445. ©2011 Chatterm, Inc.

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XX **AVAILABLE WITHOUT A PRESCRIPTION**

SAVE \$3.00
on any one
Allegra-D®



004116 -

FPO

READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS.

This coupon good only on the purchase of any one Allegra-D® Allergy and Congestion. Any other use constitutes fraud. THIS COUPON IS NOT TRANSFERABLE. LIMIT ONE COUPON PER TRANSACTION. TO THE RETAILER: Chatterm, Inc. will reimburse you the face value of this coupon plus 8¢ if submitted in compliance with the terms of this offer. Customer must pay sales tax. Valid only if redeemed by distributors of our merchandise or anyone specifically authorized by Chatterm, Inc. Cash value 1/20¢. Mail to: Chatterm, Inc., P.O. Box 880445, El Paso, TX 88588-0445. ©2011 Chatterm, Inc.

Allegra-D® sold at pharmacy or service counter.

AVAILABLE WITHOUT A PRESCRIPTION MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XX



0041167-033066

FPO

SAVE \$3.00
on any one CHILDREN'S
Allegra®

READ THE PRODUCT LABELING TO DETERMINE IF THIS PRODUCT IS APPROPRIATE FOR YOU TO USE. USE ONLY AS DIRECTED. COUPON CANNOT BE COMBINED WITH OTHER COUPONS.

This coupon good only on the purchase of any one Children's Allegra® Allergy. Any other use constitutes fraud. THIS COUPON IS NOT TRANSFERABLE. LIMIT ONE COUPON PER TRANSACTION. TO THE RETAILER: Chatterm, Inc. will reimburse you the face value of this coupon plus 8¢ if submitted in compliance with the terms of this offer. Customer must pay sales tax. Valid only if redeemed by distributors of our merchandise or anyone specifically authorized by Chatterm, Inc. Cash value 1/20¢. Mail to: Chatterm, Inc., P.O. Box 880445, El Paso, TX 88588-0445. ©2011 Chatterm, Inc.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

JOEL SCHIFFENBAUER
02/23/2012