

Allegra Allergy 24hr Gelcap CARTON

04.04.14

ALG_Gelcap_40ct_Carton



Allegra[®]
Allergy

Gelcaps

40 Gel Coated Tablets

Indoor and
 Outdoor Allergies
24 Hour

NEW! Gel Coated
 Tablets
 NDC 41167-XXXX-X

NON-DROWSY
 Original Prescription Strength

Allegra[®]
Allergy
Gelcaps

Allegra[®]
Allergy

24 Hour

Relief of:
 ✓ Runny Nose
 ✓ Sneezing
 ✓ Itchy, Watery Eyes
 ✓ Itchy Nose or Throat

fexofenadine HCl tablet 180 mg/antihistamine

Indoor and
 Outdoor Allergies

40 Gel Coated
 Tablets

Gelcaps



Actual Size



LOT

EXP

Allegra[®]
Allergy
Gelcaps

Drug Facts

Active ingredient (in each tablet) Purpose
 Fexofenadine HCl 180 mg..... Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product
 ■ do not take more than directed
 ■ do not take at the same time as aluminum or magnesium antacids
 ■ do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions	
adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information
 ■ safety sealed: do not use if carton is opened or if individual blister units are torn or opened
 ■ store between 20° and 25°C (68° and 77°F)
 ■ protect from excessive moisture

Inactive ingredients
 croscarmellose sodium, D&C red 28, D&C red 33, FD&C blue 1, gelatin, hydroxypropylcellulose, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, PEG-135, pharmaceutical ink, pregelatinized starch, titanium dioxide

Questions or comments?
 call toll-free 1-800-633-1610 or www.allegra.com

The makers of Allegra[®] do not make store brand products. The trade dress of this Allegra[®] package is subject to trademark protection.
 Dist. By: Chattem, Inc., a Sanofi company, Chattanooga, TN 37409-0219 ©2013 Origin Germany 00000000

Allegra Allergy 24hr Gelcap CARTON

04.04.14

ALG_Gelcap_24ct_Carton



Allegra[®]
Allergy
 24 Gel Coated Tablets

Gelcaps

24 Hour

NEW! Gel Coated Tablets
 NDC 41167-XXXX-X

NON-DROWSY
 Original Prescription Strength

Indoor and Outdoor Allergies
Gelcaps
Allegra[®]
Allergy

Allegra[®]
Allergy

24 Hour

Relief of:

- ✓ Runny Nose
- ✓ Sneezing
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

fexofenadine HCl tablet 180 mg/antihistamine

Indoor and Outdoor Allergies

Gelcaps



24 Gel Coated Tablets

Indoor and Outdoor Allergies
Gelcaps
Allegra[®]
Allergy

Drug Facts

Active ingredient (in each tablet) Purpose
 Fexofenadine HCl 180 mg..... Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product
 ■ do not take more than directed
 ■ do not take at the same time as aluminum or magnesium antacids
 ■ do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions	
adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information
 ■ safety sealed: do not use if carton is opened or if individual blister units are torn or opened
 ■ store between 20° and 25°C (68° and 77°F)
 ■ protect from excessive moisture

Inactive ingredients
 croscarmellose sodium, D&C red 28, D&C red 33, FD&C blue 1, gelatin, hydroxypropylcellulose, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, PEG-135, pharmaceutical ink, pregelatinized starch, titanium dioxide

Questions or comments?
 call toll-free 1-800-633-1610 or www.allegra.com

The makers of Allegra[®] do not make store brand products. The trade dress of this Allegra[®] package is subject to trademark protection.
 Dist. By: Chattem, Inc., a Sanofi company, Chattanooga, TN 37409-0219 ©2013 Origin Germany 00000000



LOT
 EXP

Allegra Allergy 24hr Gelcap CARTON

04.04.14

ALG_Gelcap_8ct_Carton



Allegra[®]
Allergy

8 Gel Coated Tablets

Gelcaps

24 Hour

NEW! Gel Coated Tablets
 NDC 41167-XXXX-X

NON-DROWSY
 Original Prescription Strength

Allegra[®]
Allergy

24 Hour

Relief of:

- ✓ Runny Nose
- ✓ Sneezing
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

fexofenadine HCl tablet 180 mg/antihistamine

Indoor and Outdoor Allergies

Gelcaps

8 Gel Coated Tablets



Actual Size



LOT
 EXP

Drug Facts

Active ingredient (in each tablet) Purpose
 Fexofenadine HCl 180 mg..... Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product
 ■ do not take more than directed
 ■ do not take at the same time as aluminum or magnesium antacids
 ■ do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions	
adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information
 ■ safety sealed: do not use if carton is opened or if individual blister units are torn or opened
 ■ store between 20° and 25°C (68° and 77°F)
 ■ protect from excessive moisture

Inactive ingredients
 croscarmellose sodium, D&C red 28, D&C red 33, FD&C blue 1, gelatin, hydroxypropylcellulose, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, PEG-135, pharmaceutical ink, pregelatinized starch, titanium dioxide


Questions or comments?
 call toll-free 1-800-633-1610 or www.allegra.com

The makers of Allegra[®] do not make store brand products. The trade dress of this Allegra[®] package is subject to trademark protection.
 Dist. By: Chattem, Inc., a Sanofi company, Chattanooga, TN 37409-0219 ©2013 Origin Germany 00000000

Allegra Allergy 24hr Gelcap BLISTER

10.30.13

ALG_Gelcap_8ct_Blister



DIE = FPO

THIS DIE HAS BEEN SCALED IN ILLUSTRATOR TO APPROXIMATE SIZES NOTED IN DIMENSION GUIDES (MM). PLEASE TRIPLE CHECK FINAL DIE DIMENSIONS MOVING FORWARD WHEN IMPORTING .DWG FILES INTO ILLUSTRATOR CS 6.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

LUCIE L YANG

04/16/2014

signing on behalf of Dr. Theresa Michele