

Title for Continued Panel:
 8 point Helvetica Bold Italic

Right Justified

8 point Helvetica Regular

Title:
 14 point Helvetica Bold
 italic, left justified

Headings:
 8 point Helvetica Bold
 italic, left justified

Bullet:
 5 point
 solid square

Subheadings:
 6 point Helvetica Bold
 left justified

0.5 point hairline

table format for
 3 or more doses

2.5 point barline

Body Text:
 6 point Helvetica Regular
 left justified, 6.5 leading

Allegra Allergy 24 Hour
 NON-DROWSY
 Original Prescription Strength

Drug Facts	
Active ingredient (in each tablet)	Purpose
Fexofenadine HCl 180 mg	Antihistamine
Uses	
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:	
<ul style="list-style-type: none"> ■ runny nose ■ sneezing 	<ul style="list-style-type: none"> ■ itchy, watery eyes ■ itching of the nose or throat
Warnings	
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.	
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.	
When using this product	
<ul style="list-style-type: none"> ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) 	
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.	
if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Drug Facts (continued)	
Directions	
adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor
Other information	
<ul style="list-style-type: none"> ■ safety sealed: do not use if carton is opened or if individual blister units are torn or opened ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture 	
Inactive ingredients	
colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide	
Questions or comments?	
call toll-free 1-800-633-1610 or www.allegra.com	

Dist. By: Chatten, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2012 Origin United Kingdom 5009SPA-04

LOT EXP



Allegra Allergy

The makers of Allegra® do not make store brand products.
 The trade dress of this Allegra® package is subject to trademark protection.

Allegra Allergy 24 Hour
 NON-DROWSY
 Original Prescription Strength

15 Tablets

Indoor and Outdoor Allergies

fexofenadine HCl tablet 180 mg/antihistamine

- ✓ Runny Nose
- ✓ Sneezing
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

Relief of:
24 Hour

NDC 41167-4120-2

Allegra Allergy 24 Hour
 NON-DROWSY
 Original Prescription Strength



Title:
 14 point Helvetica Bold
 italic, left justified


Headings:
 8 point Helvetica Bold
 italic, left justified



Subheadings:
 6 point Helvetica Bold
 left justified

Drug Facts		Drug Facts (continued)	
Active ingredient (in each tablet) Purpose Fexofenadine HCl 180 mg..... Antihistamine		Directions	
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat 		adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose. When using this product <ul style="list-style-type: none"> ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.		children under 12 years of age	do not use
		adults 65 years of age and older	ask a doctor
		consumers with kidney disease	ask a doctor
		Other information	
		<ul style="list-style-type: none"> ■ safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture 	
		Inactive ingredients colloidal silicone dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide	
		Questions or comments? call toll-free 1-800-633-1610 or www.allegra.com	

The makers of Allegra® do not make store brand products. The trade dress of this Allegra® package is subject to trademark protection.
 Dist. By: Chattem, Inc. (part of the sanofi-aventis Group), Chattanooga, TN 37409-0219 ©2012 Origin United Kingdom 5009SPA-05



Bullet:
 5 point
 solid square

Title for Continued Panel:
 8 point Helvetica Bold Italic

Right Justified

8 point Helvetica Regular

0.5 point hairline

table format for 3 or more doses

2.5 point barline

Body Text:
 6 point Helvetica Regular
 left justified, 6.5 leading

Headings:
6 point Helvetica Bold
italic, left justified

Right Justified

Bullet:
6 point solid square

1 point barline

Body Text:
6 point Helvetica Bold
left justified

Subheadings:
6 point Helvetica Bold

Graphic leading to next panel

0.5 point hairline

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

ANDREA LEONARD SEGAL
08/23/2012