

Allegra Allergy 24hr 30ct California Carton

4.3.14


ALG_24hr_30ct_Cali_Carton



Allegra Allergy 24HR 30ct Label

04.10.14

ALG_Allergy_24HR_30ct_LBL6



Allegra Allergy 24hr 45ct California Carton

4.3.14

ALG_24hr_45ct_Cali_Carton



Allegra[®]
Allergy

Allegra[®]
Allergy
45 Tablets

24 Hour

NDC 41167-4120-4

Original Prescription Strength
NON-DROWSY

Allegra[®]
Allergy

fexofenadine HCl tablet 180 mg/antihistamine

Indoor and
Outdoor Allergies

24 Hour
Relief of:

- ✓ Runny Nose
- ✓ Sneezing
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

45 Tablets

Allegra[®]
Allergy
24 Hour
45 Tablets

Drug Facts
Active ingredient (in each tablet)
 Fexofenadine HCl 180 mg..... Antihistamine
Purpose
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.
When using this product
 ■ do not take more than directed
 ■ do not take at the same time as aluminum or magnesium antacids
 ■ do not take with fruit juices (see Directions)
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶

Drug Facts (continued)
Directions
 adults and children 12 years of age and over take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
 children under 12 years of age do not use
 adults 65 years of age and older ask a doctor
 consumers with kidney disease ask a doctor
Other information
 ■ safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
 ■ store between 20° and 25°C (68° and 77°F)
 ■ protect from excessive moisture
Inactive ingredients
 colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide
Questions or comments?
 call toll-free 1-800-633-1610 or www.allegra.com

The makers of Allegra[®] do not make store brand products. The trade dress of this Allegra[®] package is subject to trademark protection. Dist. By: Chattem, Inc., a Sanofi Company, Chattanooga, TN 37409-0219 ©2014 Origin Germany 00000000





LOT
EXP

Allegra Allergy 24HR 45ct Label

04.10.14


ALG_Allergy_24HR_45ct_LBL6



Allegra Allergy 24hr 70ct California Carton

4.3.14

ALG_24hr_70ct_Cali_Carton



Allegra[®]
Allergy

Allegra[®]
Allergy

70 Tablets

NDC 41167-4120-6

Allegra[®]
Allergy

fexofenadine HCl tablet 180 mg/antihistamine

Indoor and
Outdoor Allergies

24 Hour

Relief of:

- ✓ Runny Nose
- ✓ Sneezing
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

70 Tablets



LOT

EXP

Original Prescription Strength
NON-DROWSY

24 Hour

Original Prescription Strength
NON-DROWSY

Allegra[®]
Allergy

24 Hour
70 Tablets

Drug Facts

Active ingredient (in each tablet)	Purpose
Fexofenadine HCl 180 mg	Antihistamine

Uses
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease.
Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25° C (68° and 77° F)
- protect from excessive moisture

Inactive ingredients
colloidal silicon dioxide, croscarmellose sodium, hydroxypropyl methylcellulose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide.

Questions or comments?
call toll-free 1-800-633-1610 or www.allegra.com

The makers of Allegra[®] do not make store brand products. The trade dress of this Allegra[®] package is subject to trademark protection. Dist. By: Chatterm, Inc., a Sanofi Company, Chattanooga, TN 37409-0219 ©2013 Origin Germany 00000000

Allegra Allergy 24HR 70 LBL

04.10.14

ALG_Allergy_24HR_70ct_LBL5

