



Allegra Allergy 12 Hour Blister Print Mat

04.19.16

ALG_12hr_12ct_Blister_r2



Allegra Allergy 12 Hour Blister Carton

4.18.16

ALG_12hr_12ct_CTN_2015_30pct

Allegra[®]

ALLERGY 12 HR

NON-DROWSY

12 TABLETS

NDC XXXXX-XXXX-X

Allegra[®]

ALLERGY

fexofenadine HCl tablet
60 mg/antihistamine 12 HR

INDOOR / OUTDOOR ALLERGY RELIEF

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

NON-DROWSY

12 TABLETS

Actual Size



Allegra[®]

ALLERGY

The makers of Allegra[®] do not make store brand products.
 The trade dress of this Allegra[®] package is subject to trademark protection.



UPC
FPO

Dist. By: Chatham, Inc., a Sanofi Company, Chattanooga, TN 37409-0219 ©2015 Origin Germany XXXXXXXX

| | |
|---|---|
| Drug Facts (continued) | Drug Facts |
| Directions | Adults and children take one 60 mg tablet with water every 12 hours; do not take more than 2 tablets in 24 hours and over |
| Uses | temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat |
| Warnings | Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose. When using this product ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) |
| Active ingredient (in each tablet) | Fexofenadine HCl 60 mg Antihistamine |
| Purpose | Antihistamine |
| Questions or comments? | call toll-free 1-800-633-1610 or www.allegra.com |
| Inactive ingredients | colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide |
| Other information | ■ safety sealed; do not use if carton is opened or if individual blister units are torn or opened ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture |


Allegra[®]

ALLERGY 12 HR

Allegra Allergy 24 Hour Blister Print Mat

04.12.16

ALG_24hr_Blister



Allegra Allergy 24 Hour Blister Carton

4.18.16

ALG_24hr_5ct_CTN_2015_30pct

Allegra[®]
ALLERGY
24HR

NDC XXXXX-XXXX-X

Allegra[®]
ALLERGY
fexofenadine HCl tablet
180 mg/antihistamine 24HR

INDOOR / OUTDOOR ALLERGY RELIEF

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

5 TABLETS
Actual Size

NON-DROWSY

5 TABLETS

NON-DROWSY



Allegra[®] ♻️
ALLERGY

The makers of Allegra[®] do not make store brand products.
 The trade dress of this Allegra[®] package is subject to trademark protection.

**UPC
FPO**

LOT

EXP

Dist. By: Chatham, Inc., a Sanofi Company, Chattanooga, TN 37409-0219 ©2015 Origin Germany XXXXXXXXX

Allegra[®]
ALLERGY
24HR

| | |
|--|---|
| Drug Facts (continued) | |
| <p>Directions adults and children take one 180 mg tablet with water once a day, do not take more than 1 tablet in 24 hours and over children under 12 years of age do not use ask a doctor adults 65 years of age and older ask a doctor consumers with kidney disease ask a doctor</p> <p>Other information <ul style="list-style-type: none"> ■ safety sealed: do not use if carton is opened or if individual blister units are torn or opened ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture </p> <p>Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide</p> <p>Questions or comments? call toll-free 1-800-633-1610 or www.allegra.com</p> | <p>Drug Facts</p> <p>Active ingredient (in each tablet) Fexofenadine HCl 180 mg, Antihistamine</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat </p> <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose. When using this product <ul style="list-style-type: none"> ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) </p> <p>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> |

Allegra Allergy 24 Hour Bottle Label

10.09.15

ALG_24hr_30ct_LBL_2015

TOP LABEL

NDC XXXXX-XXXX-X

Dist. By: Chatterm, Inc.,
 a Sanofi Company,
 Chattanooga, TN 37409
 ©2015
 Origin Germany

Peel Here 

**INDOOR /
 OUTDOOR
 ALLERGY RELIEF**

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

NON-DROWSY
Allegra[®]
ALLERGY 24 HR
 fexofenadine HCl tablet
 180 mg/antihistamine

30 TABLETS

XXXXXXXXXX

REAR TOP LABEL

| | |
|--|--|
| <p>Active ingredient (in each tablet) Fexofenadine HCl 180 mg</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat. Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.</p> <p>When using this product ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical</p> | <p>Purpose Antihistamine</p> <p>help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions ■ adults and children 12 years of age and over take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours. ■ children under 12 years of age do not use ■ adults 65 years of age and older ask a doctor ■ consumers with kidney disease ask a doctor</p> <p>Other information ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F)</p> |
|--|--|

BASE LABEL

NDC XXXXX-XXXX-X

Dist. By: Chatterm, Inc., a Sanofi Company,
 Chattanooga, TN 37409-0219
 ©2015 Origin Germany

**INDOOR / OUTDOOR
 ALLERGY RELIEF**

30 TABLETS

■ protect from excessive moisture

Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide blends, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, titanium dioxide

Questions or comments? call toll-free 1-800-633-1610 or www.allegra.com


Allegra[®]
ALLERGY 24 HR
 fexofenadine HCl tablet
 180 mg/antihistamine

**FPO
 Lot and Exp
 Area**

Allegra Allergy 24 Hour Bottle Carton

4.18.16


ALG_24hr_30ct_CTN_2015_30pct




Allegra Allergy 24 Hour StretchCard

4.18.16

ALG_24hr_90ct_CLUB_2015_30pct



FRONT PANEL



BACK PANEL

Allegra Allergy 24 Hour GelCap Blister Print Mat

04.12.16

ALG_24hr_8ct_GelCap_Blister



Allegra Allergy GelCaps 24 Hour Bottle Label


10.09.15

ALG_24hr_24ct_GC_LBL_2015

TOP LABEL



REAR TOP LABEL



BASE LABEL



Allegra Allergy GelCaps 24 Hour StretchCard

4.18.16

ALG_24hr_80ct GC_CLUB_2015_30pct

10 point Helvetica Neue Cond

17 point SharpSansNo1 Bold

86 point ITC Officina Sans Bold

33 point SharpSansNo1 Bold

25 point Avenir Next Cond Demi Bold

25 point Avenir Next Cond Bold

12 point MotherCare Reg

11 point MotherCare Reg

12 point Helvetica Neue Med Cond

50 point SharpSansNo1 Bold

22 point SharpSansNo1 Bold

24 point SharpSansNo1 Bold

6 point MotherCare Reg

10 point SharpSansNo1 Book Itc

FRONT PANEL

Subheadings: 6 point Helvetica Bold left justified

Bullet: 5 point solid square

Title: 14 point Helvetica Bold italic, left justified

Title for Continued Panel: 8 point Helvetica Bold Italic

8 point Helvetica Regular

Headings: 8 point Helvetica Bold italic, left justified

table format for 3 or more dosages

2.5 point box barline

2.5 point barline

Body Text: 6 point Helvetica Regular left justified, 6.5 leading

Graphic leading to next panel

7 point Helvetica Neue Cond

0.5 point hairline

BACK PANEL