

Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x height)	5.9 in ²	1/16 IN.	5 SQ. IN. OR LESS
Net Content Size:	0.076"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.

Drug Facts Format Information					
Drug Facts:	8.50 pt	Subheadings/Body Text:	6.00 pt	Barlines:	2.5 pt
Drug Facts (continued):	8.00 pt	Bullets:	5.00 pt	Hairlines:	0.5 pt
Headings:	8.00 pt	Leading:	6.50 pt	Tracking:	0
				Horizontal Scale:	85/100%

Drug Facts (continued)

Other information

- check tablet contents: calcium 220 mg, magnesium 70 mg
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20°-25°C (68°-77°F); protect from moisture
- do not use if full inner seal imprinted with "Sealed For Your Safety" is broken or missing

Inactive ingredients: cellulose acetate, corn starch, croscopolone, D&C red no. 7 calcium lake, dextrose excipient, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, flavors, gum arabic, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, methylcellulose, mineral oil, modified starch, sucralose. May contain mineral oil.

Questions or comments? call 1-800-755-4000 (toll-free) or 215-271-8755 (collect)

Pepcid Complete
Acid Reducer + Antacid
Famotidine 10 mg per tablet
Calcium carbonate 800 mg per tablet
Magnesium hydroxide 165 mg per tablet

70 Chewable Tablets
Distributed by: Kenwa Brands LLC
Summit, NJ 07901
© Kenwa Brands LLC 2024

Shown actual size

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

VALUE SIZE NDC 16837-208-70

DUAL ACTION

Pepcid Complete

Famotidine 10 mg—Acid reducer
Calcium carbonate 800 mg—Antacid
Magnesium hydroxide 165 mg—Antacid

Just One Tablet!
Relieves Heartburn Due to Acid Indigestion
Berry Flavor

70 Chewable Tablets

actual size

For Complete Directions and Warnings

Do not use if full inner seal imprinted with "Sealed For Your Safety" is broken or missing.

Drug Facts

Active ingredients	Purposes
Famotidine 10 mg	Acid reducer
Calcium carbonate 800 mg	Antacid
Magnesium hydroxide 165 mg	Antacid

Use: relieve heartburn associated with acid indigestion and sour stomach

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers.

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Distributed by:
Kenwa Brands LLC
Summit, NJ 07901
© Kenwa Brands LLC 2024

Drug Facts (continued)

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days


If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
 - do not swallow tablet whole; chew completely
 - to relieve symptoms, chew 1 tablet before swallowing
 - do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

Net Content Statement		NET CONTENT	AREA OF PMP
PDP Area: (width x height)	5.9 in ²	1/16 IN.	5 SQ. IN. OR LESS
Net Content Size:	0.076"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.

Drug Facts Format Information					
Drug Facts:	8.50 pt	Subheadings/Body Text:	6.00 pt	Defines:	2.5 pt
Drug Facts (continued):	8.00 pt	Bullets:	5.00 pt	Horizontal Scale:	85/100%
Headings:	8.00 pt	Leading:	6.50 pt	Hairlines:	0.5 pt
				Tracking:	0



7 1 8 3 7 1 8 8 7 2 1 7

Drug Facts (continued)


Other information

- each tablet contains calcium 200 mg, magnesium 70 mg
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20°-25°C (68°-77°F) - protect from moisture
- do not use if foil inner seal imprinted with "Sealed For Your Safety" is broken or missing

Inactive ingredients cellulose acetate, corn starch, croscopolone, dextrose equivalent, FD&C blue no. 1 aluminum lake, flavor, gum arabic, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, maltodextrin, mineral oil*, sucralose, yellow iron oxide. *may contain mineral oil

Questions or comments? call 1-800-755-4008 (toll-free) or 215-273-4755 (collect)

Pepcid Complete
Acid Reducer + Antacid
Famotidine 10 mg per tablet
Calcium carbonate 800 mg per tablet
Magnesium hydroxide 165 mg per tablet
70 Chewable Tablets
Distributed by: Kenova Brands LLC
Suzanne, NJ 07901
© Kenova Brands LLC 2024



Shown actual size

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

VALUE SIZE NDC 16837-891-70

DUAL ACTION

Pepcid Complete

Famotidine 10 mg - Acid reducer
Calcium carbonate 800 mg - Antacid
Magnesium hydroxide 165 mg - Antacid

Just One Tablet!
Relieves Heartburn Due to Acid Indigestion
Cool Mint Flavor

70 Chewable Tablets

For Complete Directions and Warnings
Do not use if foil inner seal imprinted with "Sealed For Your Safety" is broken or missing.

Drug Facts

Active ingredients (in each chewable tablet)	Purposes
Famotidine 10 mg	Acid reducer
Calcium carbonate 800 mg	Antacid
Magnesium hydroxide 165 mg	Antacid

Use relieves heartburn associated with acid indigestion and sour stomach

Warnings
Allergy alert: Do not use if you are allergic to famotidine or other acid reducers.

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Distributed by:
Kenova Brands LLC
Suzanne, NJ 07901
© Kenova Brands LLC 2024

Drug Facts (continued)

Ask a doctor before use if you have

- had heartburn over 2 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- do not swallow tablet whole; chew completely
- to relieve symptoms, chew 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
02/11/2025 10:27:58 AM