


Front Cover Layer



Base Label Layer

2pt Stroke ———

.5pt Stroke ———

5pt A — All Bullets •

A - Helvetica Neue LT W1G 57 Condensed

B - Helvetica Neue LT W1G 77 Bold Condensed

C - Helvetica Neue LT W1G 77 Bold Condensed Oblique

NDC 17518-051-04

# 3M Avagard™

Surgical and Healthcare  
Personnel Hand Antiseptic  
with Moisturizers

40.6 fl oz • 1200 mL


(Chlorhexidine Gluconate  
1% Solution and Ethyl  
Alcohol 61% w/w)

[    **EXP**    ]

Flammable, keep away from fire or flame,  
heat, sparks and sources of static discharge.

REF 9216

<p><b>Drug Facts</b></p> <p><b>Active ingredients</b>                  Chlorhexidine gluconate 1% w/w .....                  Ethyl alcohol 61% w/w .....</p> <p><b>Uses</b>                  • surgical hand antiseptic; significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care                  • healthcare personnel hand antiseptic; handwash to help reduce bacteria that potentially can cause disease</p> <p><b>Warnings</b>                  For external use only.                  Flammable, keep away from fire or flames.                  Do not use if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation</p> <p><b>When using this product</b>                  • do not touch the eye with hands that have been treated with this preparation                  • keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye.                  • if contact occurs, rinse with cold water right away                  • do not use routinely if you have wounds which involve more than the superficial layers of the skin</p> <p><b>Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition</b></p> <p><b>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</b></p>	<p><b>Drug Facts (continued)</b></p> <p><b>Directions</b>                  • use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.  <b>Surgical hand antiseptic</b>                  • apply to clean, dry hands and nails. For the first use of each day, clean under nails with a nail stick.                  • dispense one pump (2 mL) into the palm of one hand                  • dip the fingertips of the opposite hand into the lotion and work it under the nails                  • spread the remaining lotion over the hand and up to just above the elbow                  • using another 2 mL of lotion, repeat with the other hand                  • dispense another 2 mL of lotion into either hand; reapply to all aspects of both hands up to the wrists                  • allow to dry before donning gloves  <b>Healthcare personnel hand antiseptic</b>                  • apply to clean, dry hands and nails                  • dispense one pump (2 mL) into the palm of one hand                  • paying particular attention to the spaces between the fingers and under fingernails, apply the lotion evenly to cover both hands up to the wrists                  • allow to dry without wiping</p> <p><b>Other information</b> store at 20-25°C (68-77°F)</p> <p><b>Inactive ingredients</b> beheneth 10, behenyl alcohol, C20-40 pareth-24, cetyl palmitate, diisopropyl dimer dilinoleate, dimethicone, glycerin, polyethylene glycol, squalane, water</p> <p><b>Questions?</b> call 1-800-228-3957</p>
--	--



2pt Stroke ———  
 .5pt Stroke ———  
 5pt A — All Bullets •

A - Helvetica Neue LT W1G 57 Condensed  
 B - Helvetica Neue LT W1G 77 Bold Condensed  
 C - Helvetica Neue LT W1G 77 Bold Condensed Oblique

This label may not be the latest approved by FDA.  
For current labeling information, please visit <https://www.fda.gov/drugsatfda>

