




APPEARS THIS WAY ON ORIGINAL



Slit Width = 250mm



6pt, 100% horizontal scaling, 40 tracking
 Helvetica Neue Condensed Black

6pt, 80% horizontal scaling, 10 tracking
 Helvetica Neue LT Std 77 Bold Condensed

6pt, 95% horizontal scaling, 10 tracking
 Helvetica Neue LT Std 57 Condensed


10pt, 86% horizontal scaling, 33 tracking
 Helvetica Neue LT Std 97 Black Condensed

81.9mm

81.9mm

81.9mm

Print registration pitch 81.9mm
 Tolerance +0 / -0.1mm



MIN PT SIZE & HEIGHT (Non-Automated)		
NET WT (ie. 5 FL OZ 150ml):	N/A	N/A
Drug Facts Title:	N/A	N/A
Active Ingredient Title:	N/A	N/A
Active Ingredient (BOP Ingredient):	0.06inch	6pt
Min Size of all other Copy:	0.06inch	6pt

This Box 1/2 x 1/2 Inch Square	Front PDP in square inches:	N/A
	Rear PDP in square inches:	15.23

VALUE SIZE



Mucinex®
RELIEVES CHEST CONGESTION

Drug Facts	Drug Facts (continued)
<p>Active ingredients (in each extended-release tablet)</p> <p>Guaifenesin 600 mg.....Expectorant</p> <p>Purposes</p> <p>Expectorant</p> <p>Uses</p> <ul style="list-style-type: none"> helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive <p>Warnings</p> <p>Do not use</p> <ul style="list-style-type: none"> for children under 12 years of age <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. <p>If pregnant or breast-feeding, ask a health professional before use</p>	<p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> do not crush, chew, or break extended-release tablet take with a full glass of water this product can be administered without regard for timing of meals adults and children 12 years of age and over: 1 or 2 extended-release tablets every 12 hours. Do not exceed 4 extended-release tablets in 24 hours children under 12 years of age: do not use <p>Other information</p> <ul style="list-style-type: none"> store at 20-25°C (68-77°F) <p>Inactive ingredients carbomer homopolymer type B; FD&C blue no. 1 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF</p> <p>Questions? 1-866-MUCINEX (1-866-682-4639)</p>

Patents: www.reckitt.com/patents 011324
Dist. by: RB Health (US) 00000000
Parsippany, NJ 07054-0224 ©2024 RB Health
Made in England

reckitt

VALUE SIZE

NDC 63824-008-34

Mucinex®
Guaifenesin 600 mg » Expectorant
Extended-Release Tablets
RELIEVES CHEST CONGESTION



12 HOUR

- ✓ Relieves Chest Congestion
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release

40 EXTENDED RELEASE TABLETS



ACTUAL SIZE

00000000

how2recycle.info
PAPER MULTILAYER BOX TRAY

Tamper Evident:
Do not use if carton is open or if printed seal on blister is broken or missing.

Scan for FAQs and instructions on proper disposal of medicines or visit www.mucinex.com/FAQs
Please visit our website www.mucinex.com

Pharmacode Reads This Way
First Bar → Last Bar

Data Matrix Code 5x5mm with 3.175mm clear area.
14x14 Matrix
Revision Date Code and the Item Number separated by a space (MMDDYY 1234567).

Temporarily Discontinued Due to Packaging Changes
Do not use if the packaging is damaged or if pouches are broken or torn.

Immediate-Release Layer



Extended-Release Layer
Lasts 12 Hours

Mucinex

BI-LAYER TABLET

Print and Varnish Free Area



Code Reads This Way

00000000

<p>Drug Facts (in each extended-release tablet)</p> <p>Active ingredients Guaifenesin 600 mg</p> <p>Purposes Expectorant</p> <p>Uses <ul style="list-style-type: none"> helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make cough more productive </p> <p>Warnings Do not use <ul style="list-style-type: none"> for children under 12 years of age </p> <p>Ask a doctor before use if you have <ul style="list-style-type: none"> persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) </p> <p>Stop use and ask a doctor if <ul style="list-style-type: none"> cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. </p> <p>Directions <ul style="list-style-type: none"> do not crush, chew, or break extended-release tablet take with a full glass of water this product can be administered without regard for timing of meals </p>	<p>Drug Facts (continued) <ul style="list-style-type: none"> adults and children 12 years of age and over: 1 or 2 extended-release tablets every 12 hours. Do not exceed 4 extended-release tablets in 24 hours children under 12 years of age: do not use </p> <p>Other information <ul style="list-style-type: none"> store at 20-25°C (68-77°F) </p> <p>Inactive ingredients carbomer homopolymer type 8, FD&C blue no. 1 aluminum lake, hydroxypropyl methylcellulose, USP, magnesium stearate, NF, microcrystalline cellulose, NF, sodium starch glycolate, NF</p> <p>Questions? 1-866-MUCINEX (1-866-682-4639)</p>	<p style="text-align: center;">Mucinex Guaifenesin 600 mg » Expectorant Extended-Release Tablets</p> <p style="text-align: center;">RELIEVES CHEST CONGESTION</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <p>Immediate-Release Layer</p>  <p>Extended-Release Layer Lasts 12 Hours</p> </div> <p style="text-align: center;">Bi-Layer Tablet</p> <div style="text-align: center; border: 1px solid black; padding: 5px; width: fit-content; margin: 10px auto;"> <p>PARENTS: Learn about teen medicine abuse www.StopMedicineAbuse.org</p> </div>
---	---	---

SAMPLES — NOT TO BE SOLD

Mucinex

Guaifenesin 600 mg » Expectorant
Extended-Release Tablets

RELIEVES CHEST CONGESTION



24 POUCHES

2 EXTENDED-RELEASE TABLETS EACH

- ✓ Relieves Chest Congestion
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release



ACTUAL SIZE

Mucinex

Guaifenesin 600 mg » Expectorant
Extended-Release Tablets

RELIEVES CHEST CONGESTION

FOR DAY OR NIGHT



Scan for FAQs and instructions on proper disposal of medicines or visit www.mucinex.com/FAQs

Please visit our website www.mucinex.com

SAMPLES — NOT TO BE SOLD

Reference ID: 5439452

VALUE SIZE

Mucinex
RELIEVES CHEST CONGESTION

Drug Facts

Active ingredients (in each extended-release tablet)	Purposes
Guaifenesin 600 mg.....	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use

- for children under 12 years of age

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break extended-release tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years of age and over: 1 or 2 extended-release tablets every 12 hours. Do not exceed 4 extended-release tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients carbomer homopolymer type B; FD&C blue no. 1 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions? 1-866-MUCINEX (1-866-682-4639)

011324
00000000

Patents: www.reckitt.com/patents
Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

©2024 RB Health
Made in England

Pharma Code

00000000

VALUE SIZE

Mucinex
RELIEVES CHEST CONGESTION

FOR DAY OR NIGHT

Scan for facts and instructions on proper disposal of medications or visit www.mucinex.com/FADs. Please visit our website www.mucinex.com

VALUE SIZE

Mucinex
Guaifenesin 600 mg » Expectorant
Extended-Release Tablets

RELIEVES CHEST CONGESTION

12 HOUR

- Relieves Chest Congestion
- Thins & Loosens Mucus
- Immediate & Extended Release

80 EXTENDED RELEASE TABLETS

ACTUAL SIZE

VALUE SIZE

Tamper Evident:
Do not use if carton is open or if printed seal on blister is broken or missing.

how2recycle.info
PAPER BOX

0 00000 00000 0

LOT and EXP area is ink and varnish free

Pharmacode Reads This Way

First Bar → Last Bar



LOT and EXP area is ink and varnish free Pharmacode Reads This Way
 First Bar → Last Bar

Data Matrix Code 5x5mm with 3.175mm clear area.
 14x14 Matrix
 Revision Date Code and the Item Number separated by a space (MMDDYY 1234567).

Mucinex®

BI-LAYER TABLET

Immediate-Release Layer →
Extended-Release Layer →
Lasts 12 Hours



VALUE SIZE

Mucinex®

RELIEVES CHEST CONGESTION

Drug Facts	Purposes (in each extended-release tablet)
<p>Active ingredients</p> <p>Guafenesin 600 mg.....Expectorant</p>	<p>Expectorant</p>
Uses	Warnings
<p>■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive</p>	<p>Do not use</p> <p>■ for children under 12 years of age</p> <p>Ask a doctor before use if you have</p> <p>■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema</p> <p>■ cough accompanied by too much phlegm (mucus)</p> <p>Stop use and ask a doctor if</p> <p>■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.</p> <p>If pregnant or breast-feeding, ask a health professional before use</p>
Directions	Other information
<p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>■ do not crush, chew, or break extended-release tablet</p> <p>■ take with a full glass of water</p> <p>■ this product can be administered without regard for timing of meals</p> <p>■ adults and children 12 years of age and over: 1 or 2 extended-release tablets every 12 hours. Do not exceed 4 extended-release tablets in 24 hours</p> <p>■ children under 12 years of age: do not use</p>	<p>■ store at 20-25°C (68-77°F)</p>
Inactive ingredients	Questions?
<p>carboxer homopolymer type B, FD&C blue no. 1 aluminum lake, hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF</p>	<p>1-866-MUCINEX (1-866-682-4639)</p>

Patents: www.reckitt.com/patents
Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

011324
00000000
©2024 RB Health
Made in England

VALUE SIZE

Mucinex®

RELIEVES CHEST CONGESTION

FOR DAY OR NIGHT



Scan for FAQs and instructions on proper disposal of medicines or visit www.mucinex.com/FAQs

Please visit our website www.mucinex.com

VALUE SIZE

NDC 43824-008-92

Mucinex®

Guafenesin 600 mg » Expectorant
Extended-Release Tablets

RELIEVES CHEST CONGESTION

12
HOUR

- ✓ Relieves Chest Congestion
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release

120 EXTENDED RELEASE TABLETS



ACTUAL SIZE

VALUE SIZE

Tamper Evident:
Do not use if carton is open or if printed seal on blister is broken or missing.



how2recycle.info




0 00000 00000 0

NDC 63824-008-50

Mucinex®


Guafenesin 600 mg » Expectorant
 Extended-Release Tablets

RELIEVES CHEST CONGESTION



500
EXTENDED
RELEASE
TABLETS

- ✓ Relieves Chest Congestion
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release



ACTUAL SIZE

Drug Facts

Active ingredients (in each extended-release tablet)

Guafenesin 600 mg.....Expectorant

Purposes

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use

- for children under 12 years of age

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break extended-release tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals

Drug Facts (continued)

- adults and children 12 years of age and over: 1 or 2 extended-release tablets every 12 hours. Do not exceed 4 extended-release tablets in 24 hours.
- children under 12 years of age: do not use

Other information

- tamper evident: do not use if seal on bottle printed "SEALED for YOUR PROTECTION" is broken or missing
- store at 20-25°C (68-77°F)


Inactive ingredients carbomer homopolymer type B; FD&C blue no. 1 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions? 1-866-MUCINEX (1-866-682-4639)

Immediate-Release Layer →

Extended-Release Layer →

Lasts 12 Hours



Bi-Layer Tablet

Patents: www.reckitt.com/patents

Dist. by: RB Health (US)


Parsippany, NJ 07054-0224

©2024 RB Health

Made in England


011324

00000000




reckitt


Please visit our website
www.mucinex.com



LOT EXP




Data Matrix Code 5x5mm with 2mm clear area all around
 12x12 Matrix - Revision Date Code and the Item Number separated by a space (MMDDYY 12345678)





Pharmacode Reads This Way
 First Bar Last Bar

Data Matrix Code 5x5mm with 3.175mm clear area.
14x14 Matrix
 Revision Date Code and the Item Number separated by a space (MMDDYY 1234567).



Print registration pitch 81.9mm
 Tolerance +0 / - 0.1mm

MIN PT SIZE & HEIGHT (Non-Automated)	
NET WT (ie. 5 FL OZ 150ml):	N/A N/A
Drug Facts Title:	N/A N/A
Active Ingredient Title:	N/A N/A
Active Ingredient (BOP Ingredient):	0.06inch 6pt
Min Size of all other Copy:	0.06inch 6pt
This Box 1/2 x 1/2 Inch Square	Front PDP in square inches: N/A Rear PDP in square inches: 9.418

MAXIMUM STRENGTH



Mucinex[®]
RELIEVES CHEST CONGESTION

Drug Facts	Purposes (in each extended-release tablet)
Active ingredient Guaifenesin 1200 mg.....Expectorant	
Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive	
Warnings Do not use ■ for children under 12 years of age Ask a doctor before use if you have ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough accompanied by too much phlegm (mucus) Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding , ask a health professional before use.	



Patents:
www.reckitt.com/patents
Dist. by: RB Health [US]
Parsippany, NJ 07054-0224

120723
00000000
©2024 RB Health
Made in England

MAXIMUM STRENGTH

NDC 63824-023-35

Mucinex[®]
Guaifenesin 1200 mg » Expectorant
Extended-Release Tablets

RELIEVES CHEST CONGESTION



✓ Relieves Chest Congestion
 ✓ Thins & Loosens Mucus
 ✓ Immediate & Extended Release



ACTUAL SIZE

14 EXTENDED RELEASE TABLETS

Scan for FAQs and instructions on proper disposal of medications or visit www.mucinex.com/FAQs
 Please visit our website www.mucinex.com



how2recycle.info
 PAPER BOX
 MULTILAYER TRAY

Tamper Evident:
Do not use if carton is open or if printed seal on blister is broken or missing.



Pharmacode Reads This Way
 First Bar Last Bar

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
08/30/2024 12:54:33 PM