

**ATTACH LEGEND ON ALL
 DIGITAL MECHANICALS**

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters
 per inch
Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
Headings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
 Text - 6 pt Helvetica Cnd, minimum leading 6.5
 Square Bullets - 3.5 pt Zaph Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around
 Barline - 1 pt rule _____
 Hairline - .5 pt rule _____

Certified by: dv
 10.5.15 K MPLS

Contains the Drug: BUTENAFINE HYDROCHLORIDE



LOTTRIMIN ULTRA
 PRESCRIPTION STRENGTH

Relieves: Itching Burning Cracking



**Clinically Proven to Cure Most
 Athlete's Foot Between the Toes**

1 Week
 Treatment Option
 For Athlete's Foot
See Directions



butenafine hydrochloride cream 1% **ANTIFUNGAL**

1796





butenafine hydrochloride cream 1% **ANTIFUNGAL** NET WT 30g (1.1 OZ)

1796



S-05-44



Questions? 1-866-360-3226 or visit us at www.lotrimin.com

or visit us at www.lotrimin.com

PRESCRIPTION STRENGTH



LOTTRIMIN ULTRA, the Bayer Cross and Lotrimin Ultra are registered trademarks of Bayer. © 2015 Bayer. List by: Bayer HealthCare LLC, Whippany, NJ 07981. Product of Japan. XXXXXX

Questions? 1-866-360-3226 or visit us at www.lotrimin.com. Bayer, the Bayer Cross and Lotrimin Ultra are registered trademarks of Bayer. © 2015 Bayer. List by: Bayer HealthCare LLC, Whippany, NJ 07981. Product of Japan. XXXXXX

Drug Facts
 Active ingredient: Butenafine hydrochloride 1%
 Purpose: Antifungal

Uses
 Cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown.

Warnings
 For external use only.
 Do not use: on nails or scalp; in or near the mouth or the eyes; for vaginal infections.

Directions
 Adults and children 12 years and older:
 • use the tip of the cap to break the seal and open the tube
 • wash the affected skin with soap and water and dry completely before applying
 • for athlete's foot between the toes: apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 • for lock itch and ringworm: apply once a day to affected skin for 2 weeks or as directed by a doctor.
 • wash hands after each use
 • children under 12 years: ask a doctor

Other information
 • do not use if seal on tube is broken or not visible
 • store between 20° to 29°C (68° to 77°F)

Inactive ingredients
 benzyl alcohol, glycol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) lauryl ether, propylene glycol dihydrate, purified water, sodium lauryl sulfate, stearic acid, tolnaftate, white petrolatum

Directions
 Apply to the affected area twice a day for 1 week twice a day or as directed by a doctor.

ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
Helvetica Condensed
Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd.
Headings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
Text - 6 pt Helvetica Cnd, minimum leading 6.5
Square Bullets - 3.5 pt Zaph Dingbats no compression
Border - 1 pt rule, 3/64" gap all around
Barline - 1 pt rule _____
Hairline - .5 pt rule _____

Certified by: ju
 05.13.15 - 6 MPLS

Contains the Drug: BUTENAFINE HYDROCHLORIDE

LOTTRIMIN ULTRA[®]

PRESCRIPTION STRENGTH

Relieves: Itching Burning Cracking

Clinically Proven to Cure Most Athlete's Foot Between the Toes



BONUS
 15g for the price of 12g
25% MORE

1 Week Treatment Option
 See Directions

LOTTRIMIN ULTRA[®]

butenafine hydrochloride cream 1% ANTIFUNGAL

LOTTRIMIN ULTRA[®]

butenafine hydrochloride cream 1% ANTIFUNGAL

NET WT 15g (0.53 OZ)

1 1017-408-29



Questions? 1-866-360-3226
 or visit us at www.lotrimin.com

LOTTRIMIN ULTRA

PRESCRIPTION STRENGTH

LOTTRIMIN ULTRA

PRESCRIPTION STRENGTH

Bayer

LOTTRIMIN ULTRA

PRESCRIPTION STRENGTH

Drug Facts

Active Ingredient
 Butenafine hydrochloride 1%
 Antifungal

Uses
 ■ cures most athlete's foot between the toes. Effectiveness on the bottom or sides of foot is unknown.
 ■ cures most athlete's foot between the toes, and scaling which accompany these conditions.

Warnings
 ■ Do not use ■ on nails or scalp ■ in or near the mouth or the eyes ■ for vaginal yeast infections
 For external use only

Directions
 ■ adults and children 12 years and older:
 ■ use the tip of the cap to break the seal and open the tube
 ■ wash the affected skin with soap and water and dry completely before applying the cream
 ■ for athlete's foot between the toes: apply to affected skin between and around the toes twice a day for 1 week (morning and night), or once a day for 4 weeks, or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 ■ for lock itch and ringworm: apply once a day to affected skin for 2 weeks or as directed by a doctor.
 ■ wash hands after each use
 ■ children under 12 years: ask a doctor

Other information
 ■ do not use if seal on tube is broken or not visible
 ■ store between 20° to 25° C (68° to 77° F)

Inactive ingredients
 benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol dicaprylate, purified water, sodium benzoate, sodium lauryl sulfate, stearic acid, tolimine, white petrolatum

Questions? 1-866-360-3226 or visit us at www.lotrimin.com
 Bayer, the Bayer Cross and Lotrimin Ultra are registered trademarks of Bayer, © 2015 Bayer, Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 XXXXX-XX

www.lotrimin.com

Contains the Drug: BUTENAFINE HYDROCHLORIDE

1795

1795

ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd.
Headings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
 Text - 6 pt Helvetica Cnd, minimum leading 6.5
 Square Bullets - 3.5 pt Zaph Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around
 Barline - 1 pt rule _____
 Hairline - .5 pt rule _____

Certified by: dw

10.5.15 - D MPLS



(b) (4)

**ATTACH LEGEND ON ALL
 DIGITAL MECHANICALS**

STANDARD FORMAT
 Helvetica
 Variable horizontal scale adheres to 39 characters
 per inch
Headings - 8 pt Helvetica Bold Italic
Sub Heads - 6 pt Helvetica Bold
 Text - 6 pt Helvetica, minimum leading 6.5
 Square Bullets - 3.5 pt Zaph Dingbats no compression
 Hairline - .5 pt rule

Certified by: dw

05.15.15 - J MPLS




ATTACH LEGEND ON ALL DIGITAL MECHANICALS

MODIFIED FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch
Headings - 6 pt Helvetica Bold Italic
Sub Heads - 5.5 pt Helvetica Bold
 Text - 5.5 pt Helvetica, minimum leading 6.0
 Square Bullets - 3.5 pt Zaph Dingbats no compression
 Hairline - .5 pt rule

Certified by: vm

05.15.15 - H MPLS




ATTACH LEGEND ON ALL DIGITAL MECHANICALS

MODIFIED FORMAT
 Helvetica
Headings - 6 pt Helvetica Bold Italic
Sub Heads - 6 pt Helvetica Bold
 Text - 5.5 pt Helvetica, minimum leading 6.0
 Square Bullets - 3.5 pt Zaph Dingbats no compression
 Hairline - .5 pt rule

Certified by: vm

05.15.15 - F MPLS



ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch

Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd.

Headings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
 Text - 6 pt Helvetica Cnd, minimum leading 6.5
 Square Bullets - 3.5 pt Zaph Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around
 Barline - 1 pt rule _____
 Hairline - .5 pt rule _____

Certified by: dw

05.13.15 - I MPLS

Contains the Drug: BUTENAFINE HYDROCHLORIDE

LOTTRIMIN ULTRA
 PRESCRIPTION STRENGTH

Relieves: Itching Burning Chafing

Clinically Proven to Cure Most Jock Itch



LOTTRIMIN ULTRA
 butenafine hydrochloride cream 1% ANTIFUNGAL

LOTTRIMIN ULTRA
 butenafine hydrochloride cream 1% ANTIFUNGAL NET WT 15g (0.53 OZ)

Questions? 1-866-360-3226 or visit us at www.lotrimin.com

LOTTRIMIN ULTRA
 PRESCRIPTION STRENGTH

© 2015 Bayer. Dist. by: Bayer Healthcare LLC, Whippany, NJ 07981. Product of Japan. XXXXX

Questions? 1-866-360-3226 or visit us at www.lotrimin.com

Inactive Ingredients
 benzyl alcohol, cetyl alcohol, glycerin, hyperol monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol, dicaprylate, purified water, sodium benzoate, stearic acid, tromamine, white petrolatum

Other Information
 ■ do not use if seal on tube is broken or not visible
 ■ store between 20° to 25°C (68° to 77°F)

Directions
 ■ adults and children 12 years and over:
 ■ use the tip of the cap to break the seal and open the tube
 ■ wash the affected skin with soap and water and dry completely before applying
 ■ apply once a day to affected skin for 2 weeks or as directed by a doctor
 ■ wash hands after each use
 ■ children under 12 years: ask a doctor

Warnings
 ■ relieves itching, burning, cracking, and scaling which accompany this condition
 ■ cures most jock itch

Uses
 Butenafine hydrochloride 1% Antifungal

Drug Facts
Active ingredient
 Butenafine hydrochloride 1%
Purpose
 Antifungal

BONUS
 15g for the price of 12g
25% MORE

Contains the Drug: BUTENAFINE HYDROCHLORIDE

www.lotrimin.com

1793


1793

**ATTACH LEGEND ON ALL
 DIGITAL MECHANICALS**

Headings - 5 pt Helvetica Bold Italic
 Text - 5 pt Helvetica Medium, minimum leading 6
 Square Bullets - 3 pt Zaph Dingbats no compression
 Hairline - .4 pt rule

Certified by: vm


05.15.15 - E MPLS



**ATTACH LEGEND ON ALL
 DIGITAL MECHANICALS**

Headings - 5 pt Helvetica Bold Italic
Text - 5 pt Helvetica Med., minimum leading 5,25
Square Bullets - 3 pt Zaph Dingbats no compression
Hairline - .4 pt rule

Certified by: vm
 05.15.15 - B MPLS



**ATTACH LEGEND ON ALL
 DIGITAL MECHANICALS**

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters
 per inch
Drug Facts - 9 pt Helvetica Cnd, Bold Italic
Drug Facts (continued)
Drug Facts - 8 pt Helvetica Cnd, Bold Italic
 (continued) - 8 pt Helvetica Cnd,
Headings - 8 pt Helvetica Cnd, Bold Italic
Sub Heads - 6 pt Helvetica Cnd, Bold
 Text - 6 pt Helvetica Cnd, minimum leading 6,5
 Square Bullets - 3,5 pt Zaph Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around
 Barline - 1 pt rule _____
 Hairline - .5 pt rule _____

Certified by: dw
 05.13.15 - C MPLS

Contains the Drug: BUTENAFINE HYDROCHLORIDE



PRESCRIPTION STRENGTH

Relieves: Itching Burning Chafing

**Clinically Proven to
 Cure Most Jock Itch**




butenafine hydrochloride cream 1% **ANTIFUNGAL**



butenafine hydrochloride cream 1% **ANTIFUNGAL** NET WT 12g (0.42 OZ)

1792  1792

0 11017-408-21 5  Questions? 1-866-360-3226 or visit us at www.lotrimin.com

PRESCRIPTION STRENGTH
LOTTRIMIN ULTRA

© 2015 Bayer. Dist. by: Bayer Healthcare LLC, Whippany, NJ 07981. Product of Japan. XXXXX-XX
 Bayer, the Bayer Cross and Lotrimin Ultra are registered trademarks of Bayer.
 Questions? 1-866-360-3226 or visit us at www.lotrimin.com

Drug Facts
Active ingredient
 Butenafine hydrochloride 1% Antifungal

Purpose
 ■ cures most jock itch
 ■ relieves itching, burning, cracking, and scaling which accompany this condition

Warnings
For external use only
 Do not use ■ on nails or scalp ■ in or near the mouth or the eyes ■ for vaginal yeast infections
 When using this product do not get into the eyes. If eye contact occurs, rinse eyes thoroughly with water.
 Stop use and ask a doctor if too much irritation occurs or irritation gets worse
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ adults and children 12 years and over:
 ■ use the lid of the cap to break the seal and open the tube
 ■ wash the affected skin with soap and water and dry completely before applying
 ■ apply once a day to affected skin for 2 weeks or as directed by a doctor
 ■ wash hands after each use
 ■ children under 12 years: ask a doctor


Other information
 ■ do not use if seal on tube is broken or not visible
 ■ store between 20° to 25° C (68° to 77° F)

Inactive ingredients
 benzyl alcohol, cetyl alcohol, glycerin, glyceryl monostearate SE, polyoxyethylene (23) cetyl ether, propylene glycol
 dicaprylate, purified water, sodium benzoate, stearic acid, tolnamine, white petrolatum

Lotrimin Ultra
 www.lotrimin.com

Contains the Drug: BUTENAFINE HYDROCHLORIDE

1792





S-07-07



1792

www.lotrimin.com





flat front
front



flat back

back

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

THERESA M MICHELE
12/18/2015