

Do not use if seal on tube is broken or not visible. See crimp for lot number and expiration date.
 Store between 20° to 25°C (68° to 77°F). Questions? 1-866-360-3266
 Bayer and Lotrimin Ultra are registered trademarks of Bayer.
 © 2021 Bayer Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Product of Japan

Bayer



Active ingredient **Purpose**

Butenafine hydrochloride 1%Antifungal

Uses ■ cures most jock itch
 ■ relieves itching, burning, cracking, and scaling which accompany this condition

Warnings For external use only

Do not use ■ on nails or scalp ■ in or near the mouth or the eyes ■ for vaginal yeast infections

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or irritation gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ adults and children 12 years and older: ■ use the tip of the cap to break the seal and open the tube
 ■ wash the affected skin with soap and water and dry completely before applying ■ apply once a day to affected skin for 2 weeks or as directed by a doctor ■ wash hands after each use ■ children under 12 years: ask a doctor

00000000

ICL (updated 2/27/19)		
CATEGORY	Bayer Standard	ACTUAL IN FILE
Drug Facts Title	>7 pt [§]	N/A
Drug Facts Continued	7 pt [§]	N/A
Headings	7 pt-bold italic [§]	7 pt
Subheadings	6 pt [§]	6 pt
Body Text	6 pt [§]	6 pt
Bullets	5 pt	5 pt
Hairlines	0.5 pt rule	0.5 pt
Barlines [†]	> 0.5 pt rule	N/A
Characters per inch rule is not applicable to ICL. [§] ICL minimum font size is 4.5 pt. < 0.5 pt. leading may be used as long as ascenders and descenders do not touch. [†] FDA recommends size 2.5 pt type		



FDA59305-0

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
08/29/2023 09:46:54 AM