

This label may not be the latest approved by FDA.  
 For current labeling information, please visit <https://www.fda.gov/drugsatfda>



**Pataday**<sup>®</sup>

**ONCE DAILY RELIEF**  
 Olopatadine hydrochloride  
 ophthalmic solution 0.2% Antihistamine  
 Eye Allergy Itch Relief

**3-PACK**

**Pataday**<sup>®</sup>

**ONCE DAILY RELIEF**  
 Olopatadine hydrochloride  
 ophthalmic solution 0.2%  
 Antihistamine

**Eye Allergy Itch Relief**

**ONCE DAILY**

Works in Minutes  
 Relief from Allergens:  
 • Pet Dander • Pollen  
 • Grass • Ragweed



**Alcon**

Three 2.5 mL bottles  
 (0.085 FL OZ EACH)

STERILE

**Pataday**<sup>®</sup>

**ONCE DAILY RELIEF**

Eye Allergy Itch Relief  
 Works in Minutes  
 For Ages 2 and Older



Carton contains  
 3x2.5mL bottles  
**EACH BOTTLE  
 CONTAINS A  
 30 DAY  
 SUPPLY**

Fill Line

ACTUAL SIZE  
 300038455-0920

**TAMPER EVIDENT:**  
 For your protection, this bottle  
 has a seal imprinted with  
 Alcon around the neck.  
 Do not use if seal is damaged or  
 missing at time of purchase.

**Drug Facts**

**Active ingredient** **Purpose**  
 Olopatadine (0.2%) .....Antihistamine  
 (equivalent to olopatadine hydrochloride 0.222%)

**Use** temporarily relieves itchy eyes due to pollen, ragweed, grass,  
 animal hair and dander

**Warnings**

For external use only

**Do not use**

- if solution changes color or becomes cloudy
- if you are sensitive to any ingredient in this product
- to treat contact lens related irritation

**When using this product**

- do not touch tip of container to any surface to avoid contamination
- remove contact lenses before use
- wait at least 10 minutes before reinserting contact lenses after use
- do not wear a contact lens if your eye is red

**Stop use and ask a doctor if you experience:**

- eye pain
- changes in vision
- increased redness of the eye
- itching worsens or lasts for more than 72 hours

**Keep out of reach of children.** If swallowed, get medical help or contact  
 a Poison Control Center right away.

**Directions**

- **adults and children 2 years of age and older:**
  - put 1 drop in the affected eye(s) once daily, no more than once  
 per day
  - if using other ophthalmic products while using this product, wait at  
 least 5 minutes between each product
  - replace cap after each use
- **children under 2 years of age:** consult a doctor

**Other information**

- only for use in the eye
- store between 2°-25°C (36°-77°F)

**Inactive ingredients**

benzalkonium chloride 0.01%, dibasic sodium phosphate, edetate  
 disodium, hydrochloric acid/sodium hydroxide (adjust pH), povidone,  
 purified water, and sodium chloride

**Questions?**

In the U.S., call 1-800-757-9195 or email [alcon.medinfo@alcon.com](mailto:alcon.medinfo@alcon.com)

Alcon Laboratories, Inc.  
 6201 South Freeway  
 Fort Worth, Texas 76134

Country of Origin: Japan

NDC: 0065-8150-07



3 193



3 193

LOT:

EXP:

ACTUAL SIZE 100%

# Pataday<sup>®</sup>

**ONCE DAILY RELIEF**

Olopatadine hydrochloride  
ophthalmic solution 0.2%  
Antihistamine

## Eye Allergy Itch Relief

Original  
Prescription  
Strength

Works in  
Minutes

Each Bottle  
Contains a  
30 Day Supply



Three 2.5 mL bottles  
(0.085 FL OZ EACH)

Three 2.5 mL bottles (0.085 FL OZ EACH)

**ACTUAL SIZE 100%**

# 3-PACK

## Pataday® Once Daily Relief

Works in Minutes

For Ages 2 and Older

Relief from Allergens:

- Pet Dander
- Pollen
- Grass
- Ragweed



### Alcon

MF275050-0920  
NDC: 0065-8150-07

# Pataday®

## ONCE DAILY RELIEF

Olopatadine hydrochloride  
ophthalmic solution 0.2%  
Antihistamine

### Eye Allergy Itch Relief

#### Drug Facts

Active ingredient	Purpose
Olopatadine (0.2%) (equivalent to olopatadine hydrochloride 0.222%)	Antihistamine

**Use** temporarily relieves itchy eyes due to pollen, ragweed, grass, animal hair and dander

#### Warnings

For external use only

#### Do not use

- if solution changes color or becomes cloudy
- if you are sensitive to any ingredient in this product
- to treat contact lens related irritation

#### When using this product

- do not touch tip of container to any surface to avoid contamination
- remove contact lenses before use
- wait at least 10 minutes before reinserting contact lenses after use
- do not wear a contact lens if your eye is red

#### Stop use and ask a doctor if you experience:

- eye pain
- changes in vision
- increased redness of the eye
- itching worsens or lasts for more than 72 hours

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

##### adults and children 2 years of age and older:

- put 1 drop in the affected eye(s) once daily, no more than once per day
- if using other ophthalmic products while using this product, wait at least 5 minutes between each product
- replace cap after each use
- children under 2 years of age: consult a doctor

#### Other information

- only for use in the eye
- store between 2°-25°C (36°-77°F)

#### Inactive ingredients

benzalkonium chloride 0.01%, dibasic sodium phosphate, edetate disodium, hydrochloric acid/sodium hydroxide (adjust pH), povidone, purified water, and sodium chloride

#### Questions?

In the U.S., call 1-800-757-9195 or email [alcon.medinfo@alcon.com](mailto:alcon.medinfo@alcon.com)



ACTUAL SIZE 100%

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

KAREN M MAHONEY  
05/13/2021 01:27:03 PM