



ARTWORK NO. 6-930150 / REF 930100  
**CHLORAPREP SINGLE SWAB CARTON - U.S. STERILE**


Box for Lot # and Exp. Date is for reference only 





 **BD ChloraPrep™ Single Swabstick**  
1.75 mL Applicators

<b>Drug Facts</b>	
<p><b>Active ingredients</b></p> <p>Chlorhexidine gluconate 2% w/v ..... Antiseptic Isopropyl alcohol 70% v/v ..... Antiseptic</p> <p><b>Use</b> For the preparation of the patient's skin prior to surgery. Helps to reduce bacteria that potentially can cause skin infection.</p> <p><b>Warnings</b> For external use only. Flammable, keep away from fire or flame. • do not use with electrocautery procedures</p> <p><b>Allergy alert:</b> This product may cause a severe allergic reaction. Symptoms may include: • wheezing/difficulty breathing • shock • facial swelling • hives • rash If an allergic reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b> • on patients allergic to chlorhexidine gluconate or any other ingredient in this product • for lumbar puncture or in contact with the meninges • on open skin wounds or as a general skin cleanser</p> <p><b>When using this product</b> keep out of eyes, ears, and mouth. May cause serious or permanent injury if permitted to enter and remain. If contact occurs, rinse with cold water right away and contact a doctor.</p> <p><b>Stop use and ask a doctor if</b> irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p>	<p><b>Drug Facts (continued)</b></p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> • use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. • maximal treatment area for one applicator is approximately 2.5 in. x 2.5 in. (6.2 cm²) • tear pouch at side notch to reveal applicator handle. Do not touch foam applicator tip. Place foam flat side down on the treatment area. • completely wet the treatment area with antiseptic. • dry surgical sites (e.g., abdomen or arm): use repeated back-and-forth strokes for 30 seconds. Allow the area to air dry for approximately 30 seconds. Do not blot or wipe away. • moist surgical sites (e.g., inguinal fold): use repeated back-and-forth strokes for 2 minutes. Allow the area to air dry for approximately 1 minute. Do not blot or wipe away. • discard the applicator after a single use along with any portion of the solution not required to cover the prep area. It is not necessary to use the entire amount available.</p> <p><b>Other information</b> • store between 15-30 °C (59-86 °F) • avoid freezing and excessive heat above 40 °C (104 °F)</p> <p><b>Inactive ingredient</b> USP purified water</p> <p><b>Questions?</b> • <a href="http://www.chloraprep.com">www.chloraprep.com</a> • call 1-800-523-0502 (M-F 8 a.m.-5 p.m. CST)</p>


CareFusion 213, LLC,  
El Paso, TX 79912, subsidiary of  
Becton, Dickinson and Co.  
Made in the USA of US and imported parts  
[www.bd.com](http://www.bd.com)



 Not made with natural rubber latex


 External Use Only  
Professional Use Only

BD, the BD Logo, ChloraPrep, and the Sterile Solution design are the property of Becton, Dickinson and Company or its affiliates.  
©2023 BD. All rights reserved.

 **BD ChloraPrep™ Single Swabstick**

Chlorhexidine gluconate (CHG), 2% w/v  
and Isopropyl alcohol (IPA), 70% v/v Swab  
Patient Preoperative Skin Preparation  
Sterile Solution  
Applicator is sterile if package is intact

1.75 mL Applicators



REF 930100


NDC 54365-401-28

Store between 15-30 °C (59-86 °F)  
Avoid freezing and excessive heat above 40 °C (104 °F)

0.06 fl. oz. (1.75 ml) each  
**48 Applicators**


Clear

Artwork No. 6-930150  
BXXXXXX

 **BD ChloraPrep™ Single Swabstick**

Chlorhexidine gluconate (CHG), 2% w/v  
and Isopropyl alcohol (IPA), 70% v/v Swab  
Patient Preoperative Skin Preparation  
Sterile Solution  
Applicator is sterile if package is intact

1.75 mL Applicators




**48 Applicators**

LOT / EXP. DATE /  
BARCODE PLACEHOLDER  
BACKGROUND COLOR MAY VARY ACCORDING  
TO BARCODING REQUIREMENTS

Clear

ARTWORK NO. 6-930110 / REF 930100


# CHLORAPREP SINGLE SWAB FOIL - U.S. STERILE




 **BD** ChloraPrep™ Single Swabstick NDC 54365-401-28


Chlorhexidine gluconate (CHG), 2% w/v  
and Isopropyl alcohol (IPA), 70% v/v Swab  
Patient Preoperative Skin Preparation


Sterile Solution  
Applicator is sterile if package is intact

1.75 mL Applicator  
See Drug Facts for full labeling information

 **STERILE™  
SOLUTION**


  

 REF 930100




CareFusion 213, LLC,  
EI Paso, TX 79912, a subsidiary  
of Becton, Dickinson and Co.  
1-800-523-0502  
(M-F 8am - 5 pm, CST)  
6-930110 • CXXXXX  
Made in the USA of US and  
Imported parts • [www.bd.com](http://www.bd.com)

↑ Tear Here ↓

 **WARNING. FLAMMABLE.**  
KEEP AWAY FROM FIRE OR FLAME.

**Directions:**

- Tear pouch at notch.
- Pull across package to expose the end of the swabstick.
- Do not touch foam when removing swabstick from pouch.
- Place foam flat side down on treatment area.





Green text does not print,  
for reference only.



ARTWORK NO. 6-930151 / REF 930103  
**CHLORAPREP TRIPLE SWAB CARTON - U.S. STERILE**


Box for Lot # and Exp. Date is for reference only 





 **BD ChloraPrep™ Triple Swabsticks**  
5.25 mL Applicators


<b>Drug Facts</b>		<b>Drug Facts (continued)</b>	
<b>Active ingredients</b> Chlorhexidine gluconate 2% w/v ..... Antiseptic Isopropyl alcohol 70% v/v ..... Antiseptic		<b>Purposes</b> Antiseptic Antiseptic	
<b>Use</b> For the preparation of the patient's skin prior to surgery. Helps to reduce bacteria that potentially can cause skin infection.		<b>Directions</b> Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. • maximal treatment area using three swabsticks sequentially is approximately 5 in x 5 in (160 cm²) • tear pouch at side notch to reveal applicator handles. Do not touch foam applicator tip. Place foam flat side down on the treatment area. • completely wet the treatment area with antiseptic. • dry surgical sites (e.g., abdomen or arm): using each swabstick sequentially, use repeated back-and-forth strokes for a total of 30 seconds. Allow the area to air dry for approximately 30 seconds. Do not blot or wipe away. • moist surgical sites (e.g., inguinal fold): using each swabstick sequentially, use repeated back-and-forth strokes for a total of 2 minutes. Allow the area to air dry for approximately 1 minute. Do not blot or wipe away. • discard the applicator after a single use along with any portion of the solution not required to cover the prep area. It is not necessary to use the entire amount available.	
<b>Warnings</b> For external use only. Flammable, keep away from fire or flame. • do not use with electrocautery procedures. <b>Allergy alert:</b> This product may cause a severe allergic reaction. Symptoms may include: • wheezing/difficulty breathing • shock • facial swelling • hives • rash If an allergic reaction occurs, stop use and seek medical help right away.		<b>Other information</b> • store between 15-30 °C (59-86 °F) • avoid freezing and excessive heat above 40 °C (104 °F)	
<b>Do not use</b> • on patients allergic to chlorhexidine gluconate or any other ingredient in this product • for lumbar puncture or in contact with the meninges • on open skin wounds or as a general skin cleanser		<b>Inactive ingredient</b> USP purified water	
<b>When using this product</b> keep out of eyes, ears, and mouth. May cause serious or permanent injury if permitted to enter and remain. If contact occurs, rinse with cold water right away and contact a doctor.		<b>Questions?</b> • <a href="http://www.chloraprep.com">www.chloraprep.com</a> • call 1-800-523-0502 (M-F 8 a.m.-5 p.m. CST)	
<b>Stop use and ask a doctor if</b> irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.			

CareFusion 213, LLC,  
El Paso, TX 79912, subsidiary of  
Becton, Dickinson and Co.  
Made in the USA of US and imported parts  
[www.bd.com](http://www.bd.com)




 Not made with natural rubber latex

 External Use Only Professional Use Only

 **BD ChloraPrep™ Triple Swabsticks**

Chlorhexidine gluconate (CHG), 2% w/v and Isopropyl alcohol (IPA), 70% v/v Swab Patient Preoperative Skin Preparation  
Sterile Solution  
Applicator is sterile if package is intact

5.25 mL Applicators



REF 930103


NDC 54365-401-29

Store between 15-30 °C (59-86 °F)  
Avoid freezing and excessive heat above 40 °C (104 °F)

0.18 fl. oz. (5.25 ml) each  
**40 Packages**


Clear

Artwork No. 6-930151  
BXXXXXX

 **BD ChloraPrep™ Triple Swabsticks**

Chlorhexidine gluconate (CHG), 2% w/v and Isopropyl alcohol (IPA), 70% v/v Swab Patient Preoperative Skin Preparation  
Sterile Solution  
Applicator is sterile if package is intact

5.25 mL Applicators




**40 Packages**

Clear

LOT / EXP. DATE /  
BARCODE PLACEHOLDER  
BACKGROUND COLOR MAY VARY ACCORDING  
TO BARCODING REQUIREMENTS

ARTWORK NO. 6-930111 / REF 930103


# CHLORAPREP TRIPLE SWAB FOIL - U.S. STERILE

 **BD** **ChloraPrep™ Triple Swabsticks** NDC 54365-401-29  


Chlorhexidine gluconate (CHG), 2% w/v  
and Isopropyl alcohol (IPA), 70% v/v Swab  
Patient Preoperative Skin Preparation




Sterile Solution  
Applicator is sterile if package is intact

5.25 mL Applicator  
See Drug Facts for full labeling information




REF 930103

 **STERILE™  
SOLUTION**

CareFusion 713, LLC, El Paso, TX 79912,  
a subsidiary of Becton, Dickinson and Company  
1-800-527-0850 (Toll-Free) • P.O. Box 1000  
6-930111 • CXXXXX • Made in the USA of US  
and imported parts • [www.bd.com](http://www.bd.com)

Tear Here

 **WARNING. FLAMMABLE. KEEP AWAY FROM FIRE OR FLAME.**

**Directions:**

- Tear pouch at notch.
- Pull across package to expose the ends of the swabsticks.
- Do not touch foam when removing swabsticks from pouch.
- Place foam flat side down on treatment area.

**EXP. DATE & LOT NO.  
PLACEHOLDER  
DOES NOT PRINT**

Green text does not print,  
for reference only.



ARTWORK NO. 6-930100 / REF 930100/930100B, 930103/930103B  
**CHLORAPREP SWABSTICK INSERT - U.S. STERILE**

<b>BD</b> ChloraPrep™ Single Swabstick <b>BD</b> ChloraPrep™ Triple Swabsticks	REF 930100 / 930100B NDC 54365-401-28
	REF 930103 / 930103B NDC 54365-401-29
Chlorhexidine gluconate (CHG), 2% w/v and Isopropyl alcohol (IPA), 70% v/v Swab Patient Preoperative Skin Preparation Sterile Solution Applicator is sterile if package is intact 1.75 mL Applicator / 5.25 mL Applicator	

<b>Drug Facts</b>	
<b>Active ingredients</b> Chlorhexidine gluconate 2% w/v ..... Isopropyl alcohol 70% v/v .....	<b>Purposes</b> ..... Antiseptic ..... Antiseptic
<b>Use</b> for the preparation of the patient's skin prior to surgery. Helps to reduce bacteria that potentially can cause skin infection.	
<b>Warnings</b> For external use only. Flammable, keep away from fire or flame. • do not use with electrocautery procedures	
<b>Allergy alert:</b> This product may cause a severe allergic reaction. Symptoms may include: • wheezing/difficulty breathing • shock • facial swelling • hives • rash If an allergic reaction occurs, stop use and seek medical help right away.	
<b>Do not use</b> • on patients allergic to chlorhexidine gluconate or any other ingredient in this product • for lumbar puncture or in contact with the meninges • on open skin wounds or as a general skin cleanser	

<b>BD</b> ChloraPrep™ Single Swabstick / <b>BD</b> ChloraPrep™ Triple Swabsticks Chlorhexidine gluconate (CHG), 2% w/v and Isopropyl alcohol (IPA), 70% v/v Swab	
<b>Drug Facts (continued)</b>	
<b>When using this product</b> keep out of eyes, ears, and mouth. May cause serious or permanent injury if permitted to enter and remain. If contact occurs, rinse with cold water right away and contact a doctor.	
<b>Stop use and ask a doctor if</b> irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. • maximal treatment area using • one single swabstick applicator is approximately 2.5 in. x 2.5 in. (42 cm <sup>2</sup> ) • three swabsticks sequentially is approximately 5 in. x 5 in. (160 cm <sup>2</sup> ) • tear pouch at side notch to reveal applicator handles. Do not touch foam applicator tip. Place foam flat side down on the treatment area. • completely wet the treatment area with antiseptic • dry surgical sites (e.g., abdomen or arm): use repeated back-and-forth strokes for 30 seconds (when using the triple swabstick applicators, use each swabstick sequentially within the 30 seconds). Allow the area to air dry for approximately 30 seconds. Do not blot or wipe away. • moist surgical sites (e.g., inguinal fold): use repeated back-and-forth strokes for 2 minutes (when using the triple swabstick applicators, use each swabstick sequentially within the 2 minutes). Allow the area to air dry for approximately 1 minute. Do not blot or wipe away. • discard the applicator after a single use along with any portion of the solution not required to cover the prep area. It is not necessary to use the entire amount available.	
<b>Other information</b> • store between 15–30 °C (59–86 °F) • avoid freezing and excessive heat above 40 °C (104 °F)	
<b>Inactive ingredient</b> USP purified water	
<b>Questions?</b> • <a href="http://www.chloraprep.com">www.chloraprep.com</a> • call 1-800-523-0502 (M-F 8 a.m.–5 p.m. CST)	
CareFusion 213, LLC, El Paso, TX 79912, subsidiary of Becton, Dickinson and Co. Artwork No. 6-930100 • BXXXXXX • Made in the USA of US and imported parts • <a href="http://www.bd.com">www.bd.com</a>	

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

PAMELA J HORN  
08/30/2023 11:36:52 AM