

**Drug Facts**

**Active ingredients**  
(in each extended-release tablet)  
Pseudoephedrine HCl 60 mg.....Expectorant  
Guaifenesin 600 mg.....Expectorant

**Purposes**  
When using this product  
do not use more than directed

**Uses**  
helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of both mucus and make coughs more productive  
temporarily relieves nasal congestion due to  
■ common cold  
■ hay fever  
■ upper respiratory allergies

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain antidepressants, for example, phenelzine, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
Ask a doctor before use if you have  
■ heart disease  
■ high blood pressure  
■ thyroid disease  
■ diabetes  
■ trouble urinating due to an enlarged prostate gland  
■ stroke or other circulatory problems  
■ cough accompanied by too much phlegm (mucus)

**Directions**  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Other information**  
■ adults and children 12 years and older:  
2 extended-release tablets every 12 hours.  
■ children under 12 years of age: do not use.

**Questions?** 1-866-MUCINEX (1-866-622-4638)

**Mucinex<sup>D</sup>**  
**RELIEVES NASAL & CHEST CONGESTION**

**FOR DAY OR NIGHT**



Scan for Ads and instructions on proper disposal of medicines or visit [www.mucinex.com](http://www.mucinex.com) for details.

Comes in FD & C Yellow Dye no. 6  
Please visit our website  
[www.mucinex.com](http://www.mucinex.com)  
Patients: [www.reckitt.com/patients](http://www.reckitt.com/patients)

112223  
© 2024 RB Health  
2024 RB Health (US)  
Made in England

Dist. by: RB Health (US)  
Partispany, NJ 07054-0222

Immediate-Release Layer →  ← Extended-Release Layer Lasts 12 Hours

Bi-Layer Tablet

**Mucinex<sup>D</sup>**

Guaifenesin 600 mg » Expectorant  
Pseudoephedrine HCl 60 mg » Nasal Decongestant  
Extended-Release Tablets

**RELIEVES NASAL & CHEST CONGESTION**



**18** EXTENDED  
RELEASE  
TABLETS

- ✓ Clears Nasal & Sinus Congestion
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release

**Mucinex<sup>D</sup>**  
RELIEVES NASAL & CHEST CONGESTION




000000000


NDC 63822-057-18

Temporarily, do not use if carton is torn or if printed seal on blister is broken or missing.





Slit Width = 250mm



(b) (4)

Print registration pitch 81.9mm  
Tolerance +0/-0.1mm

- 10pt, 86% horizontal scaling, 33 tracking  
Helvetica Neue LT Std 97 Black Condensed
- 9pt, 100% horizontal scaling, 40 tracking  
Helvetica Neue LT Std 97 Black Condensed
- 6pt, 80% horizontal scaling, 50 tracking  
Helvetica Neue LT Std 77 Bold Condensed
- 6pt, 95% horizontal scaling, 10 tracking  
Helvetica Neue LT Std 57 Condensed

**Drug Facts**

**Active ingredients**  
(in each extended-release tablet)  
Pseudoephedrine HCl 120 mg.....Expectorant  
Guaifenesin 1200 mg.....Nasal Decongestant

**Purposes**  
When using this product  
do not use more than directed

**Stop use and ask a doctor if**  
you get nervous, dizzy, or sleepless  
symptoms do not get better within 7 days, come  
back or occur with a fever, rash, or persistent  
headache. These could be signs of a serious illness.

**Uses**  
helps loosen mucus and thin bronchial  
secretions to rid the bronchial passageways of  
bothersome mucus and make coughs more  
productive  
temporarily relieves nasal congestion due to  
common cold  
may fever  
upper respiratory tract  
temporarily relieves throat  
temporarily relieves sinus congestion and pressure  
temporarily relieves sinus congestion and pressure

**Warnings**  
Do not use if you are now taking a prescription  
monoamine oxidase inhibitor (MAOI). Certain drugs  
for depression, psychiatric, or emotional conditions,  
or Parkinson's disease, or for 2 weeks after  
stopping the MAOI drug. If you do not know if your  
prescription drug contains an MAOI, ask a doctor or  
pharmacist before taking this product.

**Inactive ingredients**  
carbonate homopolymer type B; FD&C yellow no. 6  
aluminum lake; hydroxypropylcellulose, NF; magnesium  
stearate, NF; microcrystalline cellulose, NF; sodium  
starch glycolate, NF

**Other information**  
store at 20-25°C (68-77°F)

**Directions**  
do not crush, chew, or break extended-release tablet  
take with a full glass of water  
this product can be administered without regard for  
timing of meals  
adults and children 12 years and older:  
1 extended-release tablet every 12 hours;  
not more than 2 extended-release tablets in 24 hours;  
children under 12 years of age: do not use

**Questions?** 1-866-MUCINEX (1-866-682-4639)

**Drug Facts (continued)**  
When using this product  
do not use more than directed

**Stop use and ask a doctor if**  
you get nervous, dizzy, or sleepless  
symptoms do not get better within 7 days, come  
back or occur with a fever, rash, or persistent  
headache. These could be signs of a serious illness.

**Uses**  
helps loosen mucus and thin bronchial  
secretions to rid the bronchial passageways of  
bothersome mucus and make coughs more  
productive  
temporarily relieves nasal congestion due to  
common cold  
may fever  
upper respiratory tract  
temporarily relieves throat  
temporarily relieves sinus congestion and pressure  
temporarily relieves sinus congestion and pressure

**Warnings**  
Do not use if you are now taking a prescription  
monoamine oxidase inhibitor (MAOI). Certain drugs  
for depression, psychiatric, or emotional conditions,  
or Parkinson's disease, or for 2 weeks after  
stopping the MAOI drug. If you do not know if your  
prescription drug contains an MAOI, ask a doctor or  
pharmacist before taking this product.

**Inactive ingredients**  
carbonate homopolymer type B; FD&C yellow no. 6  
aluminum lake; hydroxypropylcellulose, NF; magnesium  
stearate, NF; microcrystalline cellulose, NF; sodium  
starch glycolate, NF

**Other information**  
store at 20-25°C (68-77°F)

**Directions**  
do not crush, chew, or break extended-release tablet  
take with a full glass of water  
this product can be administered without regard for  
timing of meals  
adults and children 12 years and older:  
1 extended-release tablet every 12 hours;  
not more than 2 extended-release tablets in 24 hours;  
children under 12 years of age: do not use

**Questions?** 1-866-MUCINEX (1-866-682-4639)

**FOR DAY OR NIGHT**

**RELIEVES NASAL & CHEST CONGESTION**

**Mucinex<sup>D</sup>**

**MAXIMUM STRENGTH**



Scan for risks and instructions on period of use at  
www.mucdex.com/Faqs

Contains FD&C Yellow Dye no. 6  
Please visit our website  
www.mucdex.com  
Patients: www.reckitt.com/patients

12223  
0000000  
Dist. by: RB Health (US)  
©2024 RB Health  
Made in England  
Parsippany, NJ 07054-0224

**Bi-Layer Tablet**

Immediate-Release Layer →

Extended-Release Layer Lasts 12 Hours →



**MAXIMUM STRENGTH**

**Mucinex<sup>D</sup>**

Guaifenesin 1200 mg » Expectorant  
Pseudoephedrine HCl 120 mg » Nasal Decongestant  
Extended-Release Tablets

**RELIEVES NASAL & CHEST CONGESTION**



**24** EXTENDED  
RELEASE  
TABLETS

- ✓ Clears Nasal & Sinus Congestion
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release



**MAXIMUM STRENGTH**


**Mucinex<sup>D</sup>**

**RELIEVES NASAL & CHEST CONGESTION**





Tamper evident: Do not use if  
cap is open or if printed seal  
on blister is broken or missing.



6pt, 100% horizontal scaling, 40 tracking  
 Helvetica Neue LT Std 97 Black Condensed

6pt, 80% horizontal scaling, 50 tracking  
 Helvetica Neue LT Std 77 Bold Condensed

6pt, 95% horizontal scaling, 10 tracking  
 Helvetica Neue LT Std 57 Condensed

10pt, 86% horizontal scaling, 33 tracking  
 Helvetica Neue LT Std 97 Black Condensed

Print registration pitch 81.9mm  
 Tolerance +/- 0.1mm

(4) (b)

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

MARTHA K LENHART  
07/08/2024 04:37:53 PM