

Usual Adult Dosage: Consult the package insert for prescribing information.
Storage Conditions: Store at 20°C to 25°C (68° to 77°F); excursions permitted to 15°C to 30°C (59° to 86°F). [See USP Controlled Room Temperature.]
Protect from moisture. KEEP OUT OF REACH OF CHILDREN.
Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full product labeling.

NDC No. 18860-101-10

FazaClo[®]
(clozapine)
Orally Disintegrating Tablets

100 Tablets Rx Only

12.5 mg

Phenylketonurics: Contains Phenylalanine, 0.87 mg per Tablet.


Distributed by **Jazz Pharmaceuticals, Inc.**
Palo Alto, CA 94304 USA
U.S. Patent Nos. 6,024,981; 6,221,392; and 6,106,861.
FazaClo[®] is a registered trademark of Jazz Pharmaceuticals plc or its subsidiaries.

FZCLB-xx-xx
Rev. MM YYYY

333-32-100847

Jazz Pharmaceuticals


18860-101-10



UN
18860-102-10 0

Usual Adult Dosage: Consult the package insert for prescribing information.
Storage Conditions: Store at 20°C to 25°C (68° to 77°F); excursions permitted to 15°C to 30°C (59° to 86°F). (See USP Controlled Room Temperature.)
Protect from moisture. KEEP OUT OF REACH OF CHILDREN.
Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full product labeling.

NDC No. 18860-102-10


FazaClo[®]
(clozapine)
orally Disintegrating Tablets


100 Tablets Rx Only

25 mg

Phenylketonurics: Contains Phenylalanine, 1.74 mg per Tablet.

Distributed by Jazz Pharmaceuticals, Inc.
Palo Alto, CA 94304 USA
U.S. Patent Nos. 6,024,981; 6,221,392; and 6,106,861.
FazaClo[®] is a registered trademark of Jazz Pharmaceuticals plc or its subsidiaries.
333-32-100848

F2CLB-xx-xx
Rev. MM. YYYY

 Jazz Pharmaceuticals

Usual Adult Dosage: Consult the package insert for prescribing information.
Storage Conditions: Store at 20°C to 25°C (68° to 77°F); excursions permitted to 15°C to 30°C (59° to 86°F). [See USP Controlled Room Temperature.]
Protect from moisture. KEEP OUT OF REACH OF CHILDREN.
Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full product labeling.

NDC No. 18860-104-10

FazaClo[®]
(clozapine)
Orally Disintegrating Tablets


100 Tablets Rx Only

Distributed by **Jazz Pharmaceuticals, Inc.**
Palo Alto, CA 94304 USA.
U.S. Patent Nos. 6,102,981; 6,221,392; and 6,106,861.
FazaClo[®] is a registered trademark of Jazz Pharmaceuticals plc or its subsidiaries.
333-32-100849

FZCL1b-xx-xx
Rev. MM YYYY

100 mg

Phenylettonurics: Contains Phenylalanine, 6.96 mg per Tablet.

 Jazz Pharmaceuticals

Usual Adult Dosage: Consult the package insert for prescribing information.
Storage Conditions: Store at 20°C to 25°C (68° to 77°F); excursions permitted to 15°C to 30°C (59° to 86°F). [See USP Controlled Room Temperature.] Protect from moisture. KEEP OUT OF REACH OF CHILDREN.
Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full product labeling.

NDC No. 18860-105-10

FazaClo[®]
(clozapine)
Orally Disintegrating Tablets

100 Tablets Rx Only


150 mg

Phenylketonurics: Contains Phenylalanine, 10.44 mg per Tablet.

Distributed by **Jazz Pharmaceuticals, Inc.**
Palo Alto, CA 94304 USA.
U.S. Patent Nos. 6,024,981; 6,221,392; and 6,106,861.
FazaClo[®] is a registered trademark of Jazz Pharmaceuticals plc or its subsidiaries.

FZCLB-xx-xx
Rev. MM YYYY

333-32-100850

 Jazz Pharmaceuticals

Usual Adult Dosage: Consult the package insert for prescribing information.
Storage Conditions: Store at 20°C to 25°C (68° to 77°F); excursions permitted to 15°C to 30°C (59° to 86°F). [See USP Controlled Room Temperature.]
Protect from moisture. **KEEP OUT OF REACH OF CHILDREN.**
Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full product labeling.

NDC No. 18860-106-10

FazaClo®
(clozapine)
Orally Disintegrating Tablets

100 Tablets **Rx Only**


200 mg

Phenylketonurics: Contains Phenylalanine, 13.92 mg per Tablet.

Distributed by **Jazz Pharmaceuticals, Inc.**
Palo Alto, CA 94304 USA.
U.S. Patent Nos. 6,024,981; 6,221,392; and 6,106,861.
FazaClo® is a registered trademark of Jazz Pharmaceuticals plc or its subsidiaries.

FZCLtb-x-xxx
Rev. MM YYYY

333-32-100851

 Jazz Pharmaceuticals









NDC 0093-3011-01

CLOZAPINE
Orally Disintegrating
Tablets
12.5 mg

Phenylethanamines: Contains Phenylethylamine, 0.87 mg per Tablet.

Rx only

100 TABLETS

TEVA

Usual Adult Dosage: Consult the package insert for prescribing information.

Storage Conditions: Store at 20° to 25° (68° to 77° F); excursions permitted to 15° to 30° (59° to 86° F) [See USP Controlled Room Temperature]. Protect from moisture.

KEEP OUT OF REACH OF CHILDREN. Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full product labeling.

Manufactured by:
Teva Pharmaceuticals
Sellersville, PA 19380
Manufactured for:
Teva Select Brands, Horseshoe, PA, 19044
Division of Teva Pharmaceuticals USA
Rev. MM/YYYY, CLZPib-xx-xx

333-32-100852

N 0093-3011-01



NDC 0093-3012-01

CLOZAPINE
Orally Disintegrating
Tablets
25 mg

Phenyketonurics: Contains
Phenylalanine, 1.74 mg per Tablet.

Rx only

100 TABLETS

TEVA

Usual Adult Dosage: Consult the package insert for prescribing information.


Storage Conditions: Store at 20° to 25° (68° to 77° F); excursions permitted to 15° to 30° (59° to 86° F) [See USP Controlled Room Temperature]. Protect from moisture.

KEEP OUT OF REACH OF CHILDREN. Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full product labeling.

Manufactured by:
Teva Pharmaceuticals
Sellersville, PA 19380
Manufactured for:
Teva Seibel Brands, Horseshoe, PA 19044
Division of Teva Pharmaceuticals USA
Rev. MM/YYYY, CLZPib-xx-xx

333-32-100853

N 0093-3012-01 0



NDC 0093-3010-01

CLOZAPINE
Orally Disintegrating
Tablets
100 mg

Phenyletonurics: Contains
Phenylalanine, 6.96 mg per Tablet.

Rx only

100 TABLETS

TEVA

Usual Adult Dosage: Consult the package insert for prescribing information.

Storage Conditions: Store at 20° to 25° (68° to 77°F); excursions permitted to 15° to 30° (59° to 86°F). (See USP Controlled Room Temperature.) Protect from moisture. **KEEP OUT OF REACH OF CHILDREN.**


Dispense: Dispensing should be contingent upon AUC results; quantities dispensed should not exceed the limits set forth in the full product labeling.

Manufactured by:
Cephalon, Inc.
Salt Lake City, UT 84116

Manufactured for:
Teva Specialty Brands, Hirschman, PA 19144
Division of Teva Pharmaceuticals USA
Rev. MM/11/1, CLZPB-XX-XX

333-32-100854

N 0093-3010-01 6



NDC 0093-3086-01

**Clozapine Orally
Disintegrating Tablets**
150 mg

Phenylketonurics: Contains
Phenylalanine, 10.44 mg per Tablet.

Rx only
100 Tablets

TEVA

Usual Adult Dosage: Consult the package insert for prescribing information.

Storage Conditions: Store at 20°C to 25°C (68° to 77°F); excursions permitted to 15°C to 30°C (59° to 86°F). (See USP Controlled Room Temperature.) Protect from moisture.

KEEP OUT OF REACH OF CHILDREN.


Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full product labeling.

Manufactured by:
Cesarton, Inc.
Salt Lake City, UT 84116

Manufactured for:
Teva Select Brands
Horsham, PA 19044
Division of Teva Pharmaceuticals USA
Rev. MM/YYYY, CLZPtb-xx-xx

333-32-100915

3 0093-3086-01 1



NDC 0093-3087-01

Clozapine Orally Disintegrating Tablets
200 mg

Phenylketonurics: Contains Phenylalanine, 13.92 mg per Tablet.

Rx only
100 Tablets

TEVA

Usual Adult Dosage: Consult the package insert for prescribing information.

Storage Conditions: Store at 20°C to 25°C (68° to 77°F); excursions permitted to 15°C to 30°C (59° to 86°F). [See USP Controlled Room Temperature.] Protect from moisture. **KEEP OUT OF REACH OF CHILDREN.**


Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full product labeling.

Manufactured by:
Cephalon, Inc.
Salt Lake City, UT 84116


Manufactured for:
Teva Select Brands
Horsham, PA 19044
Division of Teva Pharmaceuticals USA
Rev. MM/YYYY, QLPub-xx-xx


333-32-100916

N 0093-3087-01 8









NDC 0093-3086-84

Clozapine
Orally Disintegrating Tablets
150 mg

48 Tablets

Rx only
Non Child-Resistant
Institutional Use Only

Clozapine
Orally Disintegrating Tablets
150 mg

48 Tablets

Phenylketonurics: Contains Phenylalanine, 10.44 mg per Tablet.

Rx only

Manufactured by:
Cephalon, Inc.
Salt Lake City, UT 84116
Manufactured for:
Teva Select Brands, Horsham, PA 19044
Division of Teva Pharmaceuticals USA

NDC 0093-3086-84

Clozapine
Orally Disintegrating Tablets
150 mg

48 Tablets

Rx only
Non Child-Resistant
Institutional Use Only

TEVA

Rev. MM/YYYY, CLZPtc-xx-xx



N 3 0093-3086-84 4

LOT
EXP

Coding Area

NDC 0093-3086-84

Clozapine
Orally Disintegrating Tablets
150 mg

48 Tablets

Usual Adult Dosage: Consult the package insert for prescribing information.

Storage Conditions: Store at 20°C to 25°C (68° to 77°F); excursions permitted to 15°C to 30°C (59° to 86°F). [See USP Controlled Room Temperature.] Protect from moisture. Keep in a sealed blister until time of use.

Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full product labeling.

Rx only

Manufactured by:
Cephalon, Inc.
Salt Lake City, UT 84116
Manufactured for:
Teva Select Brands, Horsham, PA 19044
Division of Teva Pharmaceuticals USA



Rx only
Non Child-Resistant
Institutional Use Only

48 Tablets

TEVA



400-30-100053.01

	<p>NDC 0093-3087-84</p> <p>Clozapine Orally Disintegrating Tablets 200 mg</p> <hr/> <p>48 Tablets</p> <p>Rx only Non Child-Resistant Institutional Use Only</p>		
<p>Clozapine Orally Disintegrating Tablets 200 mg</p> <hr/> <p>48 Tablets</p> <div data-bbox="296 940 777 1017"><p>Phenylketonurics: Contains Phenylalanine, 13.92 mg per Tablet.</p></div> <p>Rx only</p> <p>Manufactured by: Cephalon, Inc. Salt Lake City, UT 84116 Manufactured for: Teva Select Brands, Horsham, PA 19044 Division of Teva Pharmaceuticals USA</p>	<p>NDC 0093-3087-84</p> <p>Clozapine Orally Disintegrating Tablets 200 mg</p> <hr/> <p>48 Tablets</p> <p>Rx only Non Child-Resistant Institutional Use Only</p>	<p>Clozapine Orally Disintegrating Tablets 200 mg</p> <hr/> <p>48 Tablets</p> <p>Usual Adult Dosage: Consult the package insert for prescribing information. Storage Conditions: Store at 20°C to 25°C (68° to 77°F); excursions permitted to 15°C to 30°C (59° to 86°F). [See USP Controlled Room Temperature.] Protect from moisture. Keep in a sealed blister until time of use. Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full product labeling.</p> <p>Rx only</p> <p>Manufactured by: Cephalon, Inc. Salt Lake City, UT 84116 Manufactured for: Teva Select Brands, Horsham, PA 19044 Division of Teva Pharmaceuticals USA</p>	<p>NDC 0093-3087-84</p> <p>Clozapine Orally Disintegrating Tablets 200 mg</p> <hr/> <p>48 Tablets</p> <p>Rx only Non Child-Resistant Institutional Use Only</p>
	<p>48 Tablets</p> <p>TEVA</p>	<p>48 Tablets</p> <p>TEVA</p>	<p>48 Tablets</p> <p>TEVA</p>
<p>X</p>	<p>Rev. MM/YYYY, CLZPtc-xx-xx</p>  <p>N 3 0093-3087-84 1</p> <p>LOT EXP</p> <p>Coding Area</p>		 <p>400-30-100054.01</p>

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>

KEEP OUT OF REACH OF CHILDREN

Store at 20-25°C (68-77°F).
[See USP Controlled Room Temperature.]
Do not refrigerate or freeze.
Protect from light.

NDC 18860-121-01

Rx Only

Versacloz[®]
(clozapine) Oral Suspension

Dose: Consult the package insert for full prescribing information.

Dispense: Dispensing should be contingent upon ANC results; quantities dispensed should not exceed the limits set forth in the full prescribing information.

Each mL contains 50 mg of clozapine

50 mg/mL

Distributed by:
Jazz Pharmaceuticals, Inc.,
Palo Alto, CA 94304 USA

For Oral Administration Only

Shake Well For 10 Seconds Before Use

The prescribed amount of suspension should be drawn from the bottle using the oral syringe provided.

DISPENSE THE ENCLOSED PATIENT USE INSTRUCTIONS WITH EACH PRESCRIPTION

U.S. Patent No. 8,057,811.
VRSCt-xxx



100 mL



Jazz Pharmaceuticals



LOT:
EXP:

 024557 N 3 18860-121-01 9		Rx Only		NDC 18860-121-01	Rx Only	Rx Only		NDC 18860-121-01	Rx Only
		Versacloz [®] (clozapine) Oral Suspension		Versacloz [®] (clozapine) Oral Suspension		Versacloz [®] (clozapine) Oral Suspension		Versacloz [®] (clozapine) Oral Suspension	
50 mg/mL		50 mg/mL		50 mg/mL		50 mg/mL		50 mg/mL	
		For Oral Administration Only		DISPENSE THE ENCLOSED PATIENT USE INSTRUCTIONS WITH EACH PRESCRIPTION		KEEP OUT OF REACH OF CHILDREN		Usual Adult Dosage: Consult the package insert for full prescribing information. Contains hydroxybenzoates as preservatives and sorbitol. Each mL contains 50 mg of clozapine	
		Shake Well For 10 Seconds Before Use				Storage Conditions: Store at 20-25°C (68-77°F). [See USP Controlled Room Temperature.] Do not refrigerate or freeze. Protect from light. Suspension is stable for 100 days after initial bottle opening.		Dispensing Instructions - Attention Pharmacist: 1. Ensure all components are present: Suspension bottle, bottle neck adaptor, 1 mL oral syringe, 9 mL oral syringe, Patient Use Instructions. 2. Shake well for 10 seconds before use. Dispense appropriate total volume to patients based on the daily dosage and contingent upon ANC results. Quantities dispensed should not exceed the limits set forth in the full product labeling. The prescribed amount of suspension should be drawn from the bottle using the oral syringe provided. 3. IMPORTANT: Demonstrate the Patient Use Instructions to each patient at the time they receive their first prescription. For information on ordering supplemental dosing components, visit www.versacloz.com	
		100 mL				Distributed by: Jazz Pharmaceuticals, Inc., Palo Alto, CA 94304 US U.S. Patent No. 8,057,811. Versacloz [®] is a registered trademark of Jazz Pharmaceuticals plc or its subsidiaries.		VRSCt-xx-xx	
		LOT:		EXP:					