

**maximum strength**  
**Mucinex®**  
1200 mg guaifenesin extended-release bi-layer tablets  
EXPECTORANT

**14** EXTENDED-RELEASE BI-LAYER TABLETS

NDC 63824-023-14

**NEW!**  
**maximum strength**  
**Mucinex®**  
1200 mg guaifenesin extended-release bi-layer tablets  
EXPECTORANT



Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)

Title:  
14 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Relieves Chest Congestion  
Thins and Loosens Mucus

**12 HOUR**

**14** EXTENDED-RELEASE BI-LAYER TABLETS

3-63824-02314-4

**maximum strength**  
**Mucinex®**  
1200 mg guaifenesin extended-release bi-layer tablets  
EXPECTORANT

Choose from the  
**MUCINEX®** line of products  
to treat your symptoms

**MUCINEX®**  
Relieves Chest Congestion  
Thins and Loosens Mucus  
for 12 hours

**MUCINEX® DM**  
Controls Cough  
Thins and Loosens Mucus  
for 12 hours

**MUCINEX® D**  
Clears Nasal/Sinus Congestion  
Thins and Loosens Mucus  
for 12 hours

Subheadings:  
6 pt. Helvetica Bold  
Condensed,  
left justified

DO NOT VARNISH THIS AREA

Title for continued panel:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

DO NOT VARNISH THIS AREA

Right justified

**Drug Facts**

**Active ingredient**  
(in each extended-release bi-layer tablet)  
Guaifenesin 1200 mg.....Expectorant

**Purpose**  
Uses helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Warnings**

Do not use ■ for children under 12 years of age

Ask a doctor before use if you have  
■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
■ cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**  
■ do not crush, chew, or break tablet  
■ take with a full glass of water  
■ this product can be administered without regard for the timing of meals  
■ adults and children 12 years of age and over: 1 tablet every 12 hours. Do not exceed 2 tablets in 24 hours.  
■ children under 12 years of age: do not use

**Other information**

tamper evident: do not use if carton is open or if seal on bottle printed "SEALED for YOUR PROTECTION" is broken or missing  
store between 20-25°C (68-77°F)

**Inactive ingredients** carboxer 934F, NF; FD&C blue #1 aluminum lake, hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

0.5 pt. headline

© 2007, Distributed by  
Adams Respiratory Therapeutics, Fort Worth, TX 76155

**Adams RESPIRATORY THERAPEUTICS™**

041207  
RESPIRATORY 10010014  
US Pat. 6,372,252 B1  
US Pat. 6,995,827 B2

Bullets:  
5 pt. solid square  
Zapf Dingbats

Graphic leading  
to next panel

DATA MATRIX POSITION

1 15/16"

3 1/2"

1 15/16"

**maximum strength**  
**Mucinex**<sup>®</sup>  
1200 mg guaifenesin extended-release bi-layer tablets  
EXPECTORANT

**28** EXTENDED-RELEASE BI-LAYER TABLETS

Title:  
14 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

DO NOT VARNISH THIS AREA

Title for continued panel:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

**maximum strength**  
**Mucinex**<sup>®</sup>  
1200 mg guaifenesin extended-release bi-layer tablets  
EXPECTORANT

**NEW!**  
**maximum strength**  
**Mucinex**<sup>®</sup>  
1200 mg guaifenesin extended-release bi-layer tablets  
EXPECTORANT

**maximum strength**  
**Mucinex**<sup>®</sup>  
1200 mg guaifenesin extended-release bi-layer tablets  
EXPECTORANT

**Drug Facts**

**Active ingredient** Purpose  
(in each extended-release bi-layer tablet)  
Guaifenesin 1200 mg.....Expectorant

**Use:** Use to help loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Warnings**  
- Do not use for children under 12 years of age

**Ask a doctor before use if you have**  
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
- cough accompanied by too much phlegm (mucus)

**Stop use and ask a doctor if**  
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
- Do not crush, chew, or break tablet  
- Take with a full glass of water  
- This product can be administered without regard for the timing of meals  
- Adults and children 12 years of age and over: 1 tablet every 12 hours. Do not exceed 2 tablets in 24 hours.  
- Children under 12 years of age: do not use

**Other information**  
- Tamper evident: do not use if carton is open or if seal on bottle printer "SEALED for YOUR PROTECTION" is broken or missing  
- Store between 20-25°C (68-77°F)

**Inactive ingredients** carboxymethylcellulose, NF; FD&C blue #1 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF



**Unique Bi-layer Tablet**

Relieves Chest Congestion  
Thins and Loosens Mucus

**Choose from the MUCINEX<sup>®</sup> line of products to treat your symptoms**

**MUCINEX<sup>®</sup>**  
Relieves Chest Congestion  
Thins and Loosens Mucus  
for 12 hours

**MUCINEX<sup>®</sup> DM**  
Controls Cough  
Thins and Loosens Mucus  
for 12 hours

**MUCINEX<sup>®</sup> D**  
Clears Nasal/Sinus Congestion  
Thins and Loosens Mucus  
for 12 hours

© 2007, Distributed by  
Adams Respiratory Therapeutics, Fort Worth, TX 76155

ADAMS  
RESPIRATORY  
THERAPEUTICS

04/207  
10010015  
US Pat. 6,972,262 B1  
US Pat. 6,955,821 B2

Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)

**12 HOUR**  
**28** EXTENDED-RELEASE BI-LAYER TABLETS

Subheadings:  
6 pt. Helvetica Bold  
Condensed,  
left justified


DO NOT VARNISH THIS AREA


Bullets:  
5 pt. solid square  
Zapf Dingbats

Graphic leading  
to next panel

0.5 pt. hairline

2.5





Bullets:  
5 pt. solid square  
Zapf Dingbats

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

1.15/16" 3.1/2" 8 pt. 1

Title:  
14 pt. Helvetica Bold  
Condensed Oblique,  
left justified

**maximum strength**  
**Mucinex<sup>®</sup>D**  
1200 mg guaifenesin and 120 mg pseudoephedrine HCl  
extended-release bi-layer tablets  
EXPECTORANT • NASAL DECONGESTANT

**24** EXTENDED-RELEASE BI-LAYER TABLETS

NDC 63824-041-24

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Title for continued panel:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Right justified

**maximum strength**  
**Mucinex<sup>®</sup>D**  
1200 mg guaifenesin and 120 mg pseudoephedrine HCl  
extended-release bi-layer tablets  
EXPECTORANT  
NASAL DECONGESTANT



Contains FD&C Yellow Dye #6

Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)

**NEW!**  
**maximum strength**  
**Mucinex<sup>®</sup>D**  
1200 mg guaifenesin and 120 mg pseudoephedrine HCl  
extended-release bi-layer tablets  
EXPECTORANT • NASAL DECONGESTANT

► Clears Nasal/Sinus Congestion  
► Thins and Loosens Mucus

**24** EXTENDED-RELEASE BI-LAYER TABLETS



DO NOT VARNISH THIS AREA

3-63824-04124-7

**maximum strength**  
**Mucinex<sup>®</sup>D**  
1200 mg guaifenesin and 120 mg pseudoephedrine HCl  
extended-release bi-layer tablets  
EXPECTORANT  
NASAL DECONGESTANT

Choose from the  
**MUCINEX<sup>®</sup> line of products**  
to treat your symptoms

Relieves Chest Congestion  
Thins and Loosens Mucus  
for 12 hours  
**MUCINEX<sup>®</sup> DM**

Controls Cough  
Thins and Loosens Mucus  
for 12 hours  
**MUCINEX<sup>®</sup> D**

Clears Nasal/Sinus Congestion  
Thins and Loosens Mucus  
for 12 hours

Subheadings:  
6 pt. Helvetica Bold  
Condensed,  
left justified

**Drug Facts**

**Active ingredients**  
(in each extended-release bi-layer tablet)  
Guaifenesin 1200 mg.....Expectorant  
Pseudoephedrine HCl 120 mg.....Nasal Decongestant

**Purpose**  
Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive temporarily relieves nasal congestion due to:  
■ common cold ■ hay fever  
■ upper respiratory allergies  
■ temporary restores free breathing through the nose  
■ promotes nasal and/or sinus drainage  
■ temporarily relieves sinus congestion and pressure

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have:  
■ heart disease ■ high blood pressure  
■ thyroid disease ■ diabetes  
■ trouble urinating due to an enlarged prostate gland  
■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema  
■ cough accompanied by too much phlegm (mucus)

**When using this product:**  
■ do not use more than directed

**Directions**  
Stop use and ask a doctor if:  
■ you get nervous, dizzy, or sleepless  
■ symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center, right away.

**Other information**  
■ tamper evident; do not use if printed seal on blister is broken or missing  
■ store at 20-25°C (68-77°F)

**Inactive ingredients** carbomer 934F, NF; FD&C Yellow #5 aluminum lake; hydroxylose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium stearoyl glycolate, NF

© 2007. Distributed by  
Adams Respiratory Therapeutics, Fort Worth, TX 76155

**ADAMS  
RESPIRATORY  
THERAPEUTICS**

US Pat. 6,572,252 B1  
US Pat. 6,555,821 B2

Bullets:  
5 pt. solid square  
Zapf Dingbats


Graphic leading  
to next panel

0.5 pt. hairline

No Varnish Area

No Varnish Area

DATA MATRIX  
POSITION



## FILE INFORMATION

Job Description: Max Str Mucinex D 1200/120mg 6ct Blister Pack

Drawing #: 8253.10

Title:  
14 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Title for continued panel:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Right justified

DO NOT VARNISH THIS AREA

**maximum strength**  
**Mucinex<sup>®</sup>DM**  
1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets  
EXPECTORANT • COUGH SUPPRESSANT

**14** EXTENDED-RELEASE BI-LAYER TABLETS

NDC 63824-072-14

**maximum strength**  
**Mucinex<sup>®</sup>DM**  
1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets  
EXPECTORANT • COUGH SUPPRESSANT



Unique Bi-layer Tablet

Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-6882-4639)

**maximum strength**  
**Mucinex<sup>®</sup>DM**  
1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets  
EXPECTORANT • COUGH SUPPRESSANT

**14** EXTENDED-RELEASE BI-LAYER TABLETS

**12 HOUR**

Controls Cough  
Thins and Loosens Mucus

3-63824-07214-2

DO NOT VARNISH THIS AREA

Subheadings:  
6 pt. Helvetica Bold  
Condensed,  
left justified

Bullets:  
5 pt. solid square  
Zapf Dingbats

Graphic leading  
to next panel

0.5 pt. hairline

1 15/16"

3 1/2"

1 5/16"

DATA MATRIX POSITION

**Drug Facts**

**Active ingredients (in each extended-release bi-layer tablet)**

**Purpose**

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive ■ temporarily relieves ■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaler irritants ■ the intensity of coughing ■ the urgency to cough to help you get to sleep

**Directions** ■ do not crush, chew, or break tablet ■ take with a full glass of water ■ this product can be administered without regard for timing of meals ■ adults and children 12 years and older: 1 tablet every 12 hours, not more than 2 tablets in 24 hours ■ children under 12 years of age: do not use

**Warnings** ■ for children under 12 years of age ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

**Other information** ■ tamper evident: do not use if capton is open or if seal on bottle primer. SCHEDULED FOR 10A19 PROTECTION ■ store at 20-25°C (68-77°F) ■ inactive ingredients: capstone 9346, NF; DSC yellow #10 aluminum lake; hypromellose, USP; magnesium stearate, NF; titanium dioxide, NF; sodium starch glycolate, NF

**Ask a doctor before use if you have** ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ cough accompanied by too much phlegm (mucus)

**When using this product** ■ do not use more than directed

© 2007, Distributed by  
Aadans Respiratory Therapeutics, Fort Worth, TX 76155  
**RESPIRATORY**  
10010016  
US Pat. 6,372,262 B1  
US Pat. 6,955,821 B2

**maximum strength**  
**Mucinex<sup>®</sup>DM**  
1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets  
EXPECTORANT • COUGH SUPPRESSANT

**28** EXTENDED-RELEASE BI-LAYER TABLETS

NDC 63924-072-28

Title:  
14 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

Title for continued panel:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

**NEW!**  
**maximum strength**  
**Mucinex<sup>®</sup>DM**  
1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets  
EXPECTORANT • COUGH SUPPRESSANT

**12** HOUR

**28** EXTENDED-RELEASE BI-LAYER TABLETS

Choose from the **MUCINEX<sup>®</sup>** line of products to treat your symptoms

**MUCINEX<sup>®</sup>**  
Relieves Chest Congestion  
Thins and Loosens Mucus  
for 12 hours

**MUCINEX<sup>®</sup> DM**  
Controls Cough  
Thins and Loosens Mucus  
for 12 hours

**MUCINEX<sup>®</sup> D**  
Clears Nasal/Sinus Congestion  
Thins and Loosens Mucus  
for 12 hours

**Drug Facts**

**Active ingredients (in each extended-release bi-layer tablet)**  
Dextromethorphan HBr 60 mg.....Cough suppressant  
Guaifenesin 1200 mg.....Expectorant

**Purpose**  
Relieves cough and soothes throat irritation.

**Uses**  
■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive temporarily relieves.  
■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants  
■ the intensity of coughing  
■ the impulse to cough to help you get to sleep

**Warnings**  
-do not use ■ for children under 12 years of age  
-if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**  
■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema  
■ cough accompanied by low nasal phlegm (runny nose)  
■ do not use more than directed

**Directions**  
■ do not crush, chew, or break tablet  
■ take with a full glass of water  
■ this product can be administered without regard for timing of meals  
■ adults and children 12 years and older: 1 tablet, every 12 hours, not more than 2 tablets in 24 hours  
■ children under 12 years of age: do not use

**Other information**  
■ tamper evident: do not use if carton is open or if seal on bottle printed "SEALED FOR YOUR PROTECTION" is broken or missing  
■ store at 20-25°C (68-77°F)

**Inactive ingredients** carboxer 934F, NF; D&C yellow #10 aluminum lake, hypromellose USP, magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

© 2007, Distributed by  
Aadans Respiratory Therapeutics, Fort Worth, TX 76155  
**AAADANS RESPIRATORY THERAPEUTICS**  
10010017 041207  
US Pat 6,372,282 B1  
US Pat 6,955,821 B2

**Unique Bi-layer Tablet**

IMMEDIATE-RELEASE LAYER

EXTENDED-RELEASE LAYER

Tablet shown actual size

Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)

Subheadings:  
6 pt. Helvetica Bold  
Condensed,  
left justified

DO NOT VARNISH THIS AREA

Bullets:  
5 pt. solid square  
Zapf Dingbats

Graphic leading to next panel

0.5 pt. hairline

1 15/16" 3 1/2" 1 15/16" DATA MATRIX POSITION



Bullets:  
5 pt. solid square  
Zapf Dingbats

Headings:  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)



ADAMS  
RESPIRATORY  
THERAPEUTICS  
© 2007, Distributed by Adams Respiratory Therapeutics, Fort Worth, TX 76155  
US Pat. 6,372,292 B1  
US Pat. 6,995,821 B2  
041007  
10040028

5 5/8"

1/2"  
NO VARNISH AREA

2.5 pt. box barline

Body text:  
6 pt. Helvetica  
Condensed  
with 6.5 pt. leading,  
left justified

DATA MATRIX POSITION



**maximum strength**  
NDC 63924-072-28

**Mucinex<sup>®</sup> DM**  
1200 mg guaifenesin and 60 mg dextromethorphan HBr  
extended-release bi-layer tablets

**EXPECTORANT**  
**COUGH SUPPRESSANT**

**28** EXTENDED-RELEASE BI-LAYER TABLETS  
**12** HOUR

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Please visit our Web site:  
[www.mucinex.com](http://www.mucinex.com)  
or call 1-866-MUCINEX  
(1-866-682-4639)

US Pat. 6,372,252 B1  
US Pat. 6,955,821 B2  
041007  
10040029

© 2007, Distributed by Adams Respiratory Therapeutics, Fort Worth, TX 76155

ADAMS  
RESPIRATORY  
THERAPEUTICS

**Headings:**  
8 pt. Helvetica Bold  
Condensed Oblique,  
left justified

**Bullets:**  
5 pt. solid square  
Zapf Dingbats

**Body text:**  
6 pt. Helvetica  
Condensed  
with 6.5 pt. leading,  
left justified

2.5 pt. box barline

NO VARNISH  
AREA

1/2"

5 7/8"

DATA MATRIX  
POSITION