



Data Matrix Code 0.25"x0.25" (6.35x6.35mm)
14x14 Matrix
 Revision Date Code and the Item Number separated
 by a space (MMDDYY 1234567)

Eye Mark .375" x .25"
 (9.525 x 6.35 mm)





Data Matrix Code 0.25"x0.25" (6.35x6.35mm)

14x14 Matrix

Revision Date Code and the Item Number separated by a space (MMDDYY 1234567)

Eye Mark .375" x .25" (9.525 x 6.35 mm)

PRINTING
READS
This Way



TDD1022/1

THIS WAY UP

Slit Width = 174mm



6pt, 100% horizontal scaling, 40 tracking
Helvetica Neue LT Std 97 Black Condensed

6pt, 76% horizontal scaling, 50 tracking
Helvetica Neue LT Std 77 Bold Condensed

6pt, 95% horizontal scaling, 10 tracking
Helvetica Neue LT Std 57 Condensed


10pt, 86% horizontal scaling, 33 tracking
Helvetica Neue LT Std 97 Black Condensed

81.9mm

81.9mm

81.9mm

Print registration pitch 81.9mm
Tolerance +0 / - 0.1mm



TDD 1022/3

MIN PT SIZE & HEIGHT (Non-Automated)

NET WT (ie. 5 FL OZ 150ml):	N/A	N/A
Drug Facts Title:	N/A	N/A
Active Ingredient Title:	N/A	N/A
Active Ingredient (BOP Ingredient):	.06inch	6pt
Min Size of all other Copy:	.06inch	6pt

This Box 1/2 x 1/2 Inch Square	Front PDP in square inches :	7.185
	Rear PDP in square inches :	N/A

Bi-Layer Tablet



Immediate-Release Layer Lasts 12 Hours

Extended-Release Layer Lasts 12 Hours

Mucinex[®]DM

RELIEVES COUGH & CHEST CONGESTION

Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 30 mg.....Cough suppressant
Guaifenesin 600 mg.....Expectorant

Purposes

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

- Do not use**
- for children under 12 years of age
 - if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- Ask a doctor before use if you have**
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
 - cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Drug Facts (continued)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness
 - if pregnant or breast-feeding, ask a health professional before use.
- Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break extended-release tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 or 2 extended-release tablets every 12 hours; not more than 4 extended-release tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients carbomer homopolymer type B; D&C yellow no. 10 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions? 1-866-MUCINEX (1-866-682-4639)

reckitt
 Patents: www.reckitt.com/patents
 Dist. by: RB Health (US)
 Parsippany, NJ 07054-0224

011324
 00000000
 ©2024 RB Health
 Made in England

Mucinex[®]DM

RELIEVES COUGH & CHEST CONGESTION



Scan for FAQs and instructions on proper disposal of medicines or visit www.mucinex.com/FAQs. Please visit our website www.mucinex.com

00000000

NDC 63824-056-32

Mucinex[®]DM

Dextromethorphan HBr 30 mg » Cough Suppressant
Guaifenesin 600 mg » Expectorant
Extended-Release Tablets

RELIEVES COUGH & CHEST CONGESTION



- ✓ Controls Cough
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release

20 EXTENDED RELEASE TABLETS



ACTUAL SIZE



Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.

how2recycle.info



PARENTS: Learn about teen medicine abuse. www.StopMedAbuse.org



0 000000 000000 0

VALUE SIZE

Mucinex[®]DM

RELIEVES COUGH & CHEST CONGESTION

Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 30 mg.....Cough suppressant
Guaifenesin 600 mg.....Expectorant

Purposes

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

VALUE SIZE

Mucinex[®]DM

Dextromethorphan HBr 30 mg » Cough Suppressant
Guaifenesin 600 mg » Expectorant
Extended-Release Tablets

RELIEVES COUGH & CHEST CONGESTION



12 HOUR

- ✓ Controls Cough
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release

40 EXTENDED RELEASE TABLETS



ACTUAL SIZE

VALUE SIZE

NDC 63824-056-34

RELIEVES COUGH & CHEST CONGESTION

FOR DAY OR NIGHT



Scan for FAQs and instructions on proper disposal of medications or visit www.mucinex.com/FAQs. Please visit our website www.mucinex.com

00000000

VALUE SIZE


00000000

VALUE SIZE

00000000

VALUE SIZE

00000000



Pharmacode Reads This Way
 First Bar → Last Bar



18.1pt, 100% horizontal scaling, 0 tracking
DINOT CondBlack

BI-LAYER TABLET
MUCINEXDM
Immediate-Release Layer
Extended-Release Layer
Lasts 12 Hours

Print and Varnish Free Area



Drug Facts	Purposes
<p>Active ingredients (in each extended-release tablet)</p> <p>Dextromethorphan HBr 30 mg Guaifenesin 600 mg</p>	<p>Cough suppressant Expectorant</p>
<p>Uses</p> <ul style="list-style-type: none"> helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageway of bothersome mucus and make coughs more productive temporarily relieves: <ul style="list-style-type: none"> cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing the impulse to cough to help you get to sleep 	
<p>Warnings</p> <p>Do not use</p> <ul style="list-style-type: none"> for children under 12 years of age if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) 	
<p>Drug Facts (continued)</p> <p>When using this product:</p> <ul style="list-style-type: none"> do not use more than directed Stop use and ask a doctor if: <ul style="list-style-type: none"> cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness. if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. <p>Directions</p> <ul style="list-style-type: none"> do not crush, chew, or break extended-release tablet take with a full glass of water this product can be administered without regard for timing of meals adults and children 12 years and older: 1 or 2 extended-release tablets every 12 hours; not more than extended-release 4 tablets in 24 hours children under 12 years of age: do not use <p>Other information</p> <ul style="list-style-type: none"> store at 20-25°C (68-77°F) <p>Inactive ingredients carboner homopolymer type B, D4C yellow no. 10 aluminum lake, hypromellose, USP, magnesium stearate, NF, microcrystalline cellulose, NF, sodium starch glycolate, NF</p> <p>Questions? 1-866-MUCINEX (1-866-682-4639)</p>	
<p>Patents: www.reckitt.com/patents ©2014 RB Health Parippany, NJ 07754-9224 Made in England</p>	

MucinexDM
Dextromethorphan HBr 30 mg » Cough Suppressant
Guaifenesin 600 mg » Expectorant
Extended-Release Tablets
RELIEVES COUGH & CHEST CONGESTION

Immediate-Release Layer
Extended-Release Layer Lasts 12 Hours



PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

MucinexDM
Dextromethorphan HBr 30 mg » Cough Suppressant
Guaifenesin 600 mg » Expectorant
Extended-Release Tablets
RELIEVES COUGH & CHEST CONGESTION

12 HOUR

24 POUCHES
2 EXTENDED-RELEASE TABLETS EACH

- ✓ Controls Cough
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release

ACTUAL SIZE

MucinexDM
Dextromethorphan HBr 30 mg » Cough Suppressant
Guaifenesin 600 mg » Expectorant
Extended-Release Tablets
RELIEVES COUGH & CHEST CONGESTION

FOR DAY OR NIGHT



Scan for FAQs and instructions on proper disposal of medicines or visit www.mucinex.com/FAQs

Please visit our website
www.mucinex.com

18pt, 100% horizontal scaling, 0 tracking
DINOT CondBlack

10pt, 100% horizontal scaling, -5 tracking
DIN OT Condensed Medium
DIN OT CondBold

10pt, 100% horizontal scaling, 0 tracking
DIN OT Cond Bold

18pt, 100% horizontal scaling, 0 tracking
DINOT CondBlack

10pt, 97% horizontal scaling, 0 tracking
DIN OT Condensed Medium
DIN OT CondBold

Title (cont): 8pt, 85% horizontal scaling, 30 tracking
Helvetica Neue LT Std - 77 Bold Condensed Oblique
Helvetica Neue LT Pro - 57 Condensed

Title: 14pt, 90% horizontal scaling, 20 tracking
Helvetica Neue LT Std 77 Bold Condensed Oblique

Headings: 8pt, 85% horizontal scaling, 20 tracking
Helvetica Neue LT Std 77 Bold Condensed Oblique

Outline box/Barlines: 2.5pt

Body: 6pt 76% horizontal scaling, 30 tracking
Helvetica Neue LT Pro 67 Medium Condensed

Bullets: 5pt 90% horizontal scaling, 15 tracking
Zapt Dingbats

Sub-headings: 6pt 90% horizontal scaling, 40 tracking
Helvetica Neue LT Pro - 77 Bold Condensed

Hairlines: 0.5pt

Gap: Meets minimum of 3/64".
Not EXACTLY 3/64", exceeds this slightly but not by much.

9.5pt, 97% horizontal scaling, -35 tracking
DIN OT Condensed Bold

13pt, 100% horizontal scaling, -35 tracking
DIN OT Condensed Bold

13.5pt, 100% horizontal scaling, -6 tracking
DIN OT Condensed Black

SAMPLES —
NOT TO
BE SOLD

12.2pt, 100% horizontal scaling, 0 tracking
DINOT CondBlack

8pt, 100% horizontal scaling, 0 tracking
DINOT CondBlack

18.1pt, 100% horizontal scaling, 0 tracking
DINOT CondBlack

Title (cont): 8pt, 85% horizontal scaling, 30 tracking
Helvetica Neue LT Pro - 77 Bold Condensed Oblique
Helvetica Neue LT Pro - 57 Condensed

Title: 14pt, 90% horizontal scaling, 10 tracking
Helvetica Neue LT Pro 77 Bold Condensed Oblique

Headings: 8pt, 85% horizontal scaling, 20 tracking
Helvetica Neue LT Pro 77 Bold Condensed Oblique

Outline box/Barlines: 2.5pt

Body: 6pt 76% horizontal scaling, 30 tracking
Helvetica Neue LT Com 57 Condensed

Bullets: 5pt 90% horizontal scaling, 15 tracking
Zapt Dingbats

Sub-headings: 6pt 83% horizontal scaling, 30 tracking
Helvetica Neue LT Pro - 77 Bold Condensed

Hairlines: 0.5pt

Gap: Meets minimum of 3/64".
Not EXACTLY 3/64", exceeds this slightly but not by much.



6pt, 100% horizontal scaling, 0 tracking
Helvetica Neue LT Com 57 Condensed

7pt, 100% horizontal scaling, 0 tracking
DINOT CondBold

12pt, 100% horizontal scaling, 0 tracking
DIN OT Condensed Medium
DINOT CondBold

22pt, 100% horizontal scaling, 0 tracking
DINOT CondBlack

17pt, 100% horizontal scaling, 0 tracking
DINOT CondBlack

LOT and EXP area is ink and varnish free

Pharmacode Reads This Way
First Bar Last Bar

8.7pt, 100% horizontal scaling, -35 tracking
DINOT CondBold

31pt, 100% horizontal scaling, 0 tracking
DINOT CondBold



Pharmacode Reads This Way
First Bar Last Bar

Data Matrix Code 5x5mm with 3.175mm clear area.
14x14 Matrix
Revision Date Code and the Item Number separated by a space (MMDDYY 1234567).

Slit Width = 174mm

19mm


19mm

10pt, 86% horizontal scaling, 33 tracking
Helvetica Neue LT Std 97 Black Condensed

6pt, 100% horizontal scaling, 10 tracking
Helvetica Neue LT Std 97 Black Condensed

6pt, 90% horizontal scaling, 50 tracking
Helvetica Neue LT Std 77 Bold Condensed


6pt, 85% horizontal scaling, 14 tracking
Helvetica Neue LT Std 57 Condensed



MIN PT SIZE & HEIGHT (Non-Automated)

NET WT (ie. 5 FL OZ 150ml):	N/A	N/A
Drug Facts Title:	N/A	N/A
Active Ingredient Title:	N/A	N/A
Active Ingredient (BOP ingredient):	0.06inch	6pt
Min Size of all other Copy:	0.06inch	6pt

This Box	Front PDP in square inches: N/A
1/2x1/2	Rear PDP in square inches: 9.418
Square	



Bi-Layer Tablet
 Immediate-Release Layer
 Extended-Release Layer Lasts 12 Hours

MAXIMUM STRENGTH

Mucinex[®]DM

RELIEVES COUGH & CHEST CONGESTION

Drug Facts

Active ingredients (in each extended-release tablet)
 Dextromethorphan HBr 60 mg Cough suppressant
 Guaifenesin 1200 mg Expectorant

Purposes

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

- Do not use**
- for children under 12 years of age
 - if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- Ask a doctor before use if you have**
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
 - cough accompanied by too much phlegm (mucus)

When using this product
 do not use more than directed

Drug Facts (continued)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not crush, chew, or break extended-release tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 extended-release tablet every 12 hours; not more than 2 extended-release tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients carbomer homopolymer type 8; D&C yellow no. 10 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions? 1-866-MUCINEX (1-866-682-4639)



011324
 Patents: www.reckitt.com/patents 00000000
 Dist. by: RB Health (US) ©2024 RB Health
 Parsippany, NJ 07054-0224 Made in England

MAXIMUM STRENGTH
 Mucinex[®]DM
 RELIEVES COUGH & CHEST CONGESTION
FOR DAY OR NIGHT



Scan for FAQs and instructions on proper disposal of medications or visit www.mucinex.com/FAQs Please visit our website www.mucinex.com

00000000

MAXIMUM STRENGTH

Mucinex[®]DM

Dextromethorphan HBr 60 mg » Cough Suppressant
 Guaifenesin 1200 mg » Expectorant
 Extended-Release Tablets

RELIEVES COUGH & CHEST CONGESTION



- ✓ Controls Cough
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release

14 EXTENDED RELEASE TABLETS



ACTUAL SIZE

NDC 43824-072-35

Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.

how2recycle.info



PARENTS:
 Learn about teen medicine abuse
 www.StopItMedicineAbuse.org



0 000000 000000 0



Bi-Layer Tablet

← Immediate-Release Layer Lasts 12 Hours

MAXIMUM STRENGTH **VALUE SIZE**

Mucinex^{DM}

RELIEVES COUGH & CHEST CONGESTION

Drug Facts	Purposes
<p>Active ingredients (in each extended-release tablet)</p> <p>Dextromethorphan HBr 60 mg.....Cough suppressant</p> <p>Guaifenesin 1200 mg.....Expectorant</p>	<p>Purposes</p> <p>Relieves cough and chest congestion</p>
<p>Uses</p> <ul style="list-style-type: none"> helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive temporarily relieves: <ul style="list-style-type: none"> cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing the impulse to cough to help you get to sleep 	<p>Directions</p> <ul style="list-style-type: none"> do not crush, chew, or break extended-release tablet take with a full glass of water this product can be administered without regard for timing of meals adults and children 12 years and older: 1 extended-release tablet every 12 hours; not more than 2 extended-release tablets in 24 hours children under 12 years of age: do not use
<p>Warnings</p> <p>Do not use</p> <ul style="list-style-type: none"> for children under 12 years of age if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema cough accompanied by too much phlegm (mucus) <p>When using this product</p> <ul style="list-style-type: none"> do not use more than directed 	<p>Drug Facts (continued)</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Other information</p> <ul style="list-style-type: none"> store at 20-25°C (68-77°F) <p>Inactive ingredients carbomer homopolymer type B; D&C yellow no. 10 aluminum lake; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF</p> <p>Questions? 1-866-MUCINEX (1-866-682-4639)</p>

FOR DAY OR NIGHT

Scan for FAQs and instructions on proper disposal of medicines or visit www.mucinex.com/FAQs
Please visit our website www.mucinex.com

00000000

NDC 63824-072-36

Mucinex^{DM}

Dextromethorphan HBr 60 mg » Cough Suppressant
Guaifenesin 1200 mg » Expectorant
Extended-Release Tablets

RELIEVES COUGH & CHEST CONGESTION



12 HOUR

- ✓ Controls Cough
- ✓ Thins & Loosens Mucus
- ✓ Immediate & Extended Release



28 EXTENDED RELEASE TABLETS



ACTUAL SIZE

00000000

Pharmacode Reads This Way
 ← First Bar Last Bar →

Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.

how2recycle.info
 PAPER | www.mucinex.com | TRAC
 BDX

PARENTS*
 Learn about how medicine works
www.StopTheCough.com

0 000000 000000 0



LOT and EXP area is ink and varnish free

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
08/06/2024 04:04:23 PM