



00000000

Original Prescription Strength NDC XXXXX-XXX-XX

ZYRTEC[®]
 Cetirizine HCl chewable tablets,
 10 mg/antihistamine

ALLERGY
 INDOOR + OUTDOOR
 ALLERGIES

Chewables
 DYE-FREE

24 HOUR RELIEF OF
 • Sneezing
 • Runny Nose
 • Itchy, Watery Eyes
 • Itchy Throat or Nose

No Water Needed

Actual Size

24 Chewable Tablets
 10 mg each

Chew or crush tablets completely before swallowing

No Water Needed

ZYRTEC[®]
 Chewables
 DYE-FREE

Drug Facts

Active ingredient (in each chewable tablet)	Purpose
Cetirizine HCl 10 mg	Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ sneezing
 ■ itchy, watery eyes
 ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product
 ■ drowsiness may occur
 ■ avoid alcoholic drinks
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:
 ■ if breast-feeding: not recommended
 ■ if pregnant: ask a health professional before use.

Drug Facts (continued)
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
 ■ may be taken with or without water
 ■ chew or crush tablets completely before swallowing

adults and children 6 years and over	Chew and swallow 1 tablet (10 mg) once daily; do not take more than 1 tablet (10 mg) in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
 ■ store between 20° to 25°C (68° to 77°F)
 ■ do not use if blister unit is torn or broken

Inactive ingredients
 betadex, corn starch, lactose monohydrate, magnesium stearate, mannitol, silicified microcrystalline cellulose, sucralose

Questions?
 call 1-800-343-7805 (toll-free) or 215-273-8755 (collect)

The trade dress of this ZYRTEC[®] package is subject to trademark protection.
 Active ingredient made in Switzerland

Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
 Johnson Consumer Products Division
 Fort Washington, PA 19034 USA
 © J&J, 20XX
 00000000/000000

FSC
 MK
 Recycled
 FSC C104002

0 000000 000000 0

LOT XXXXXXXX
 EXP MM/DD/YYYY





This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
12/14/2021 07:57:19 AM