

Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x length)	9.97 in ²	1/16 IN.	5 SQ. IN. OR LESS
Net Content Size:	0.125"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.

Labeling Format Information: Fonts: Avenir Next Cd, Avenir Next Cd Bd, Avenir Next Cd Bd It

Drug Facts: 9.00 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 80%
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 1.00 pt	Average Tracking: 0
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	

Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets



00000000



NDC 00000-000-00

Children's ZYRTEC

Cetirizine HCl chewable tablets
2.5 mg/antihistamine

ALLERGY

Dye-Free CHEWABLES

Indoor + Outdoor Allergies
2 yrs & older

24 hours	Relief of	Sneezing	Runny Nose
	Itchy, Watery Eyes	Itchy Throat or Nose	Actual Size

Grape Flavor
Chew or crush tablets completely before swallowing

6 CHEWABLE TABLETS

00000000



Grape Flavor
DYE-FREE
ALLERGY
CHEWABLES

Active ingredient (in each chewable tablet)	Purpose
Cetirizine HCl 2.5 mg	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ sneezing
 ■ itchy, watery eyes
 ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product
 ■ drowsiness may occur
 ■ avoid alcoholic drinks
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:
 ■ if breast-feeding; not recommended
 ■ if pregnant; ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions
 ■ may be taken with or without water
 ■ chew or crush tablets completely before swallowing

children 2 to under 6 years of age	adults and children 6 years and over
Chew and swallow 1 tablet (2.5 mg) once daily; if needed, dose can be increased to a maximum of 2 tablets (5 mg) every 12 hours. Do not give more than 2 tablets (5 mg) in 24 hours.	Chew and swallow 2 tablets (5 mg) or 4 tablets (10 mg) once daily depending upon severity of symptoms; do not take more than 4 tablets (10 mg) in 24 hours.
adults 65 years and over	ask a doctor
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
 ■ store between 20° to 25°C (68° to 77°F)
 ■ do not use if blister unit is torn or broken

Inactive ingredients betadex, corn starch, flavor, lactose monohydrate, magnesium stearate, mannitol, silicified microcrystalline cellulose, sucralose

Questions? call 1-800-343-7805 (toll-free) or 215-273-8755 (collect)

LOT XXXXXXXX
EXP YYYY/MMM

The trade dress of this ZYRTEC[®] package is subject to trademark protection.
Active ingredient made in Switzerland

Distributed by: JOHNSON & JOHNSON CONSUMER INC., McNeil Consumer Healthcare Division, Fort Washington, PA 19034 USA ©J&J, JCI 20XX 00000000/000000

Not for retail sale

Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x length)	9.97 in ²	1/16 IN.	5 SQ. IN. OR LESS
Net Content Size:	0.125"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.

Cetirizine HCl
Cetirizine HCl
Cetirizine HCl
Cetirizine HCl

ZYRTEC

Labeling Format Information: Fonts: HelveticaDF-Cond Medium, Cond Bold, Cond Bold Italic			
Drug Facts: 9.00 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 75%
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 2.50 pt	Average Tracking: -15
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	

NDC 50580-790-01

Children's ZYRTEC

Cetirizine HCl chewable tablets
2.5 mg/antihistamine

ALLERGY

Dye-Free
CHEWABLES

Indoor + Outdoor Allergies
2 yrs & older

24 HOUR

Relief of

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose

Actual Size

12 CHEWABLE TABLETS

Grape Flavor
Chew or crush tablets completely before swallowing

LOT XXXXXXXX
EXP YYYY/MMM

Children's ZYRTEC
Dye-Free
Grape Flavor
ALLERGY
CHEWABLES

Drug Facts	Purpose	Drug Facts (continued)
Active ingredient (in each chewable tablet) Cetirizine HCl 2.5 mg	Antihistamine	Directions may be taken with or without water chew or crush tablets completely before swallowing
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat 	<p>children 2 to under 6 years of age</p> <p>Chew and swallow 1 tablet (2.5 mg) once daily; if needed, dose can be increased to a maximum of 2 tablets (5 mg) once daily or 1 tablet (2.5 mg) every 12 hours. Do not give more than 2 tablets (5 mg) in 24 hours.</p> <p>adults and children 6 years and over</p> <p>Chew and swallow 2 tablets (5 mg) or 4 tablets (10 mg) once daily depending upon severity of symptoms; do not take more than 4 tablets (10 mg) in 24 hours.</p> <p>adults 65 years and over</p> <p>Chew and swallow 2 tablets (5 mg) once daily; do not take more than 2 tablets (5 mg) in 24 hours.</p> <p>children under 2 years of age</p> <p>ask a doctor</p> <p>consumers with liver or kidney disease</p> <p>ask a doctor</p>	
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.		Other information <ul style="list-style-type: none"> ■ store between 20° to 25°C (68° to 77°F) ■ do not use if blister unit is torn or broken
When using this product <ul style="list-style-type: none"> ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery 		Inactive ingredients betadex, corn starch, flavor, lactose monohydrate, magnesium stearate, mannitol, silicified microcrystalline cellulose, sucralose
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding: <ul style="list-style-type: none"> ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use. 		Questions? call 1-800-343-7805 (toll-free) or 215-273-8766 (collect)
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)		

The trade dress of this ZYRTEC package is subject to trademark protection. Pat. www.jdcpharm.com ©J&J 2023 Active ingredient made in Switzerland Distributed by: JOHNSON & JOHNSON CONSUMER INC., Medical Consumer Healthcare Division, Fort Washington, PA 19024, USA 3005556130910

LOT XXXXXXXX
EXP YYYY/MMM

Net Content Statement

PDP Area: (width x height)	9.97 in²
Net Content Size:	0.125"

NET CONTENT

1/16 IN.	5 SQ. IN. OR LESS
1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
1/2 IN.	OVER 400 SQ. IN.

Labeling Format Information: Fonts: HelveticaNeueLTStd-57Cond, 77BoldCond, 77BoldCondObl

Drug Facts: 9.00 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 75%
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 2.50 pt	
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	Average Tracking: -15

Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets

ZYRTEC

Children's ZYRTEC ALLERGY CHEWABLES
Dye-Free Grape Flavor

24 CHEWABLE TABLETS
Grape Flavor
Chew or crush tablets completely before swallowing

Drug Facts
Active Ingredient (in each chewable tablet)
Cetirizine HCl 2.5 mg

Purpose
Antihistamine

Uses
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product:

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Directions

- may be taken with or without water
- Chew or crush tablets completely before swallowing

children 2 to under 6 years of age	Chew and swallow 1 tablet (2.5 mg) once daily. If needed, dose can be increased to a maximum of 2 tablets (5 mg) once daily or 1 tablet (2.5 mg) every 12 hours. Do not give more than 2 tablets (5 mg) in 24 hours.
adults and children 6 years and over	Chew and swallow 2 tablets (5 mg) or 4 tablets (10 mg) once daily depending upon severity of symptoms; do not take more than 4 tablets (10 mg) in 24 hours.
adults 65 years and over	Chew and swallow 2 tablets (5 mg) once daily; do not take more than 2 tablets (5 mg) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if blister unit is torn or broken

Inactive ingredients betadex, corn starch, flavor, lactose monohydrate, magnesium stearate, mannitol, silicified microcrystalline cellulose, sucralose

Questions? call 1-800-343-7805 (toll-free) or 215-273-8755 (collect)

LOT XXXXXXXX
EXP YYYY/MM

Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x length)	9.97 in ²	1/16 IN.	5 SQ. IN. OR LESS
Net Content Size:	0.125"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.

Labeling Format Information: Fonts: Avenir Next Cd, Avenir Next Cd Bd, Avenir Next Cd Bd It

Drug Facts: 9.00 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 80%
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 1.00 pt	Average Tracking: 0
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	

Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets




Children's Zyrtec
Dye-Free CHEWABLES
Grape Flavor
ALLERGY
Indoor + Outdoor Allergies
6 yrs & older

24 hours Relief of Sneezing Runny Nose Itchy, Watery Eyes Itchy Throat or Nose Actual Size

6 CHEWABLE TABLETS
Grape Flavor
Chew or crush tablets completely before swallowing

Drug Facts
Active ingredient (in each chewable tablet): Cetirizine HCl 10 mg. Purpose: Antihistamine
Uses: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, sneezing, itchy, watery eyes, itching of the nose or throat.
Warnings: Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When Using this product: drowsiness may occur; avoid alcoholic drinks; alcohol, sedatives, and tranquilizers may increase drowsiness; be careful when driving a motor vehicle or operating machinery.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding: if breast-feeding: not recommended; if pregnant: ask a health professional before use.

Drug Facts (continued)
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)
Directions: may be taken with or without water; chew or crush tablets completely before swallowing.
adults and children 6 years and over: Chew and swallow 1 tablet (10 mg) once daily; do not take more than 1 tablet (10 mg) in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over: ask a doctor
children under 6 years of age: ask a doctor
consumers with liver or kidney disease: ask a doctor
Other information: store between 20° to 25°C (68° to 77°F); do not use if blister unit is torn or broken.
Inactive ingredients: betadex, corn starch, flavor, lactose monohydrate, magnesium stearate, mannitol, silicified microcrystalline cellulose, sucralose.
Questions? call 1-800-343-7805 (toll-free) or 215-273-8755 (collect)

LOT XXXXXXXX
EXP YYYY/MMM
The trade dress of this ZYRTEC® package is subject to trademark protection. Active ingredient made in Switzerland.

Distributed by: JOHNSON & JOHNSON CONSUMER INC., McNeil Consumer Healthcare Division, Fort Washington, PA 19034 USA ©US, JCI 20XX 00000000/000000

Not for retail sale

Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x length)	9.97 in ²	1/16 IN.	5 SQ. IN. OR LESS
Net Content Size:	0.125"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.

Cetirizine HCl chewable tablets
 Cetirizine HCl chewable tablets
 Cetirizine HCl chewable tablets
 Cetirizine HCl chewable tablets

ZYRTEC

Labeling Format Information: Fonts: HelveticaNeueLTStd-57Cond, 77BoldCond, 77BoldCondObi

Drug Facts: 9.00 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 85%
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 2.50 pt	
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	Average Tracking: -15

30055159

30055159

New look Same relief

Original Prescription Strength NDC 50550-791-01

Children's ZYRTEC

Cetirizine HCl chewable tablets
10 mg / antihistamine

ALLERGY

Dye-Free CHEWABLES

Indoor + Outdoor Allergies
6 yrs & older

24 hours

Relief of

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose

Actual Size

24 CHEWABLE TABLETS

Grape Flavor
Chew or crush tablets completely before swallowing

Drug Facts

Active ingredient (in each chewable tablet) Purpose
Cetirizine HCl 10 mg Antihistamine

Uses
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ sneezing
 ■ itchy, watery eyes
 ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product
 ■ drowsiness may occur
 ■ avoid alcoholic drinks
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:
 ■ if breast-feeding, not recommended
 ■ if pregnant, ask a health professional before use.

Directions
 ■ may be taken with or without water
 ■ chew or crush tablets completely before swallowing

adults and children 6 years and over
 Chew and swallow 1 tablet (10 mg) once daily; do not take more than 1 tablet (10 mg) in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over
 ask a doctor

children under 6 years of age
 ask a doctor

consumers with liver or kidney disease
 ask a doctor

Other information
 ■ store between 20° to 25°C (68° to 77°F)
 ■ do not use if blister unit is torn or broken

Inactive ingredients
 betadex, corn starch, fructose monohydrate, magnesium stearate, mannitol, silicified microcrystalline cellulose, sucralose

Questions?
 call 1-800-343-7805 (toll-free) or 215-273-8766 (collect)

Drug Facts (continued)
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
 ■ may be taken with or without water
 ■ chew or crush tablets completely before swallowing

adults and children 6 years and over
 Chew and swallow 1 tablet (10 mg) once daily; do not take more than 1 tablet (10 mg) in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over
 ask a doctor

children under 6 years of age
 ask a doctor

consumers with liver or kidney disease
 ask a doctor

Other information
 ■ store between 20° to 25°C (68° to 77°F)
 ■ do not use if blister unit is torn or broken

Inactive ingredients
 betadex, corn starch, fructose monohydrate, magnesium stearate, mannitol, silicified microcrystalline cellulose, sucralose

Questions?
 call 1-800-343-7805 (toll-free) or 215-273-8766 (collect)

LOT XXXXXXXX
EXP YYYY/MMM

The trade dress of this Zyrtec® packaging is a registered trademark of Johnson & Johnson Consumer Inc. Active ingredient made in Switzerland.

Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
 McKhann Consumer Healthcare Division
 One McKhann Plaza, New Brunswick, NJ 08901-1500
 Pat. www.jjpharm.com
 30055159/130588

30055159

Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x length)	9.97 in ²	1/16 IN.	5 SQ. IN. OR LESS
Net Content Size:	0.125"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.

Labeling Format Information: Fonts: HelveticaDF-Cond Medium, Cond Bold, Cond Bold Italic				
Drug Facts: 9.00 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 80%	
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 1.00 pt	Average Tracking: 0	
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt		

Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets

ZYRTEC



Net Content Statement		NET CONTENT	AREA OF PDP
1/16 IN.		1/16 IN.	5 SQ. IN. OR LESS
		1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.

PDP Area: (width x length) 12.94 in²
Net Content Size: 0.125"

Labeling Format Information				
Drug Facts: 9.00 pt	Body Text: 8.00 pt	Bullets: 5.00 pt	Horizontal Scale: 80%	
Headers: 8.00 pt	Leading: 8.50 pt	Barlines: 1.00 pt		
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	Average Tracking: 0	

Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets
Cetirizine HCl chewable tablets
ZYRTEC







Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x length)	9.97 in ²	1/16 IN.	5 SQ. IN. OR LESS
Net Content Size:	0.125"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.

Cetirizine HCl
Cetirizine HCl
Cetirizine HCl
Cetirizine HCl

ZYRTEC

Labeling Format Information: Fonts: HelveticaDF-Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts: 9.00 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 85%
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 2.50 pt	Average Tracking: -15
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	

30055154



New look Same relief

Original Prescription Strength

NDC 50580-753-24

ZYRTEC[®]

Cetirizine HCl ALLERGY
chewable tablets
10 mg antihistamine

Indoor + Outdoor Allergies
10 mg Strength Tablets

Dye-Free CHEWABLES

 Relief of	 Sneezing	 Runny Nose
 Itchy, Watery Eyes	 Itchy Throat or Nose	 Actual Size

24 CHEWABLE TABLETS

No water needed
Chew or crush tablets completely before swallowing

30055154



Dye-Free ALLERGY

ZYRTEC[®]

CHEWABLES

<p>Drug Facts</p> <p>Active ingredient Purpose (in each chewable tablet) Cetirizine HCl 10 mg Antihistamine</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat </p> <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.</p> <p>When using this product <ul style="list-style-type: none"> ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery </p> <p>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</p> <p>If pregnant or breast-feeding: <ul style="list-style-type: none"> ■ if breast-feeding, not recommended ■ if pregnant, ask a health professional before use. </p>	<p>Drug Facts (continued)</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p> <p>Directions <ul style="list-style-type: none"> ■ may be taken with or without water ■ chew or crush tablets completely before swallowing </p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td style="width: 50%;">adults and children 6 years and over</td> <td style="width: 50%;">Chew and swallow 1 tablet (10 mg) once daily; do not take more than 1 tablet (10 mg) in 24 hours. A 5 mg product may be appropriate for less severe symptoms.</td> </tr> <tr> <td>adults 65 years and over</td> <td>ask a doctor</td> </tr> <tr> <td>children under 6 years of age</td> <td>ask a doctor</td> </tr> <tr> <td>consumers with liver or kidney disease</td> <td>ask a doctor</td> </tr> </tbody> </table> <p>Other information <ul style="list-style-type: none"> ■ store between 20° to 25°C (68° to 77°F) ■ do not use if blister unit is torn or broken </p> <p>Inactive ingredients betadex, corn starch, lactose monohydrate, magnesium stearate, mannitol, silicified microcrystalline cellulose, sucralose</p> <p>Questions? call 1-800-343-7805 (toll-free) or 215-273-8766 (collect)</p>	adults and children 6 years and over	Chew and swallow 1 tablet (10 mg) once daily; do not take more than 1 tablet (10 mg) in 24 hours. A 5 mg product may be appropriate for less severe symptoms.	adults 65 years and over	ask a doctor	children under 6 years of age	ask a doctor	consumers with liver or kidney disease	ask a doctor
adults and children 6 years and over	Chew and swallow 1 tablet (10 mg) once daily; do not take more than 1 tablet (10 mg) in 24 hours. A 5 mg product may be appropriate for less severe symptoms.								
adults 65 years and over	ask a doctor								
children under 6 years of age	ask a doctor								
consumers with liver or kidney disease	ask a doctor								

The trade dress of this ZYRTEC[®] package is subject to trademark protection.
Active ingredient made in Switzerland.
Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
McNeil Consumer Healthcare Division
Fort Washington, PA 19034 USA
© J&J, C 2023
30055154/130591
Pat. www.jjcpats.com



3 00450 25024 7



This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
08/15/2024 11:53:35 AM