

Avoid excessive heat above 40°C (104°F)
Store between 20-25°C (68-77°F)

Drug Facts	
Active ingredient	Purpose
Chlorhexidine gluconate 2% solution	Antiseptic
Uses	
<ul style="list-style-type: none"> helps reduce bacteria that can potentiate a yeast skin infection for preparation of skin prior to surgery 	
Warnings	
For external use only	
Do not use	
<ul style="list-style-type: none"> on patients with known allergy to chlorhexidine gluconate or any other ingredients in this product for umbilical punctures or in contact with the meninges on open skin wounds or as a general skin cleanser 	
When using this product	
<ul style="list-style-type: none"> keep out of eyes, ears and mouth. May cause serious or permanent injury if chlorhexidine is permitted to enter and remain. If contact occurs, rinse with cold water right away and contact a doctor. 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition. 	
Keep out of reach of children	
<ul style="list-style-type: none"> If swallowed, get medical help or contact a Poison Control Center right away. 	
Directions	
<ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. do not microwave product and packaging are not sterile. For your hospital policy for skin preparation with non-sterile products. 	
To open package	
<ul style="list-style-type: none"> hold top of package in one hand. If flap on back of package with other hand grasp flap at top and pull down to tear flap away and expose foam hold outside of package to present foam and cloths to preparation table. Avoid contact between cloths and outside of package to reduce risk of cloth contamination 	
Or	
<ul style="list-style-type: none"> using sterile scissors, cut off end seal of package. 	

Drug Facts (continued)	
<ul style="list-style-type: none"> transfer contents onto preparation table. Avoid contact between cloths and outside of package to reduce risk of cloth contamination use first cloth to prepare the skin area and called for a moist or dry site, making certain to keep the second cloth where it will not be contaminated. Use second cloth to prepare larger areas. dry surgical sites (such as abdomen or arm): use one cloth to cleanse each 161 cm² area (approximately 5 x 5 inches) of skin to be prepared. Vigorously scrub skin back and forth for 3 minutes, completely wetting treatment area, then discard. Allow area to air dry for one (1) minute. Do not rinse. moist surgical sites (such as inguinal fold): use one cloth to cleanse each 65 cm² area (approximately 2 x 5 inches) of skin to be prepared. Vigorously scrub skin back and forth for 3 minutes, completely wetting treatment area, then discard. Allow area to air dry for one (1) minute. Do not rinse. discard each cloth after a single use after package has been opened discard any unused cloths 	
Other information	
<ul style="list-style-type: none"> store product flat store between 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F) 	
Inactive ingredients	
alcohol, dimethyl cone, fragrance, glycolic acid, hydroxyethylcellulose, polyethylene glycol, USP purified water, xanthan gum	
Questions or comments?	
call 1-800-323-2220 (Monday to Friday 8 AM - 5 PM CST) www.sageproducts.com	

↑ THIS END ↑
UP

Reorder #9705/9706

Sage Products LLC
3909 Three Oaks Road
Cary, IL 60013 U.S.A.
800-323-2220 • 815-455-4700
www.sageproducts.com

MADE IN U.S.A.
R1768E

SAGE
PRODUCTS

**2% CHLORHEXIDINE
GLUCONATE* CLOTH**
PATIENT PREOPERATIVE
SKIN PREPARATION

NON-STERILE

*equivalent to 500mg chlorhexidine gluconate per cloth

Rinse-Free — Alcohol-Free
For External Use Only — Single Use

- Provides rapid bactericidal action against a broad spectrum of microorganisms
- Significantly reduces the number of microorganisms on intact skin
- Demonstrates continued antimicrobial activity for up to 6 hours after application

DO NOT MICROWAVE

SAGE
PRODUCTS

**2% CHLORHEXIDINE
GLUCONATE* CLOTH**
PATIENT PREOPERATIVE
SKIN PREPARATION

NON-STERILE

*equivalent to 500mg chlorhexidine gluconate per cloth

Rinse-Free — Alcohol-Free
For External Use Only — Single Use

OPEN HERE

SAGE
PRODUCTS

**2% CHLORHEXIDINE
GLUCONATE* CLOTH**
PATIENT PREOPERATIVE
SKIN PREPARATION

NON-STERILE

*equivalent to 500mg chlorhexidine gluconate per cloth

Rinse-Free — Alcohol-Free
For External Use Only — Single Use

- Provides rapid bactericidal action against a broad spectrum of microorganisms
- Significantly reduces the number of microorganisms on intact skin
- Demonstrates continued antimicrobial activity for up to 6 hours after application

DO NOT MICROWAVE

NET CONTENTS: #9705 - 24 PACKAGES (2 CLOTHS PER PACKAGE/48 CLOTHS PER BOX)
 #9706 - 24 PACKAGES (2 CLOTHS PER PACKAGE/48 CLOTHS PER BOX)

▶ TEAR HERE ▶

Drug Facts (continued)

- transfer contents on a prep-able avoiding contact between cloths and outside of package to reduce risk of cloth contamination
- use first cloth to prepare the skin area indicated for a moist or dry site making certain to keep the second cloth where it will not be contaminated. Use second cloth to prepare larger areas
- **dry surgical sites** (such as abdomen or arm) use one cloth to cleanse each 161 cm² area (approximately 5 x 5 inches) of skin to be prepared. Vigorously scrub skin back and forth for 3 minutes completely wetting the area then discard. Allow area to air dry for one (1) minute. Do not rinse
- **moist surgical sites** (such as inguinal fold) use one cloth to cleanse each 65 cm² area (approximately 2 x 5 inches) of skin to be prepared. Vigorously scrub skin back and forth for 3 minutes completely wetting the area then discard. Allow area to air dry for one (1) minute. Do not rinse
- discard each cloth after a single use
- after package has been opened discard any unused cloths

Other information

- store product flat
- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

aloe vera dimehicone fragrance glucono delta lactone glycerin gepal® polysorbate 20 propylene glycol USP purified water cloth polyester

Questions or comments?

call toll-free 800-323-2220 (Monday to Friday 8 AM-5 PM CST)
www.sageproducts.com

Reorder #9705



SAGE
PRODUCTS

SAGE PRODUCTS LLC
3909 Three Oaks Road
Cary, Illinois 60013
www.sageproducts.com
800-323-2220

Patents:
www.sageproducts.com/patents

R5201H

NDC 053462-705

SAGE
PRODUCTS

**2% CHLORHEXIDINE
GLUCONATE* CLOTH**
**PATIENT PREOPERATIVE
SKIN PREPARATION**

NON-STERILE

*equivalent to 500mg chlorhexidine gluconate per cloth

Rinse-Free — Alcohol-Free
For External Use Only — Single Use

- Provides rapid bactericidal action against a broad spectrum of microorganisms
- Significantly reduces the number of microorganisms on intact skin
- Demonstrates continued antimicrobial activity for up to 6 hours after application

2 disposable cloths
7.5in x 7.5in (19.1cm x 19.1cm)
DO NOT MICROWAVE

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate 2% solution	Antiseptic

Uses

- helps reduce bacterial contamination
- potentially cause skin infection
- or preparation of skin prior to surgery

Warnings

For external use only

Do not use

- on patients with known allergies to chlorhexidine gluconate or any other ingredients in this product
- or lumbar punctures or in contact with the meninges
- on open skin wounds or as a general skin cleanser

When using this product

- keep out of eyes, ears and mouth. May cause serious or permanent injury if chlorhexidine is permitted to enter and remain in contact occurs. Rinse with cold water right away and contact a doctor.

Stop use and ask a doctor if

irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children

if swallowed get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns
- do not microwave
- product and packaging are non-sterile. Follow your hospital policy for skin preparation with non-sterile products

To open package

- holding top of package in one hand lift flap on backside of package with other hand
- grasp flap top and pull down over ear flap away and expose foam
- hold outside of package to present foam and cloths to prep-able avoiding contact between cloths and outside of package to reduce risk of cloth contamination

Or

- using sterile scissors cut off end seal of package



DO NOT FLUSH CLOTHS
LATEX FREE

IDENTIFY
SEAL

TEAR HERE

Drug Facts (cont nued)

- transfer contents on prep able avoiding contact between cloths and outside of package to reduce risk of cloths contamination
- use first cloth to prepare the skin area indicated for a moist or dry site making certain to keep the second cloth where it will not be contaminated Use second cloth to prepare larger areas
- **dry surgical sites** (such as abdomen or arm) use one cloth to cleanse each 161 cm² area (approximately 5 x 5 inches) of skin to be prepared Vigorously scrub skin back and forth for 3 minutes completely wetting remaining area then discard Allow area to air dry for one (1) minute Do not rinse
- **moist surgical sites** (such as inguinal fold) use one cloth to cleanse each 65 cm² area (approximately 2 x 5 inches) of skin to be prepared Vigorously scrub skin back and forth for 3 minutes completely wetting remaining area then discard Allow area to air dry for one (1) minute Do not rinse
- discard each cloth after a single use
- after package has been opened discard any unused cloths

Other information

- store product flat
- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

aloe vera dime hicone fragrance glucono deltalactone glycerin gepal® polysorbate 20 propylene glycol USP purified water cloth polyester

Questions or comments?

call toll-free 800-323-2220 (Monday to Friday 8 AM-5 PM CST)
www.sageproducts.com

Reorder #9707



SAGE PRODUCTS LLC
3909 Three Oaks Road
Cary, Illinois 60013
www.sageproducts.com
800-323-2220

Patents:
www.sageproducts.com/patents

R5335D

NDC 053462-705-23



**2% CHLORHEXIDINE
GLUCONATE* CLOTH**
**PATIENT PREOPERATIVE
SKIN PREPARATION**

NON-STERILE

*equivalent to 500mg chlorhexidine gluconate per cloth

**Rinse-Free — Alcohol-Free
For External Use Only — Single Use**

- Provides rapid bactericidal action against a broad spectrum of microorganisms
- Significantly reduces the number of microorganisms on intact skin
- Demonstrates continued antimicrobial activity for up to 6 hours after application

2 disposable cloths
7.5in x 7.5in (19.1cm x 19.1cm)

DO NOT MICROWAVE

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate 2% solution	Antiseptic

Uses

- helps reduce bacterial load can potentially cause skin infection
- or preparation of skin prior to surgery

Warnings

For external use only

Do not use

- on patients with known allergies to chlorhexidine gluconate or any other ingredients in this product
- or lumbar punctures or in contact with the meninges
- on open skin wounds or as a general skin cleanser

When using this product

- Keep out of eyes ears and mouth May cause serious or permanent injury if chlorhexidine is permitted to enter and remain in contact occurs rinse with cold water thoroughly and contact a doctor

Stop use and ask a doctor if

- irritation sensitization or allergic reaction occurs These may be signs of a serious condition

Keep out of reach of children

- if swallowed get medical help or contact a Poison Control Center right away

Directions

- use with care in premature infants or infants under 2 months of age These products may cause irritation or chemical burns
- do not microwave
- product and packaging are non-sterile Follow your hospital policy for skin preparation with non-sterile products

To open package

- holding top of package in one hand lift flap on backside of package with other hand
- grasp flap at top and pull down to ear flap away and expose foam
- hold outside of package to prevent contact between cloths and outside of package to reduce risk of cloth contamination

Or

- using sterile scissors cut off end seal of package



DO NOT FLUSH CLOTHS

LATEX FREE

INDENT SEAL