



DRAFT

DRAFT

WOMEN'S
Rogaine®

5% Minoxidil
Topical Aerosol

Hair Regrowth
Treatment

DRAFT

*Save this booklet for
future reference.*

DRAFT

Please read this booklet carefully.
It will help you understand how to use
WOMEN'S ROGAINE® Foam and
what to expect from its use. It takes time
to regrow hair. Results may occur at
3 months with **once daily** usage.
For some women, you may need to
use this product for at least 6 months
before you see results. If you have any
questions after reading this booklet,
or anytime while using WOMEN'S
ROGAINE® Foam, you should ask your
health care professional or call us toll-free
800-ROGAINE or **215-273-8755** (collect).

DRAFT

DRAFT

WHAT IS WOMEN'S ROGAINE® FOAM?

WOMEN'S ROGAINE®

Foam is a white foam containing 5% minoxidil for use only on the scalp to help regrow hair in women.

WHO MAY USE WOMEN'S ROGAINE® FOAM? WOMEN'S ROGAINE® Foam

may be appropriate for you if you are an adult who is at least 18 years old and experiencing gradually thinning hair or gradual hair loss on the top of your scalp. The common hereditary thinning or hair loss process begins slowly and may become noticeable only after years of gradual loss.

WOMEN'S ROGAINE® Foam is for general thinning of hair on the top of the scalp as shown on the next page. WOMEN'S ROGAINE® Foam has been shown to regrow hair in women with the degrees of hair loss shown. If women have more hair loss than shown, WOMEN'S ROGAINE® Foam may not work.

Many of those experiencing hair loss have other family members with gradual thinning of hair or hair loss. **If there is no family history of gradual thinning or gradual hair loss, or hair loss is patchy, see your doctor.**



DRAFT

DRAFT

WHO SHOULD NOT USE WOMEN'S ROGAINE® FOAM?

WOMEN'S ROGAINE® Foam will not prevent or improve hair loss related to pregnancy, the use of some prescription and non-prescription medications, certain severe nutritional problems (very low body iron; excessive vitamin A intake), the recently discontinued use of birth control pills, low thyroid states (hypothyroidism), chemotherapy, or diseases which cause scarring of the scalp. Also, WOMEN'S ROGAINE® Foam will not improve hair loss due to:

- Damage from the use of hair care products which cause scarring or deep burns of the scalp.
- Hair grooming methods such as cornrowing or ponytails which require pulling the hair tightly back from the scalp.

Do not use if you are not sure of the reason for your hair loss.

WILL WOMEN'S ROGAINE® FOAM WORK FOR ME?

The amount of hair regrowth is different for each person. Not everyone will respond to WOMEN'S ROGAINE® Foam. The response to WOMEN'S ROGAINE® Foam cannot be predicted. No one will be able to grow back all their hair.

DRAFT

DRAFT

To see your best results with WOMEN'S ROGAINE® Foam, make sure you apply the product directly to the scalp **once daily**. For some women, WOMEN'S ROGAINE® Foam may not work.

**HOW SOON CAN I EXPECT
RESULTS FROM USING
WOMEN'S ROGAINE® FOAM?**

Since normal hair usually grows only 1/2 to 1 inch per month, hair regrowth with WOMEN'S ROGAINE® Foam also takes time. Generally new hair growth is slow for an WOMEN'S ROGAINE® Foam user. Results may be seen as early as 3 months with **once daily** use. For some women, it may take at least 6 months for results to be seen. If you do not see any results after 6 months, stop using WOMEN'S ROGAINE® Foam and seek the advice of your doctor.

When you first begin to use WOMEN'S ROGAINE® Foam, your hair loss may continue for up to 2 weeks. This increase in hair loss is expected and is temporary. However, if it continues after two weeks, see your physician.

DRAFT

DRAFT

**IF WOMEN'S ROGAINE® FOAM IS
WORKING, WHAT WILL THE HAIR
LOOK LIKE?**

At first, hair growth may be soft, downy,
and colorless hairs. After further use, the
new hairs should be the same color and
thickness as the other hairs on your scalp.

**HOW LONG DO I NEED TO USE
WOMEN'S ROGAINE® FOAM?**

If you respond to WOMEN'S ROGAINE®
Foam, you need to use it **once daily** to
keep and continue the hair regrowth. Up
to 3 months of usage may be needed
to see your best results from WOMEN'S
ROGAINE® Foam.

**WHAT HAPPENS IF I COMPLETELY
STOP USING WOMEN'S ROGAINE®
FOAM? WILL I KEEP THE NEW HAIR?**

Continuous use of WOMEN'S ROGAINE®
Foam is needed to maintain hair
regrowth. If you stop using WOMEN'S
ROGAINE® Foam, the normal hair loss
process will start again. You will probably
lose your newly regrown hair in three to
four months.

**HOW DO I USE WOMEN'S ROGAINE®
FOAM?**

For best results, apply half a capful **once
a day** directly to the scalp in the hair loss
area. Using more than the recommended
amount will not improve results. Each
can should last two months, if used as

DRAFT

DRAFT

directed. Never take this product by mouth or apply to other parts of the body. Please refer to the "Directions for Use" section of this booklet.

WHEN DO I USE WOMEN'S ROGAINE® FOAM?

Apply WOMEN'S ROGAINE® Foam **once daily**. If you apply at night, allow application to dry completely before going to bed.

WHAT IF I FORGET TO USE WOMEN'S ROGAINE® FOAM OR MISS A DOSE?

If you miss one daily dose of WOMEN'S ROGAINE® Foam, just continue with your next dose. You should not make up for missed doses.

**CAN I USE WOMEN'S ROGAINE® FOAM MORE THAN ONCE A DAY?
WILL IT WORK FASTER, BETTER?**

No. WOMEN'S ROGAINE® Foam will not work faster or better if used more than **once a day**. More frequent use or larger doses have not been shown to speed up hair growth and may increase your chances of side effects.

WHAT KIND OF SHAMPOO SHOULD I USE WITH WOMEN'S ROGAINE® FOAM?

If you wash your scalp before applying WOMEN'S ROGAINE® Foam, use a mild shampoo.

**CAN I USE HAIR SPRAYS, MOUSSES,
CONDITIONERS, GELS, ETC.?**

Yes. There is no reason to change your usual hair care routine when using WOMEN'S ROGAINE® Foam. However, you should apply WOMEN'S ROGAINE® Foam first and wait for it to dry before applying your styling aids.

**CAN I HAVE MY HAIR COLORED OR
PERMED OR USE HAIR RELAXERS
WHILE USING WOMEN'S ROGAINE®
FOAM?**

Yes. We have no evidence that coloring, perming, or using relaxers on your hair change the effect of WOMEN'S ROGAINE® Foam. However, because the use of a permanent wave and hair color can cause scalp irritation on certain people, we recommend the following precautions:

1. To avoid possible scalp irritation, you should make sure all of the WOMEN'S ROGAINE® Foam has been washed off the hair and scalp before using color or perm chemicals.
2. For best results, do not apply WOMEN'S ROGAINE® Foam on the same day that you use a chemical treatment on your hair.
3. Do not use WOMEN'S ROGAINE® Foam for 24 hours after using any chemicals to make sure your scalp

has not been irritated by the perm or color treatment. If no irritation occurs, continue use of WOMEN'S ROGAINE® Foam as usual.

4. Simply restart your normal WOMEN'S ROGAINE® Foam routine. There is no need to use more WOMEN'S ROGAINE® Foam to make up for missed applications.

Missing one day of WOMEN'S ROGAINE® Foam will not affect your hair regrowth results.

**CAN I APPLY WOMEN'S ROGAINE®
FOAM AND WASH MY HAIR AN
HOUR LATER?**

No. For WOMEN'S ROGAINE® Foam to work best, you should allow WOMEN'S ROGAINE® Foam to remain on the scalp for about 4 hours before washing.

DRAFT

DRAFT

DIRECTIONS FOR USE

- Please familiarize yourself with the instructions below in order to help make your product application a success.
- This product should be used **ONCE DAILY, EVERY DAY**.
- To be effective, it is important to apply the product **DIRECTLY TO YOUR SCALP** and **NOT TO YOUR HAIR** so that it can easily get to your hair follicles to help regrow your hair.
- There is no need to shampoo your hair before using the product. If you wish to shampoo your hair before applying **WOMEN'S ROGAINE® Foam**, towel dry your hair so that the skin on the scalp is dry.
- **TO OPEN** the container: Hold ring. While holding ring, twist cap to line up the arrow on the ring with the arrow on the cap. (Figure 1 below) Tilt cap back and pull off cap.
- **The foam may begin to melt on contact if your fingers are warm. Rinse your fingers in cold water first before dispensing. Be sure to dry them thoroughly before handling the foam.**
- Hold the can straight upside down, press nozzle to dispense half a capful of the foam onto a non-absorbant surface (Figure 2 below). The total amount of foam applied should not exceed half a capful.

DRAFT

DRAFT

- Within your hair thinning areas, make a center part to help maximize scalp exposure. Part your hair at least 2 more times on each side of the center part (Figure 3 below).
- Using your fingertips, spread just enough foam over the hair loss areas and gently massage the foam into the scalp starting from the back to front (forehead) direction (Figure 4 below). Use until all the foam is gone.
- After each use, thoroughly clean and dry the dish or saucer if used.
- Wash your hands well with soap and water after applying.
- **TO CLOSE** the container: place cap on container and snap into place. Be sure arrows do not line up so cap remains child resistant.

DRAFT

DRAFT



OPEN CONTAINER



HOLD CAN STRAIGHT
UPSIDE DOWN



PART THE HAIR



USE YOUR FINGERS

**ARE THERE ANY SPECIAL
WARNINGS ABOUT THE USE OF
WOMEN'S ROGAINE® FOAM?**

For external use only.

Extremely flammable: Avoid fire, flame,
or smoking during or
immediately following application.

DO NOT USE IF

- your degree of hair loss is more than
that shown on page 5 of this booklet,
because this product may not work
for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy

DRAFT

DRAFT

- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age.
Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use
if you have heart disease.**

WHEN USING THIS PRODUCT

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur in 3 months with **once daily** use. For some women you may need to use this product **once daily** for at least 6 months before you see results.
- the amount of hair regrowth is different for each person.
This product will not work for everyone.

DRAFT

DRAFT

STOP USE AND ASK A DOCTOR IF

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

WHAT ARE THE MOST COMMON SIDE EFFECTS WITH WOMEN'S ROGAINE® FOAM?

The most common side effects are itching and other skin irritations of the treated area of the scalp. WOMEN'S ROGAINE® Foam contains alcohol, which would cause burning or irritation of the eyes or sensitive skin areas. If WOMEN'S ROGAINE® Foam accidentally gets into these areas, rinse with large amounts of cool tap water. Stop using WOMEN'S ROGAINE® Foam and contact your doctor if irritation persists.

DRAFT

DRAFT

**CAN WOMEN'S ROGAINE® FOAM
PRODUCE UNWANTED HAIR?**

Unwanted hair growth has been reported on the face and on other parts of the body with ROGAINE® use. The unwanted hair growth may be caused by the transfer of WOMEN'S ROGAINE® Foam to areas other than the scalp, or by absorption into the circulatory system of low levels of the active ingredient, or by a medical condition not related to the use of WOMEN'S ROGAINE® Foam.

If you experience unwanted hair, discontinue using WOMEN'S ROGAINE® Foam and see your doctor for recommendations about appropriate treatment. After stopping use of WOMEN'S ROGAINE® Foam, the unwanted hair, if caused by the use of WOMEN'S ROGAINE® Foam, should go away over time. You can take steps to decrease the chances for unwanted hair growth:

1. Limit the application of WOMEN'S ROGAINE® Foam only to the scalp,
2. If you use the hands to apply WOMEN'S ROGAINE® Foam, wash your hands thoroughly afterwards, and

DRAFT

DRAFT

3. Allow sufficient drying time before going to bed (usually 2 to 4 hours before going to bed after applying WOMEN'S ROGAINE® Foam).

**CAN I USE WOMEN'S ROGAINE®
FOAM FOR BALDNESS OR HAIR LOSS
IN BABIES AND CHILDREN?**

No. WOMEN'S ROGAINE® Foam must not be used to treat baldness or hair loss in babies or children.

**WHAT FACTORS MAY INCREASE THE
RISK OF SERIOUS SIDE EFFECTS WITH
WOMEN'S ROGAINE® FOAM?**

WOMEN'S ROGAINE® Foam should be applied only to the scalp. The risk of side effects may be greater when WOMEN'S ROGAINE® Foam is applied to other parts of the body.


DRAFT

DRAFT

If you have any other questions,
ask your health care professional
or call us toll-free **800-ROGAINE**
or **215-273-8755** (collect).

Store at controlled room temperature
20° to 25° C
(68° to 77° F).

Save this booklet for future reference.



TO OPEN:

1. Hold **RING**. (See diagram)
2. While holding **RING** twist **CAP** to line up white arrow on **RING** with gray arrow on **CAP**.
3. Tilt **CAP** back and pull

TO CLOSE:

1. Place **CAP** on container and snap into place.
2. Be sure arrows **DO NOT** line up so **CAP** remains child resistant.

DRAFT

DRAFT



DRAFT

DRAFT

Johnson & Johnson GLOBAL STRATEGIC DESIGN OFFICE

File Name	3002252 alt Rogaine Mini Radiant Lift re-juvenation		
Product Name	Women's Rogaine Foam for Women Hair Regrowth treatment		
Date	2 Feb20 (b) (4)	SAC No / Version	3002252 a15
Franchise	(b) (4)	CRR Parent No	22338
Brand	Women's Rogaine	CRR Child No	22333
Project Name	(b) (4) FDA3alt	PRF No	N/A
Component Type	Leaflet	Bercode No	N/A
Consumer Unit Contents	60 g (2 oz)	Bercode Size	N/A
Formulation No(s)	FD6 WD 6 0 0002	3D No /LDN No	3002252
Bulk No	N/A	Other Codes	N/A
Product Code No(s)	N/A	Outline No	LB 26A2
Prepress Separator	(b) (4)		
Prepress Job No	3 35552		
Artwork Program	InDesign CS5.5		
Ld Mkt Ctry / Sales Reg	USANorthAmerica		
Language	Single Language		
Printer S to	MPS Lansing MI		
Decorator	N/A		
Manufacturing Site(s)	DP		
Co packer	N/A		

Disclaimer

- This proof indicates approximate color only!
- Printer to use pre approved color targets
- All structure and holding lines do not print unless otherwise indicated
- This is prepared as a color digital mechanical, no traps have been made
- All trapping is the responsibility of the separator and/or printer
- Artwork must be produced from electronic file
- LIPC & data matrix are for position only, version is RESPONSIBLE FOR FINAL UPC AND DATA MATRIX CODE SCAN QUALITY.

Materials & Coatings

Note: Refer to applicable Packaging Component (PC) Specification for exact details/requirements on substrates and coatings/vernishes

(b) (4)

Fonts	Gotham Book Gotham Book Italic Gotham Medium Gotham Medium Italic
Substrate	80 lb test with a 8 pt Cover
Print Methods	☐ Fast
Print Production Manager	(b) (4)

Johnson & Johnson Consumer Products Company, Division of Johnson & Johnson Consumer Companies, Inc

135MM
5.315"

DRAFT

DRAFT

1.25" QUIET ZONE

55MM
2.1654"

REVISED DIELINE
01/30/13
DIELINE # L8726A2

FDA STANDARD FORMAT COPY

Drug Facts N/A

Headings 7 Pt Helvetica Neue Bold Condensed Oblique

Sub Heads 6 Pt Helvetica Neue Bold Condensed

Text 6 Pt Helvetica Neue Condensed

Outline Box/Barline N/A


Hairline Rule 0.466 Pt

Horizontal Scale 86%

Bullets 6 Pt

3/64" - Gap (Border - Type)

MM



DRAFT

Johnson & Johnson

GLOBAL STRATEGIC DESIGN OFFICE

File Name	30022519a1_Rogaine_EFHRT_60g_Lbl.ai				
Product Name	Women's Rogaine Foam for Women Hair Regrowth Treatment				
Date	12Feb2014 (b) (4)	RMC No. / Version	30022519/2	Prepress Separator	(b) (4)
Franchise		CRR Parent No.	223387	Prepress Job No.	3539280
Brand	Women's Rogaine	CRR Child No.	223390	Artwork Program	Illustrator or CS5
Project Name	(b) (4) FDA3b	PRF No.	N/A	Ld. Mkt. Ctry / Sales Reg.	USA/Nor hAmerica
Component Type	Label	Barcode No.	N/A	Language	Single
Consumer Unit Contents	60 g (2.11oz)	Barcode Size	N/A	Printer Site	MPS Lansing MI
Formulation No(s).	N/A	2D No./LCN No.	30022519	Decorator	N/A
		Other Codes	N/A	Manufacturing Site(s)	DPT
Bulk No.	N/A				
Product Code No(s).	N/A			Co-packer	N/A
		Deline No.	M210		

Disclaimer

- This proof indicates approximate color only!
- Printer to use pre-approved color targets.
- All structure and holding lines do not print unless otherwise indicated.
- This is prepared as a color digital mechanical, no traps have been made.
- All trapping is the responsibility of the separator and/or printer.
- Artwork must be produced from electronic file.
- UPC & data matrix are for position only. VENDOR IS RESPONSIBLE FOR FINAL UPC AND DATA MATRIX CODE SCAN QUALITY.

ARTWORK SPECIFICS

(b) (4)

Fonts

Helvetica AkzidenzGroteskPro Gotham Rounded
Arial Myriad Pro Gotham Book Gotham Medium
OCRBB TC Zapf Dingbats Helvetica Condensed
Gotham Bold Gotham Narrow

Substrate

Clear P/S

Print Methods

Flexo

Print Production Manager

(b) (4)

Johnson & Johnson Consumer Products Company, Division of Johnson & Johnson Consumer Companies, Inc.

Reference ID: 3463228



DRAFT

DRAFT

FDA STANDARD FORMAT COPY
Drug Facts 9 Pt. Helvetica Neue Bold Condensed Oblique
Headings 8 Pt. Helvetica Neue Bold Condensed Oblique
Sub-headers 6 Pt. Helvetica Neue Bold Condensed
Text 6 Pt. Helvetica Neue Condensed
Outline Box/Barline 1.5 Pt.
Hairline Rule 0.5 Pt.
Horizontal Scale 97%
Bullet 5 Pt.
3/84" - Gap (Border - Type)
Wt 11

Johnson & Johnson GLOBAL STRATEGIC DESIGN OFFICE			
File Name 30022416a1_Rogaine_FF1411_60g_Ca_Ou_1st4_scal_women.ai			
Product Name Women's Rogaine® Foam for Women Hair Regrowth Treatment Two Month Supply			
Date 24-Feb-2014	RMC No. / Version 30022416/1	Prepress Separator	(b) (4)
Franchise (b) (4)	CRR Parent No. 223336/	Prepress Job No.	3039080
Brand Women's Rogaine	CRR Child No. 223336	Artwork Program	Bus ra or CSS
Project Name (b) (4) FDA3a4a	PRF No. N/A	Ld. Mkt. Ctry / Sales Rep.	USANor h/America
Component Type Car on	Barcode No. 0 00000 00000 0	Language	Single
Consumer Unit Contents One 60 g (2.11 oz) Can	Barcode Size 100%	Printer Site	N/A
Formulation No(s) FDS-W016140-0002	2D No./LCN No. 30022416	Decorator	N/A
Bulk No. N/A	Other Codes N/A	Manufacturing Site(s)	N/A
Product Code No(s) N/A		Co-packer	N/A
	Dieline No. M34602_H		
Disclaimer			
• This proof indicates approximate color only! • Printer to use pre-approved color targets. • All structure and holding lines do not print unless otherwise indicated. • This is prepared as a color digital mechanical, no traps have been made. • All trapping is the responsibility of the separator and/or printer. • Artwork must be produced from electronic file. • LUPIC & data matrix are for position only. VENDOR IS RESPONSIBLE FOR FINAL LUPIC AND DATA MATRIX CODE SCAN QUALITY.			
Materials & Coatings			
Note: Refer to applicable Packaging Component (PC) Specification for exact details/requirements on substrates and coatings/varnishes.			
ARTWORK SPECIFICS			
(b) (4)			
Fonts Helvetica AkzidenzGroteskPro Go ham Rounded Arial Myriad Pro Go ham Book Go ham Medium OCRB TC Zapf Dinghys Helvetica Condensed Go ham Book Go ham Narrow			
Substrate SBS			
Print Methods Offset			
Print Production Manager (b) (4)			
Johnson & Johnson Consumer Products Company, Division of Johnson & Johnson Consumer Companies, Inc.			

Customer: JOHNSON & JOHNSON Material: SBS .020
Design: M34602_H Description: Mrs. B 1ct.
Size: 181.74 x 70.00 x 61.74 Side Shown: Printsides
Style: Trays Date: 10/31/2013



DRAFT

FDA STANDARD FORMAT COPY
Drug Facts 9 Pt. Helvetica Neue Bold Condensed Oblique
Headings 6 Pt. Helvetica Neue Bold Condensed Oblique
Side Heads 6 Pt. Helvetica Neue Bold Condensed
Text 6 Pt. Helvetica Neue Condensed
Outline Box/Barline 1.5 Pt.
Hairline Rule 0.5 Pt.
Horizontal Scale 97%
Bullet 5 Pt.
3/64" - Gap (Border - Type)
MM

Johnson & Johnson GLOBAL STRATEGIC DESIGN OFFICE			
File Name 30022419at_Rogaine_FF181T_2x60g_Ctn_Okt_2x4_seal_jvcvnt.ai			
Product Name Women's Rogaine® Foam for Women Hair Regrowth Treatment Four Month Supply			
Date 24/10/2014	RMC No. / Version 30022419 / 1	Prepress Separator	(0) (4)
Franchise 24/10/2014	CRR Parent No. 225387	Prepress Job No. 3039170	
Brand Women's Rogaine	CRR Child No. 225389	Artwork Program Illustrative CSS	
Project Name 24/10/2014	PRF No. N/A	Ld. Mkt. Ctry / Sales Reg. USANorthAmerica	
Component Type Carton	Barcode No. 030000 00000 0	Single	
Consumer Unit Contents Two 60 g (2.11oz) Cans	Barcode Size 90%	Printer Site N/A	
Formulation No(s) FDS-W016140-0002	2D No./LDN No. 30022419	Deconator N/A	
	Other Codes N/A	Manufacturing Site(s) DPT	
Bulk No. N/A		Co-packer N/A	
Product Code No(s) N/A			
	Deline No. M34619_E		
Disclaimer			
• This proof indicates approximate color only! • Printer to use pre-approved color targets. • All structure and holding lines do not print unless otherwise indicated. • This is prepared as a color digital mechanical, no traps have been made. • All trapping in the responsibility of the separator and/or printer. • Artwork must be produced from electronic file. • UPC & data matrix are for position only, version is unusable for retail, UPC and data matrix code same quality .			
Materials & Coatings Notes: Refer to applicable Packaging Component (PC) Specification for exact details/requirements on substrates and coatings/varnishes.			
ARTWORK SPECIFICS			
(0) (4)			
Fonts Helvetica, AkzidenzGroteskPro, Gotham Foundry, Arial, Myriad Pro, Gotham Book, Gotham Medium, OCFL, TTC Zapf Dingbats, Helvetica Condensed, Gotham Bold, Gotham Narrow			
Substrate SBS			
Print Methods Offset			
Print Production Manager (0) (4)			
Johnson & Johnson Consumer Products Company, Division of Johnson & Johnson Consumer Companies, Inc.			

Customer: JOHNSON & JOHNSON
Design: M34619_E
Size: 181.74 x 100.00 x 61.74
Style: Simplex Tray

Material: SBS_020
Description: Mrs. B 2ct.
Side Shown: Printsides
Date: 10/31/2013

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

THERESA M MICHELE
02/28/2014