


APPEARS THIS WAY ON ORIGINAL

6



APPEARS THIS WAY ON ORIGINAL



APPEARS THIS WAY ON ORIGINAL



Drug Facts
Active ingredient Minoxidil 5% w/v without propellant. **Purpose** Hair regrowth treatment for men.
Use To regrow hair on the top of the scalp (vertex only; see pictures on side of this carton).
Warnings For external use only. For use by men only. **Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.
Do not use if

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease
When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, lightheadedness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers. Then wash hands well
- see enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again


Other information

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container.
- Do not expose to heat or store at temperatures above 120° F (49° C).

Inactive ingredients butane, butylated hydroxytoluene, ethyl alcohol, decahydrolinaldehyde, lactic acid, isobutane (G), propene, purified water, CO₂, alcohol (G), stearic alcohol.
Questions?

- call toll-free 800-ROGAINE or 215-273-8765 (collect)
- visit www.rogaine.com

Men's ROGAINE® Foam is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Men's ROGAINE® Foam has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, Men's ROGAINE® Foam may not work.



MEN'S
Rogaine®

5% MINOXIDIL TOPICAL AEROSOL
HAIR REGROWTH TREATMENT

REACTIVATES
HAIR FOLLICLES
TO STIMULATE REGROWTH



EASY-TO-USE
FOAM

CLINICALLY PROVEN TO HELP REGROW HAIR

UNSCENTED

Not For Use By Women

Four Month Supply • Four - 60 g (2.11 oz) Cans



Distributed by: JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558 30047745
Active Made in Italy

THIS PACKAGE CONTAINS
• Four 60 g (2.11 oz) cans of Men's
ROGAINE® Foam (four month supply)

DIRECTIONS FOR USE

See information booklet with complete directions on how to use and obtain best results.



**1: PREP HANDS
WITH COLD WATER**
Rinse your fingers in cold water and dry them. Note: foam will melt on contact with warm surfaces.



**2: OPEN CHILD
RESISTANT CAP**
Be sure to align arrow on the cap with arrow on white ring. Lift cap back and pull off.



**3: DISPENSE
VERTICALLY ONTO
A COLD SURFACE**
Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).



**4: APPLY TO SCALP,
NOT HAIR**
Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.



**5: CLOSE CAP AND
WASH HANDS**
Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

© J&JCI 2020
Product incorporates technology licensed
from Cosmetics Corporation.
The overall look and design of this packaging
is subject to trademark protection.

APPEARS THIS WAY ON ORIGINAL

FOR BEST RESULTS



1: PREP HANDS WITH COLD WATER
Rinse your fingers in cold water and dry them. Note: Foam will melt on contact with warm surfaces.



2: OPEN CHILD RESISTANT CAP
A ign arrow on the cap with arrow on white ring. Tilt cap back and pull off.



3: DISPENSE VERTICALLY ONTO A COLD SURFACE
Hold the can straight upside down. If you hold can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto a cold surface (e.g. dish, or cold hands).



4: APPLY TO SCALP, NOT HAIR
Part your hair to expose hair loss area. Massage foam into a scalp, not hair. Repeat until all hair loss areas have been covered.



5: CLOSE CAP AND WASH HANDS
Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

Read and keep package and booklet for full product information

Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

Questions?

Call toll-free 800-ROGAINE or 215-273-8755 (collect) or reach us on the internet at www.rogaine.com

Store at Controlled Room Temperature 20° to 25° C (68° to 77° F). Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F (49° C).

30047741



MEN'S
Rogaine®

5% MINOXIDIL
TOPICAL AEROSOL

HAIR REGROWTH
TREATMENT

REACTIVATES
HAIR FOLLICLES
TO STIMULATE REGROWTH



EASY-TO-USE FOAM

UNSCENTED

Not For Use By Women

One Month Supply
One 60 g (2.11oz) Can

Active ingredient: Minoxidil 5% w/w (without propellant)

Warnings

For external use only.
For use by men only.
Extremely Flammable:
Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- you are a woman
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age.
- Do not use on babies or children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Distributed by: JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08588 Active Made in Italy © J&J/CJ2020
Product incorporates technology licensed from
Cosméticos Corporation. The overall look and design
of this packaging is subject to trademark protection.

IMPORTANT INFORMATION ABOUT

MEN'S
Rogaine®

5% MINOXIDIL TOPICAL AEROSOL
HAIR REGROWTH TREATMENT

REACTIVATES
HAIR FOLLICLES
TO STIMULATE REGROWTH



EASY-TO-USE
FOAM



CLINICALLY PROVEN TO HELP
REGROW HAIR

UNSCENTED

Not For Use By Women

rogaine.com



5% MINOXIDIL TOPICAL AEROSOL
HAIR REGROWTH TREATMENT

Save booklet for future reference

- It takes time to regrow hair.
Results may occur at 2 months
with twice a day usage. For some
men, you may need to use this
product for at least 4 months
before you see results.

Please read this booklet carefully.
It will help you understand how to
use ROGAINE® Foam and what to
expect from its use. If you have any
questions after reading this booklet,
or anytime while using ROGAINE®
Foam, you should ask your health
care professional or call us at
1-800-ROGAINE (1-800-764-2463).
You can also contact us at our
website at **rogaine.com**.

What is Men's ROGAINE® Foam?

ROGAINE® Foam is a white foam containing 5% minoxidil for use only on the scalp to help regrow hair in men.

Who may use




Men's ROGAINE® Foam?

ROGAINE® Foam is for use only by men. ROGAINE® Foam may be appropriate for you if you are a male at least 18 years old and experiencing gradually thinning hair or gradual hair loss on the top of the scalp (vertex only, as shown on the next page). It is not intended for frontal baldness or a receding hairline. The common inherited thinning or hair loss process begins slowly and may become noticeable only after years of gradual loss.

ROGAINE® Foam is for men with hair loss or thinning hair that begins on the vertex of the scalp.

ROGAINE® Foam is more likely to regrow hair in men with hair loss in the range shown on the next page.

If men have more hair loss than shown, ROGAINE® Foam may not work.



Many of those experiencing hair loss have other family members with gradually thinning hair or hair loss. **If you have no family history of gradually thinning hair or of gradual hair loss, or your hair loss is patchy, see your doctor.**

**Who should NOT use Men's
ROGAINE® Foam?**

- Women should not use Men's ROGAINE® Foam.
- ROGAINE® Foam should not be used on babies or children under 18 years old.
- ROGAINE® Foam will not prevent or improve hair loss which may occur with the use of some prescription and non-prescription medications, certain severe nutritional problems (very low body iron; too much vitamin A intake), low thyroid states (hypothyroidism), chemotherapy, or diseases which cause scarring of the scalp.

Also, ROGAINE® Foam will not improve hair loss due to:

- damage from the use of hair care products which cause scarring or deep burns of the scalp.
- hair grooming methods such as cornrowing or ponytails which require pulling the hair tightly back from the scalp.

**Do not use if you are not sure of
the reason for your hair loss.**

**Will Men's ROGAINE® Foam
work for me?**

The amount of hair regrowth is different for each person. Not everyone will respond to ROGAINE® Foam. The response to Men's ROGAINE® Foam cannot be predicted. It is unlikely anyone will be able to grow back all their hair.

However, to see your best results with Men's ROGAINE® Foam, make sure you get the medicine directly to the scalp and apply it twice a day, every day.

You may get better results if you have been losing your hair for a short period of time or have little hair loss. However, for some men ROGAINE® Foam may not work.

**How soon can I expect results
from using Men's ROGAINE®
Foam?**

Since normal hair usually grows only 1/2 to 1 inch per month, hair regrowth with ROGAINE® Foam also takes time.

Results may be seen as early as 2 months with twice daily use. For some men, it may take at least 4 months for results to be seen. If you do not see any results after 4 months, stop using ROGAINE® Foam and seek the advice of your physician.

When you **first** begin to use ROGAINE® Foam, your hair loss may increase temporarily for up to 2 weeks. This is likely a sign that you are getting rid of old hairs in order to regrow more new hairs. This temporary increase in hair loss is expected and is part of the process for how ROGAINE® Foam regrows hair. Remember, this increased hair loss is temporary. However, if it continues after two weeks, see your physician.

If Men's ROGAINE® Foam is working, what will the hair look like?

At first, hair growth is usually soft, downy, colorless hairs (like peach fuzz). After further use, the new hairs should be the same color and thickness as the other hairs on your scalp.

How long do I need to use Men's ROGAINE® Foam?

If you experience hair regrowth, continued use of ROGAINE® Foam is necessary or the hair loss will begin again.

What happens if I completely stop using Men's ROGAINE® Foam?

Continuous use of ROGAINE® Foam is needed to maintain hair regrowth.

If you stop using ROGAINE® Foam, you will lose your newly regrown hair in 3 to 4 months.

**How do I use
Men's ROGAINE® Foam?**

For best results, apply half a capful **2 times a day directly** to the scalp in the hair loss area. Using more than the recommended amount will not improve results. Each can should last one month, if used as directed.

Never take this product by mouth or apply to other parts of the body.

When do I use Men's ROGAINE® Foam?

Apply ROGAINE® Foam once in the morning and once at night. Allow the nighttime application to dry completely before going to bed. Each can should last one month, if used as directed.

What if I miss a dose or forget to use Men's ROGAINE® Foam?

If you miss one or two daily doses of ROGAINE® Foam, just continue with your next dose. You should not make up for missed doses.

**Can I use Men's ROGAINE®
Foam more than twice a day?
Will it work faster, better?**

No. ROGAINE® Foam will not work faster or better if used more than two times a day. More frequent use or larger doses have not been shown to speed up hair growth and may increase your chance of side effects.

**What kind of shampoo should I
use with Men's ROGAINE®
Foam?**

If you wash your scalp before applying ROGAINE® Foam, use a mild shampoo.

**Can I use hair sprays, mousses,
conditioners, gels, etc.?**

Yes. Hair sprays, spritz, or styling aids may be used on your hair while using ROGAINE® Foam. For best results, ROGAINE® Foam should be allowed to soak into the scalp before using any styling products. Try to develop a good routine of applying ROGAINE® Foam first, and then applying styling products and style as usual. Keep in mind that your best results will be seen with proper application.

**Can I have my hair colored
or permed or use hair relaxers
while using Men's ROGAINE®
Foam?**

Yes. We have no evidence that coloring or perming your hair or that the use of relaxers change the effect of ROGAINE® Foam. However, because the use of a permanent wave and hair color can cause scalp irritation on certain people, we recommend the following precautions:

1. To avoid possible scalp irritation, you should make sure all of the ROGAINE® Foam has been washed off the hair and scalp before using color or perm chemicals.
2. For best results, do not apply ROGAINE® Foam on the same day that you use a chemical treatment on your hair.
3. Do not use ROGAINE® Foam for 24 hours after using any chemicals to make sure your scalp has not been irritated by the perm or color treatment. If no irritation occurs, continue use of ROGAINE® Foam as usual.
4. Simply restart your normal ROGAINE® Foam routine. There is no need to use more ROGAINE® Foam to make up for missed applications.

Missing one day of ROGAINE®
Foam will not affect your hair
regrowth results.

**Can I apply Men's ROGAINE®
Foam and wash my hair
an hour later?**

No, For ROGAINE® Foam to work
best, you should allow it to stay
on the scalp for about 4 hours
before washing.

Using the Product:

- Please familiarize yourself with the instructions below in order to help make your product application a success.
- This product should be used **TWICE DAILY, EVERY DAY.**
- To be effective, it is important to apply the product **DIRECTLY TO YOUR SCALP** and **NOT TO YOUR HAIR** so that it can easily get to your hair follicles to help regrow your hair.
- There is no need to shampoo your hair before using the product. If you wish to shampoo your hair before applying Men's ROGAINE® Foam, towel dry your hair so that the skin on the scalp is dry.



1: PREP HANDS WITH COLD WATER

Rinse your fingers in cold water and dry them.
Note: foam will melt on contact with warm surfaces.



2: OPEN CHILD RESISTANT CAP

Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.



3: DISPENSE VERTICALLY ONTO A COLD SURFACE

Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).



4: APPLY TO SCALP, NOT HAIR

Part your hair to expose hair loss area. Massage foam into **scalp**, not hair. **Repeat** until all hair loss areas have been covered.



5: CLOSE CAP AND WASH HANDS

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

Warnings:

For external use only

For use by men only

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on page 4 of this booklet or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies or children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask your doctor before use if
you have heart disease.**

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people may experience changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

Not for use by women.

**May be harmful if used when
pregnant or breast-feeding.**

Keep out of reach of children.

If swallowed, get medical help or contact a poison control center right away.

What are the most common side effects with Men's ROGAINE® Foam?

The most common side effects are itching and skin irritation of the treated area of the scalp. If scalp irritation continues, stop use and see a doctor. ROGAINE® Foam contains alcohol, which will cause burning or irritation of the eyes. If ROGAINE® Foam accidentally gets into eyes, rinse with large amounts of cool tap water.

Can Men's ROGAINE® Foam produce unwanted hair growth?

Unwanted hair growth on the face and other parts of the body has been reported in women. But it is rare and reversible. If you develop unwanted hair, stop using ROGAINE® Foam. Over time, the unwanted hair growth caused by ROGAINE® Foam will go away. You can take the following steps to decrease the chances of unwanted hair growth:

1. limit the application of ROGAINE® Foam only to the scalp;
2. if you use your hands to apply ROGAINE® Foam, wash your hands well immediately afterwards.

**Can I use Men's ROGAINE®
Foam for baldness or hair loss
in babies or children?**

No. ROGAINE® Foam must not be used to treat baldness or hair loss in babies and children.


If you have any other questions, ask your health care professional or call us at **1-800-ROGAINE (1-800-764-2463)**. You can also visit our website at **rogaine.com**

Store at Controlled Room Temperature 20°C to 25°C (68°F to 77°F). Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

Save this booklet for future reference.

► **To Open:**

1. Be sure to align arrow on the cap with arrow on white ring.
2. Tilt cap back and pull off.



► **To Close:**


1. Place CAP on container and snap into place.
2. Be sure arrows **DO NOT** line up so CAP remains child resistant.

Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558
© J&JCI 2020
Product incorporates technology licensed from
Connetics Corporation.
The ROGAINE® name and the design of this
packaging is subject to trademark protection.
Questions? call toll-free **800-ROGAINE**
or **215-273-8755** (collect)
www.rogaine.com

30047866



This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>



This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
12/29/2020 10:42:52 AM