

NDA 021870/S-018
Page 3

NDC# 13267-234-45

Multiple-Dose Vial

Fludeoxyglucose F 18 Injection

0.74 GBq/mL to 14.8 GBq/mL (20 mCi/mL to 400 mCi/mL) @ EOS*

Sterile, Non-pyrogenic
Date _____
Exp. _____

Diagnostic - For Intravenous Use Only
Lot# _____
(Expires 12 hours after EOS*)

Contains:

0.74 GBq/mL to 14.8 GBq/mL (20 mCi/mL to 400 mCi/mL) of no-carrier added Fludeoxyglucose F 18 (2-deoxy-2-[¹⁸F]fluoro-D-glucose) @ EOS*; 4.5 mg of sodium chloride and 7.2 mg of citrate ions/mL.

Store vial upright in a lead shielded container at 25°C (77°F); excursions permitted to 15° to 30°C (59° to 86°F). Aseptically withdraw and handle doses.

Recommended Dosage: See Prescribing Information

[¹⁸F] Half-Life = 109.8 minutes
Calculate correct dosage from date and time of calibration.

Do not use if cloudy or if it contains particulate matter.

*EOS = End of Synthesis

CAUTION: RADIOACTIVE MATERIAL ⚠

Manufactured by: The Feinstein
Institutes for Medical Research
Cyclotron/Radiochemistry
Manhasset, NY 11030

Rx ONLY

NDC# 13267-234-45

Multiple-Dose Vial

Fludeoxyglucose F 18 Injection

0.74 GBq/mL to 14.8 GBq/mL (20 mCi/mL to 400 mCi/mL) @ EOS*

Activity @ EOS*: Total _____ mCi Volume _____ mL
Concentration _____ mCi/mL

Sterile, Non-pyrogenic
Calibration (EOS*) Time _____
Calibration Date _____

Diagnostic - For Intravenous Use Only
Exp. Date/Time _____
Lot# _____
(Expires 12 hours after EOS*)

Contains:

0.74 GBq/mL to 14.8 GBq/mL (20 mCi/mL to 400 mCi/mL) of no-carrier added Fludeoxyglucose F 18 (2-deoxy-2-[¹⁸F]fluoro-D-glucose) @ EOS*; 4.5 mg of sodium chloride and 7.2 mg of citrate ions/mL.

Store vial upright in a lead shielded container at 25°C (77°F); excursions permitted to 15° to 30°C (59° to 86°F). Aseptically withdraw and handle doses.

Recommended Dosage: See Prescribing Information

[¹⁸F] Half-Life = 109.8 minutes
Calculate correct dosage from date and time of calibration.

Do not use if cloudy or if it contains particulate matter.

*EOS = End of Synthesis

CAUTION: RADIOACTIVE MATERIAL ⚠

Manufactured by: The Feinstein
Institutes for Medical Research
Cyclotron/Radiochemistry
Manhasset, NY 11030

Rx ONLY

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>



Ramesh
Raghavachari

Digitally signed by Ramesh Raghavachari
Date: 11/09/2023 03:27:00PM
GUID: 502d0913000029f375128b0de8c50020