

<p>Drug Facts (continued)</p> <p>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>		<p>Drug Facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none"> phenylketonurics: contains phenylalanine 1.4 mg per chewable tablet safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn store between 20° to 25°C (68° to 77°F) 		<p>LOT/EXP AREA</p>								
<p>Directions</p> <p>chew or crush tablets completely before swallowing.</p> <table border="1"> <tr> <td>adults and children 6 years and over</td> <td>chew 2 tablets daily; not more than 2 chewable tablets in 24 hours</td> </tr> <tr> <td>children 2 to under 6 years of age</td> <td>chew 1 tablet daily; not more than 1 chewable tablet in 24 hours</td> </tr> <tr> <td>children under 2 years of age</td> <td>ask a doctor</td> </tr> <tr> <td>consumers with liver or kidney disease</td> <td>ask a doctor</td> </tr> </table>		adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours		children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours	children under 2 years of age	ask a doctor	consumers with liver or kidney disease	ask a doctor	<p>Inactive ingredients</p> <p>aspartame, citric acid anhydrous, colloidal silicon dioxide, D&C red No. 27 aluminum lake, FD&C blue No. 2 aluminum lake, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid</p>	
adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours											
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours											
children under 2 years of age	ask a doctor											
consumers with liver or kidney disease	ask a doctor											
		<p>Questions or comments?</p> <p>1-800-CLARITIN (1-800-252-7484)</p> <p>Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.</p> <p>© 2022 Bayer. Dist by: Bayer HealthCare LLC Whippany, NJ 07981 Product of India. 0000000 Bayer</p>										

<p>Sample - Not for Sale</p> <p>Ages 2+ years</p> <p>Children's Claritin Chewables</p> <p>loratadine chewable tablets 5 mg/antihistamine</p> <p>Indoor & Outdoor Allergies</p> <p>24 HOUR</p> <p>Non-Drowsy* Relief of:</p> <ul style="list-style-type: none"> Sneezing Runny Nose Itchy, Watery Eyes Itchy Throat or Nose <p>Grape flavored</p> <p>2 CHEWABLE TABLETS</p> <p>*When taken as directed. See Drug Facts Panel.</p>		<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredient (in each chewable tablet)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Loratadine 5 mg.....</td> <td>Antihistamine</td> </tr> </tbody> </table> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:</p> <ul style="list-style-type: none"> runny nose itchy, watery eyes sneezing itching of the nose or throat <p>Warnings</p> <p>Do not use if you have ever had an allergic reaction to this product or any of its ingredients.</p> <p>Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.</p> <p>When using this product do not take more than directed. Taking more than directed may cause drowsiness.</p>	Active ingredient (in each chewable tablet)	Purpose	Loratadine 5 mg.....	Antihistamine
Active ingredient (in each chewable tablet)	Purpose					
Loratadine 5 mg.....	Antihistamine					



Drug Facts
Active ingredient (in each chewable tablet): Loratadine 5 mg
Purpose: Antihistamine
Uses: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 • sneezing • itchy, watery eyes
 • itching of the nose or throat
Warnings:
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 When using this product do not take more than directed. Taking more than directed may cause drowsiness.
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions:
 • Chew or crush tablets completely before swallowing.
 adults and children 5 years and over: chew 2 tablets daily, not more than 2 chewable tablets in 24 hours
 children 2 to under 5 years of age: chew 1 tablet daily, not more than 1 chewable tablet in 24 hours
 children under 2 years of age: ask a doctor
 consumers with liver or kidney disease: ask a doctor

Drug Facts (continued)
Other information:
 • phenylephrine: contains phenylephrine 1.4 mg per chewable tablet
 • safety sealed: do not use if the individual blister unit is imprinted with Children's Claritin™ or open or torn
 • store between 20° to 25°C (68° to 77°F)
Inactive ingredients:
 aspartame, citric acid anhydrous, colloidal silicon dioxide, D,L-cysteine, iron, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid
Questions or comments?
 1-800-CLARITIN (1-800-252-7464)
 Bayer
LOT & EXP


Non-Drowsy Children's Claritin Chewables
 loratadine chewable tablets 5 mg/antihistamine
24 HOUR Non-Drowsy* Relief of:
 • Sneezing
 • Runny Nose
 • Itchy, Watery Eyes
 • Itchy Throat or Nose
Indoor & Outdoor Allergies
 Grape flavored
 50 2-Count Samples
 Total 100 Chewable Tablets
 *When taken as directed. See Drug Facts Panel.
PROFESSIONAL SAMPLES - NOT FOR SALE

Non-Drowsy Children's Claritin Chewables
 loratadine chewable tablets 5 mg/antihistamine
24 HOUR Non-Drowsy* Relief of:
 • Sneezing
 • Runny Nose
 • Itchy, Watery Eyes
 • Itchy Throat or Nose
Indoor & Outdoor Allergies
 Grape flavored
 50 2-Count Samples
 Total 100 Chewable Tablets
 *When taken as directed. See Drug Facts Panel.
PROFESSIONAL SAMPLES - NOT FOR SALE

Non-Drowsy Children's Claritin Chewables
 loratadine chewable tablets 5 mg/antihistamine
24 HOUR Non-Drowsy* Relief of:
 • Sneezing
 • Runny Nose
 • Itchy, Watery Eyes
 • Itchy Throat or Nose
Indoor & Outdoor Allergies
 Grape flavored
 50 2-Count Samples
 Total 100 Chewable Tablets
 *When taken as directed. See Drug Facts Panel.
PROFESSIONAL SAMPLES - NOT FOR SALE

Non-Drowsy Children's Claritin Chewables
 loratadine chewable tablets 5 mg/antihistamine
24 HOUR Non-Drowsy* Relief of:
 • Sneezing
 • Runny Nose
 • Itchy, Watery Eyes
 • Itchy Throat or Nose
Indoor & Outdoor Allergies
 Grape flavored
 50 2-Count Samples
 Total 100 Chewable Tablets
 *When taken as directed. See Drug Facts Panel.
PROFESSIONAL SAMPLES - NOT FOR SALE

Non-Drowsy Children's Claritin Chewables
 loratadine chewable tablets 5 mg/antihistamine
24 HOUR Non-Drowsy* Relief of:
 • Sneezing
 • Runny Nose
 • Itchy, Watery Eyes
 • Itchy Throat or Nose
Indoor & Outdoor Allergies
 Grape flavored
 50 2-Count Samples
 Total 100 Chewable Tablets
 *When taken as directed. See Drug Facts Panel.
PROFESSIONAL SAMPLES - NOT FOR SALE











Children's Claritin[®] Chewables
Grape flavored



US ONLY
PAPER BOX
MULTI-LAYER TRAY

how2recycle.info

Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
 © 2022 Bayer. Dkt by: Bayer HealthCare LLC
 Whippany, NJ 07981 Pat.: patents.livewell.bayer.com
 00000000 Bayer

LOT/EXP AREA

Drug Facts

Active ingredient (in each chewable tablet): Purpose: Antihistamine
 Loratadine 5 mg

Warnings

- Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
- Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
- When using this product do not take more than directed. Taking more than directed may cause drowsiness.
- Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

chew or crush tablets completely before swallowing.

adults and children
 chew 2 tablets daily, not more than 2 chewable tablets in 24 hours

6 years and over
 chew 1 tablet daily, not more than 1 chewable tablet in 24 hours

children 2 to under 6 years of age
 chew 1 tablet daily, not more than 1 chewable tablet in 24 hours

children under 2 years of age
 ask a doctor

consumers with liver or kidney disease
 ask a doctor

Other information

phenylephrine HCl: contains phenylephrine 1.4 mg per chewable tablet

safety sealed: do not use if the individual blister unit is printed with Children's Claritin® is open or tampered with

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

aspartame, citric acid anhydrous, colored silicon dioxide, cellulose, sodium starch glycolate, stearic acid

Questions or comments?
 1-800-CLARITIN (1-800-252-7144)

Children's Claritin[®] Chewables
Ages 2+ years
Grape flavored
30 CHEWABLE TABLETS

Children's Claritin[®] Chewables
Ages 2+ years
Grape flavored
30 CHEWABLE TABLETS

Children's Claritin[®] Chewables
Ages 2+ years
24 HOUR
Non-Drowsy* Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

loratadine chewable tablets
 5 mg/antihistamine

Indoor & Outdoor Allergies

30 CHEWABLE TABLETS

Grape flavored

00000000



00000000



00000000



*When taken as directed.
 See Drug Facts Panel.

00000000







Children's Claritin[®] Chewables
Grape flavored



US
ATINOMV

how2recycle.info

Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
 © 2022 Bayer. Dkt by: Bayer HealthCare LLC
 Whippany, NJ 07981 Pat.: patents.livewell.bayer.com
 00000000 Bayer

LOT/EXP AREA

Drug Facts

Active ingredient (in each chewable tablet): Purpose: Antihistamine
 Loratadine 5 mg

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose
 ■ itchy, watery eyes
 ■ sneezing
 ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 When using this product do not take more than directed. Taking more than directed may cause drowsiness.
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Other information
 ■ phenketonurics: contains phenylethylamine 1.4 mg per chewable tablet
 ■ safety sealed: do not use if the individual blister unit is imprinted with Children's Claritin[®] is open or torn
 ■ store between 20° to 25°C (68° to 77°F)

Inactive ingredients
 aspirarin, citric acid, anhydrous, colloidal silicon dioxide, cellulose, sodium starch glycolate, stearic acid

Questions or comments?
 1-800-CLARITIN (1-800-252-7444)

36 CHEWABLE TABLETS

Children's Claritin[®] Chewables

Ages 2+ years

Non-Drowsy[®]

Grape flavored



Children's Claritin[®] Chewables
Grape flavored

36 CHEWABLE TABLETS

00000000



Ages 2+ years

Non-Drowsy[®]

Children's Claritin[®] Chewables

loratadine chewable tablets
5 mg/antihistamine

Indoor & Outdoor Allergies

24 HOUR

Non-Drowsy[®] Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Grape flavored

36 CHEWABLE TABLETS

*When taken as directed. See Drug Facts Panel.

00000000





Children's Claritin[®] Chewables
Grape flavored



US ONLY
PAPER BOX MULTI-LAYER TRAY

how2recycle.info

Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
 © 2022 Bayer. Dkt by: Bayer HealthCare LLC
 Whippany, NJ 07981 Pat.: patents.livewell.bayer.com
 00000000 Bayer

LOT/EXP AREA

Drug Facts

Active ingredient (in each chewable tablet): Purpose: Antihistamine
 Loratadine 5 mg

Warnings

- Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
- Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
- When using this product do not take more than directed. Taking more than directed may cause drowsiness.
- Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children: chew 2 tablets daily; not more than 2 chewable tablets in 24 hours

Children 6 years and over: chew 1 tablet daily; not more than 1 chewable tablet in 24 hours

Children under 6 years of age: ask a doctor

Children under 2 years of age: ask a doctor

Other information

- phenylephrine: contains phenylephrine 1.4 mg per chewable tablet
- safety sealed: do not use if the individual blister unit is imprinted with Children's Claritin's logo or torn
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

aspartame, citric acid anhydrous, colored silicon dioxide, cellulose, sodium starch glycolate, stearic acid

Questions or comments?
 1-800-CLARITIN (1-800-252-7144)

Children's Claritin[®] Chewables
Ages 2+ years
Grape flavored
40 CHEWABLE TABLETS



Children's Claritin[®] Chewables
Grape flavored
40 CHEWABLE TABLETS



Grape flavored

LOT/EXP AREA

Children's Claritin[®] Chewables
Ages 2+ years
Grape flavored
40 CHEWABLE TABLETS

Non-Drowsy* Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

loratadine chewable tablets
5 mg/antihistamine

Indoor & Outdoor Allergies

40 CHEWABLE TABLETS

*When taken as directed. See Drug Facts Panel.

LOT/EXP AREA



Children's Claritin[®] Chewables
Grape flavored
40 CHEWABLE TABLETS



Grape flavored

LOT/EXP AREA

Children's Claritin[®] Chewables
Ages 2+ years
Grape flavored
40 CHEWABLE TABLETS

Non-Drowsy* Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

loratadine chewable tablets
5 mg/antihistamine

Indoor & Outdoor Allergies

40 CHEWABLE TABLETS

*When taken as directed. See Drug Facts Panel.

LOT/EXP AREA

Drug Facts (continued)

FD&C blue No. 2 aluminum lake, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Bubblegum chewable tablets
 aspartame, carmine, citric acid, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions or comments?
 1-800-CLARITIN (1-800-252-7484)

Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
 © 2022 Bayer.
 Diet by: Bayer HealthCare LLC
 Whippany, NJ 07981
 Pat.: patents.livewell.bayer.com
 00000000
 Bayer



VARIETY PACK

Ages 2+ years **Non-Drowsy***
Children's Claritin Chewables

20 Grape Flavored
 20 BubbleGum Flavored

40 CHEWABLE TABLETS

VARIETY PACK

Ages 2+ years **Non-Drowsy***
Children's Claritin Chewables

loratadine chewable tablets
 5 mg/antihistamine

24 HOUR Non-Drowsy* Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Indoor & Outdoor Allergies

20 Grape Flavored
 20 BubbleGum Flavored

40 CHEWABLE TABLETS

VARIETY PACK

Ages 2+ years **Non-Drowsy***
Children's Claritin Chewables

40 CHEWABLE TABLETS

Drug Facts

Active ingredient (in each chewable tablet)	Purpose
Loratadine 5 mg	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
 ■ phenyletanolamines:
 ■ grape flavor contains phenyletalanine 1.4 mg per chewable tablet
 ■ bubblegum flavor contains phenyletalanine 1.9 mg per chewable tablet
 ■ safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn
 ■ store between 20° to 25°C (68° to 77°F)

Inactive ingredients
Grape chewable tablets
 aspartame, citric acid anhydrous, colloidal silicon dioxide, D&C red No. 27 aluminum lake, ▶

00000000



00000000

LOT/EXP AREA



00000000



Drug Facts (continued)

FD&C blue No. 2 aluminum lake, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid
Bubblegum chewable tablets
 aspartame, carmine, citric acid, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions or comments?
1-800-CLARITIN (1-800-252-7484)

Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.

© 2022 Bayer.
 Dist. by: Bayer HealthCare LLC
 Whippany, NJ 07981
 Pat.: patents.livewell.bayer.com
 00000000
 Bayer



VARIETY PACK

Ages 2+ years
Non-Drowsy*
Children's Claritin®
Chewables

30 Grape Flavored
 30 BubbleGum Flavored
60 CHEWABLE TABLETS

VARIETY PACK

Ages 2+ years
Non-Drowsy*
Children's Claritin®
Chewables
 loratadine chewable tablets
 5 mg/antihistamine

24 HOUR **Non-Drowsy* Relief of:**
 • Sneezing
 • Runny Nose
 • Itchy, Watery Eyes
 • Itchy Throat or Nose

Indoor & Outdoor Allergies



*When taken as directed.
 See Drug Facts Panel.

30 Grape Flavored
 30 BubbleGum Flavored
60 CHEWABLE TABLETS

LOT/EXP AREA

00000000



Drug Facts

Active ingredient (in each chewable tablet)	Purpose
Loratadine 5 mg	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ chew or crush tablets completely before swallowing.
 adults and children 6 years and over chew 2 tablets daily; not more than 2 chewable tablets in 24 hours
 children 2 to under 6 years of age chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
 children under 2 years of age ask a doctor
 consumers with liver or kidney disease ask a doctor

Other information
 ■ phenylethanolamines:
 ■ grape flavor contains phenylalanine 1.4 mg per chewable tablet
 ■ bubblegum flavor contains phenylalanine 1.9 mg per chewable tablet
 ■ safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn
 ■ store between 20° to 25°C (68° to 77°F)

Inactive ingredients
Grape chewable tablets
 aspartame, citric acid anhydrous, colloidal silicon dioxide, D&C red No. 27 aluminum lake,



00000000

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
12/27/2022 03:24:14 PM