

<p><b>Drug Facts (continued)</b></p> <p><b>Stop use and ask a doctor</b> if an allergic reaction to this product occurs. Seek medical help right away.</p> <p><b>If pregnant or breast-feeding</b>, ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <p>■ chew or crush tablets completely before swallowing.</p> <table border="1"> <tr> <td>adults and children 6 years and over</td> <td>chew 2 tablets daily; not more than 2 chewable tablets in 24 hours</td> </tr> <tr> <td>children 2 to under 6 years of age</td> <td>chew 1 tablet daily; not more than 1 chewable tablet in 24 hours</td> </tr> <tr> <td>children under 2 years of age</td> <td>ask a doctor</td> </tr> <tr> <td>consumers with liver or kidney disease</td> <td>ask a doctor</td> </tr> </table>	adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours	children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours	children under 2 years of age	ask a doctor	consumers with liver or kidney disease	ask a doctor	<p><b>Drug Facts (continued)</b></p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ phenylketonurics: contains phenylalanine 1.4 mg per chewable tablet</li> <li>■ safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn</li> <li>■ store between 20° to 25°C (68° to 77°F)</li> </ul> <p><b>Inactive ingredients</b>                  aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid</p> <p><b>Questions or comments?</b>                  1-800-CLARITIN (1-800-252-7484)</p> <p>Bayer, the Bayer Cross, Claritin, Children's Claritin &amp; Balloon Design and the Claritin Vista are registered trademarks of Bayer.                  © 2023 Bayer.                  Dist. by: Bayer HealthCare LLC                  Whippany, NJ 07981                  Made in India. 00000000 Bayer</p>	<p><b>LOT/EXP AREA</b></p>	<p>Sample - Not for Sale</p>  <p><b>Children's Claritin Chewables</b></p> <p>loratadine chewable tablets                  5 mg/antihistamine</p> <p><b>Indoor &amp; Outdoor Allergies</b></p> <p><b>24 Hour Non-Drowsy* Relief of:</b></p> <ul style="list-style-type: none"> <li>• Sneezing • Runny Nose</li> <li>• Itchy, Watery Eyes</li> <li>• Itchy Throat or Nose</li> </ul> <p><b>DYE FREE</b></p> <p><b>GRAPE FLAVORED</b></p> <p><b>2 CHEWABLE TABLETS</b></p> <p>*When taken as directed. See Drug Facts Panel.</p>	<p><b>Drug Facts</b></p> <table border="1"> <thead> <tr> <th>Active ingredient (in each chewable tablet)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Loratadine 5 mg</td> <td>Antihistamine</td> </tr> </tbody> </table> <p><b>Uses</b> temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:</p> <ul style="list-style-type: none"> <li>■ runny nose</li> <li>■ itchy, watery eyes</li> <li>■ sneezing</li> <li>■ itching of the nose or throat</li> </ul> <p><b>Warnings</b></p> <p><b>Do not use</b> if you have ever had an allergic reaction to this product or any of its ingredients.</p> <p><b>Ask a doctor before use if you have</b> liver or kidney disease. Your doctor should determine if you need a different dose.</p> <p><b>When using this product</b> do not take more than directed. Taking more than directed may cause drowsiness.</p>	Active ingredient (in each chewable tablet)	Purpose	Loratadine 5 mg	Antihistamine
adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours															
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours															
children under 2 years of age	ask a doctor															
consumers with liver or kidney disease	ask a doctor															
Active ingredient (in each chewable tablet)	Purpose															
Loratadine 5 mg	Antihistamine															

**Non-Drowsy<sup>®</sup>  
Children's  
Claritin<sup>®</sup>  
Chewables**  
loratadine chewable tablets 5 mg/antihistamine

Drug Facts	Drug Facts (continued)
<b>Active ingredient (in each chewable tablet)</b> Purpose Loratadine 5 mg Antihistamine	<b>Other information</b> • Phenylephrine contains phenylephrine 1.4 mg per chewable tablet • Safety sealed; do not use if the individual blister and imprinted with Children's Claritin <sup>®</sup> is open or torn • Store between 20° to 25°C (68° to 77°F)
<b>Uses</b> temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: • runny nose • itchy, watery eyes • sneezing • itching of the nose or throat	<b>Inactive ingredients</b> aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid
<b>Warnings</b> Do not use if you have ever had an allergic reaction to this product or any of its ingredients. <b>Ask a doctor before use if you have</b> liver or kidney disease. Your doctor should determine if you need a different dose. <b>When using this product</b> do not take more than directed. Taking more than directed may cause drowsiness. <b>Stop use and ask a doctor if</b> an allergic reaction to this product occurs. Seek medical help right away. <b>If pregnant or breast-feeding</b> , ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.	<b>Questions or comments?</b> 1-800-CLARITIN (1-800-252-7484)
<b>Directions</b> • chew or crush tablets completely before swallowing, adults and children 6 years and over children 2 to under 6 years of age children under 2 years of age consumers with liver or kidney disease	<p>chew 2 tablets daily; not more than 2 chewable tablets in 24 hours</p> <p>chew 1 tablet daily; not more than 1 chewable tablet in 24 hours</p> <p>ask a doctor</p> <p>ask a doctor</p>

LOT & EXP

CONTAINS 50 CHEWABLE TABLETS

CONTAINS 50 CHEWABLE TABLETS

CONTAINS 50 CHEWABLE TABLETS



Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vests are registered trademarks of Bayer.  
 © 2023 Bayer.  
 Dist. by: Bayer Healthcare LLC  
 Whippany, NJ 07981  
 Pat. Pending. www.bayer.com

00000000

US PATENT MULTILAYER BOX TRAY

howtorecycleinfo

0 000000 000000 0

**Non-Drowsy\***  
**Children's Claritin®**  
**Chewables**

**Ages 2+ years**

**GRAPE FLAVORED**

**10 CHEWABLE TABLETS**

**Non-Drowsy\***  
**Children's Claritin®**  
**Chewables**

loratadine chewable tablets  
 5 mg/antihistamine

**Indoor & Outdoor Allergies**

**24 HOUR Non-Drowsy\* Relief of:**

- Sneezing • Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

**DYE FREE**

**GRAPE FLAVORED**

**10 CHEWABLE TABLETS**

**BAYER**

\* When taken as directed. See Drug Facts Panel.

**Drug Facts**

Active ingredient (in each chewable tablet)	Purpose
Loratadine 5 mg	Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.  
**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.  
**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.  
**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**  
 ■ phenylketonurics: contains phenylalanine 1.4 mg per chewable tablet  
 ■ safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn  
 ■ store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**  
 aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

**Questions or comments?**  
 1-800-CLARITIN (1-800-252-7484)

**COO Area**  
**LOT/EXP AREA**



Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vials are registered trademarks of Bayer.  
 © 2023 Bayer.  
 Dist. by: Bayer Healthcare LLC  
 Whippany, NJ 07981  
 P.O. Patent: www.bayer.com

0 000000 000000 0  
 0 000000 000000 0

Ages 2+ years  
 Non-Drowsy\*  
**Children's Claritin**  
 Chewables  
 BUBBLEGUM FLAVORED  
 10 CHEWABLE TABLETS

Ages 2+ years  
 Non-Drowsy\*  
**Children's Claritin**  
 Chewables  
 loratadine chewable tablets  
 5 mg/antihistamine  
 Indoor & Outdoor Allergies  
 24 HOUR Non-Drowsy\* Relief of:  
 • Sneezing • Runny Nose  
 • Itchy, Watery Eyes  
 • Itchy Throat or Nose  
 DYE FREE  
 BUBBLEGUM FLAVORED  
 10 CHEWABLE TABLETS  
 \* When taken as directed. See Drug Facts Panel.

COO Area  
 LOT/EXP AREA

BUBBLEGUM FLAVORED  
 10 CHEWABLE TABLETS  
 Non-Drowsy\*  
**Children's Claritin**  
 Chewables

**Drug Facts**

Active ingredient (in each chewable tablet)	Purpose
Loratadine 5 mg	Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.  
**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.  
**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.  
**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**  
 ■ phenylketonurics: contains phenylalanine 1.9 mg per chewable tablet  
 ■ safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn  
 ■ store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**  
 aspartame, citric acid, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

**Questions or comments?**  
 1-800-CLARITIN (1-800-252-7464)

00000000



Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vials are registered trademarks of Bayer.  
 © 2023 Bayer.  
 Dist. by: Bayer Healthcare LLC  
 Whippany, NJ 07981  
 Pat. Pending. www.bayer.com

00000000

US PATENT MULTILAYER TRAY

howtorecycleinfo

0 000000 000000 0

00000000

**Non-Drowsy\***  
**Children's Claritin**  
**Chewables**

GRAPE FLAVORED  
 20 CHEWABLE TABLETS

**Ages 2+ years**  
**Non-Drowsy\***  
**Children's Claritin**  
**Chewables**

loratadine chewable tablets  
 5 mg/antihistamine

**Indoor & Outdoor Allergies**

**24 HOUR** **Non-Drowsy\* Relief of:**  
 • Sneezing • Runny Nose  
 • Itchy, Watery Eyes  
 • Itchy Throat or Nose

**DYE FREE**

GRAPE FLAVORED

**20 CHEWABLE TABLETS**

**BAYER**

\* When taken as directed. See Drug Facts Panel.

00000000

**Drug Facts**

Active ingredient (in each chewable tablet)	Purpose
Loratadine 5 mg	Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.  
**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.  
**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.  
**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**  
 ■ phenylketonurics: contains phenylalanine 1.4 mg per chewable tablet  
 ■ safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn  
 ■ store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**  
 aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

**Questions or comments?**  
 1-800-CLARITIN (1-800-252-7484)

00000000

COO Area  
 LOT/EXP AREA







00000000





00000000



**Drug Facts**

Active ingredient (in each chewable tablet)	Purpose
Loratadine 5 mg	Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.  
**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.  
**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.  
**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ chew or crush tablets completely before swallowing.

adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**  
 ■ phenylketonurics: contains phenylalanine 1.4 mg per chewable tablet  
 ■ safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn  
 ■ store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**  
 aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

**Questions or comments?**  
 1-800-CLARITIN (1-800-252-7484)

**COO Area**  
**LOT/EXP AREA**











00000000





00000000



**Drug Facts**

Active ingredient (in each chewable tablet)	Purpose
Loratadine 5 mg	Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.  
**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.  
**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.  
**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ chew or crush tablets completely before swallowing.  
 adults and children 6 years and over chew 2 tablets daily; not more than 2 chewable tablets in 24 hours  
 children 2 to under 6 years of age chew 1 tablet daily; not more than 1 chewable tablet in 24 hours  
 children under 2 years of age ask a doctor  
 consumers with liver or kidney disease ask a doctor

**Other information**  
 ■ phenylethanolamines: contains phenylethanolamine 1.4 mg per chewable tablet  
 ■ safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn.  
 ■ store between 20° to 25°C (68° to 77°F)


**Inactive ingredients**  
 aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

**Questions or comments?**  
 1-800-CLARITIN (1-800-252-7484)

Ages 2+ years  
Non-Drowsy\*  
**Children's Claritin Chewables**  
loratadine chewable tablets  
5 mg/antihistamine

**DYE FREE**  
GRAPE FLAVORED  
**80 CHEWABLE TABLETS**


<b>Drug Facts</b>		<b>Drug Facts</b> (continued)	
<b>Active ingredient (in each chewable tablet)</b> Loratadine 5 mg.....	<b>Purpose</b> Antihistamine	<b>Directions</b> ■ chew or crush tablets completely before swallowing.	
<b>Uses</b> temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose                   ■ itchy, watery eyes ■ sneezing                      ■ itching of the nose or throat		adults and children 6 years and over	chew 2 tablets daily; not more than 2 chewable tablets in 24 hours
<b>Warnings</b> <b>Do not use</b> if you have ever had an allergic reaction to this product or any of its ingredients.		children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
<b>Ask a doctor before use if you have</b> liver or kidney disease. Your doctor should determine if you need a different dose.		children under 2 years of age	ask a doctor
<b>When using this product</b> do not take more than directed. Taking more than directed may cause drowsiness.		consumers with liver or kidney disease	ask a doctor
<b>Stop use and ask a doctor if</b> an allergic reaction to this product occurs. Seek medical help right away.		<b>Other information</b> ■ phenylketonurics: contains phenylalanine 1.4 mg per chewable tablet ■ safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn ■ store between 20° to 25°C (68° to 77°F)	
<b>If pregnant or breast-feeding</b> , ask a health professional before use.		<b>Inactive ingredients</b> aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid	
<b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.		<b>Questions or comments?</b> 1-800-CLARITIN (1-800-252-7484)	



Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.  
© 2023 Bayer.  
Dist by: Bayer HealthCare LLC  
Whippany, NJ 07981  
Made in India.  
Pat.: patents.livewell.bayer.com  
00000000  
Bayer

Ages 2+ years  
Non-Drowsy\*  
**Children's Claritin Chewables**  
loratadine chewable tablets  
5 mg/antihistamine

**2 PACKS**  
**2 x 40 ct.**



**DYE FREE**



**Indoor & Outdoor Allergies**



\* When taken as directed.  
See Drug Facts Panel.

GRAPE FLAVORED  
**80 CHEWABLE TABLETS**

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

NUSHIN F TODD  
07/11/2024 02:50:50 PM