



Non-Drowsy*
Ages 2+ years
Claritin
Chewables



GRAPE FLAVORED



Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
© 2025 Bayer. Dist by: Bayer HealthCare LLC
Whippany, NJ 07981 Pat.: patents.livewell.bayer.com
00000000 Bayer

LOT/EXP AREA
COUNTRY OF ORIGIN AREA
NO VARNISH
NO INK

Drug Facts
Active ingredient (in each chewable tablet): Purpose
Loratadine 5 mg... Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: sneezing, itchy, watery eyes, itchy throat or nose or throat.
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Questions or comments? 1-800-CLARITIN (1-800-252-7484)

Drug Facts (continued)
Directions Adults and children 6 years and over: chew 2 chewable tablets daily, not more than 2 chewable tablets in 24 hours. Children 2 to under 6 years of age: chew 1 chewable tablet daily, not more than 1 chewable tablet in 24 hours.
Other information Contains phenylephrine 1.4 mg per chewable tablet. Imprinted with Children's Claritin® is open or torn safety sealed: do not use if the individual blister unit is between 20° to 25°C (68° to 77°).
Inactive ingredients aspartame, citric acid, amygdrossin, colloidal silicon dioxide, cellulose, sodium starch glycolate, stearic acid.

Non-Drowsy*
Ages 2+ years
Claritin
Children's
Chewables
DYE FREE
GRAPE FLAVORED
50 CHEWABLE TABLETS

Non-Drowsy*
Ages 2+ years
Claritin
Chewables
DYE FREE
GRAPE FLAVORED
50 CHEWABLE TABLETS

NO VARNISH
00000000

Non-Drowsy*
Ages 2+ years
Claritin
Chewables
loratadine chewable tablets 5 mg/antihistamine
Indoor & Outdoor Allergies
24 Hour Non-Drowsy* Relief of:
• Sneezing • Runny Nose
• Itchy, Watery Eyes
• Itchy Throat or Nose
DYE FREE
GRAPE FLAVORED
50 CHEWABLE TABLETS
ACTUAL SIZE

NO VARNISH
00000000

GRAPE FLAVORED
50 CHEWABLE TABLETS
* When taken as directed. See Drug Facts Panel.

Glue Area



Ages 2+
Non-Drowsy
Children's Claritin
Chewables

ACTUAL SIZE
loratadine chewable tablets
5 mg/antihistamine

2 PACKS
50 ct. + 40 ct.

DYE FREE

Indoor & Outdoor Allergies

GRAPE FLAVORED
90 CHEWABLE TABLETS



*When taken as directed.
See Drug Facts Panel.



Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
© 2025 Bayer.
Dist by: Bayer HealthCare LLC
Whippany, NJ 07981
Made in India.
Pat. patents.livewell.bayer.com
0:000000
Bayer

Drug Facts
Loratadine 5 mg.....Antihistamine
Active ingredient (in each chewable tablet)
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ sneezing ■ runny nose ■ itchy, watery eyes ■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions
■ chew or crush tablets completely before swallowing.
■ adults and children 6 years and over: chew 2 chewable tablets in 24 hours
■ children 2 to under 6 years of age: chew 1 chewable tablet in 24 hours
■ children under 2 years of age: ask a doctor
2 years of age or younger: ask a doctor

Other information
■ phenylephrine: contains phenylephrine 1.4 mg per chewable tablet
■ safety sealed: do not use if the individual blister unit is opened or tampered with
■ store between 20° to 25°C (68° to 77°F)

Inactive ingredients
aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions or comments?
1-800-CLARITIN (1-800-252-7484)

90 CHEWABLE TABLETS
GRAPE FLAVORED
DYE FREE

loratadine chewable tablets
5 mg/antihistamine
Children's Claritin
Chewables
Non-Drowsy
Ages 2+

Ages 2+
Non-Drowsy
Children's Claritin
Chewables

ACTUAL SIZE
loratadine chewable tablets
5 mg/antihistamine

2 PACKS
2 x 50 ct.

DYE FREE


Indoor & Outdoor Allergies

GRAPE FLAVORED
100 CHEWABLE TABLETS



*When taken as directed.
See Drug Facts Panel.

Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
© 2025 Bayer.
Dist by: Bayer HealthCare LLC
Whippany, NJ 07981
Made in India.
Pat. patents.livewell.bayer.com
0:000000
Bayer



Drug Facts
Loratadine 5 mg.....Antihistamine
Active ingredient (in each chewable tablet)
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose
■ sneezing
■ itchy, watery eyes
■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions
■ chew or crush tablets completely before swallowing.
adults and children
chew 2 tablets daily, not more than 2 chewable tablets in 24 hours
6 years and over
chew 1 tablet daily, not more than 1 chewable tablet in 24 hours
children 2 to under 6 years of age
ask a doctor
children under 2 years of age
ask a doctor

Other information
■ phenylethanolamine: contains phenylethanolamine 1.4 mg per chewable tablet
■ safety sealed: do not use if the individual blister unit is open or torn
■ store between 20° to 25°C (68° to 77°F)
Inactive ingredients
aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions or comments?
1-800-CLARITIN (1-800-252-7484)

100 CHEWABLE TABLETS
GRAPE FLAVORED
DYE FREE

loratadine chewable tablets
5 mg/antihistamine
Children's Claritin
Chewables
Non-Drowsy
Ages 2+

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
05/14/2025 02:08:33 PM