


Actual Size 100%

| DRUG FACTS INFO | | |
|----------------------|--------------------|-----------------|
| CATEGORY | REQUIRED | ACTUAL IN FILE |
| Drug Facts Title | >8 pt.** | 9 pt. |
| Drug Facts Continued | 8 pt. | 8 pt. |
| Headings† | 8 pt.-bold italic‡ | 8 pt. |
| Subheadings | ≥6 pt. | 6 pt. |
| Body Text | ≥6 pt. | 6 pt. |
| Bullets | 5 pt. | 3.5 pt. |
| Leading | ≥0.5 pt. | ≥0.5 pt. |
| Hairlines | 0.5 pt. rule | .5 pt. |
| Box and Barline§ | >0.5 pt. rule | 1 pt. |
| Characters Per Inch: | No more than 39 | No more than 39 |

† Headings are to be at least 2pts larger than Body Text.
** Drug Facts Title to be larger than all other type size used in DPP
‡ FDA Recommends 2.5pt rule
§ FDA Recommends 2.5pt rule

| Drug Facts | | Drug Facts (continued) | |
|---|--|--|---|
| Active ingredient (in each tablet) | Loratadine 5 mg | Purpose | Antihistamine |
| Uses | temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ▪ runny nose ▪ sneezing | Directions | adults and children 6 years and over children 2 to under 6 years of age children under 2 years of age |
| Warnings | Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. | chew 2 tablets daily; not more than 2 tablets in 24 hours chew 1 tablet daily; not more than 1 tablet in 24 hours ask a doctor ask a doctor consumers with liver or kidney disease | |
| | | Other information | ▪ phenylketonurics: contains phenylalanine 1.4 mg per tablet ▪ safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn ▪ store between 20° to 25°C (68° to 77°F) |
| | | Inactive ingredients | aspartame, citric acid anhydrous, colloidal silicon dioxide, D&C red No. 27 aluminum lake, FD&C blue No. 2 aluminum lake, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid |
| | | Questions or comments? | 1-800-CLARITIN (1-800-252-7484) or www.claritin.com |



Actual Size 100%

| DRUG FACTS INFO | | |
|----------------------|-------------------|-----------------|
| CATEGORY | REQUIRED | ACTUAL IN FILE |
| Drug Facts Title | >8 pt ** | 9 pt |
| Drug Facts Continued | 8 pt | 8 pt |
| Headings* | 8 pt-bold italic* | 8 pt |
| Subheadings | ≥6 pt | 6 pt |
| Body Text | ≥6 pt | 6 pt |
| Bullets | 5 pt | 3.5 pt |
| Leading | ≥0.5 pt | ≥0.5 pt |
| Hairlines | 0.5 pt rule | .5 pt |
| Box and Barlines† | >0.5 pt rule | 1 pt |
| Characters Per Inch: | No more than 39 | No more than 39 |

* Headings are to be at least 2pts larger than Body Text.
** Drug Facts Title to be larger than all other type size used in DFP
† FDA Recommends 2.5pt rule

| Drug Facts | | Drug Facts (continued) | |
|--|---------------------------------|--|---|
| Active ingredient (in each tablet) Loratadine 5 mg..... | Purpose Antihistamine | Directions adults and children 6 years and over | chew 2 tablets daily; not more than 2 tablets in 24 hours |
| Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ▪ runny nose ▪ itchy, watery eyes ▪ sneezing ▪ itching of the nose or throat | | children 2 to under 6 years of age | chew 1 tablet daily; not more than 1 tablet in 24 hours |
| Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. | | children under 2 years of age | ask a doctor |
| Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. | | consumers with liver or kidney disease | ask a doctor |
| When using this product do not take more than directed. Taking more than directed may cause drowsiness. | | Other information ▪ phenyletonics: contains phenylalanine 1.9 mg per tablet ▪ safety sealed: do not use if the individual blister unit imprinted with Children's Claritin® is open or torn ▪ store between 20° to 25°C (68° to 77°F) | |
| Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. | | Inactive ingredients aspartame, carmine, citric acid, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid | |
| If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. | | Questions or comments? 1-800-CLARITIN (1-800-252-7484) or www.claritin.com | |

MANUFACTURER'S COUPON EXPIRES XX/XX/XXXX

Save \$2

on any Non-Drowsy* Children's Claritin® Chewables (30ct or larger)

ages 2 years and older



CONSUMER: LIMIT ONE COUPON PER PURCHASE on specified product(s), size(s) and quantity stated. LIMIT OF 4 EXACT SAME COUPONS PER HOUSEHOLD PER DAY. You pay any sales tax. Void if copied, sold, transferred, altered, or auctioned.

RETAILER: You are authorized to act as our agent and redeem this coupon at face value on the specified product(s). We will reimburse you for the face value of this coupon plus 8¢ if submitted in compliance with the Bayer HealthCare LLC Coupon Redemption Policy, incorporated herein by reference. USE NOT CONSISTENT WITH THESE TERMS MAY CONSTITUTE FRAUD AND MAY VOID ALL COUPONS SUBMITTED. Send coupons to: Bayer HealthCare LLC 1355, P.O. Box 880001, El Paso, TX 88588-0001. Cash Value, 1/20th of 1¢. Good only in the U.S.A. XXXXXX

000000-000000



Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
© 2018 Bayer. Dist by: Bayer HealthCare LLC Whippany, NJ 07981 XXXXXXXX



Thank You for Using Children's Claritin®

SAVE on Non-Drowsy* Children's Claritin® for Indoor & Outdoor Allergy Relief

ages 2 years and older



FOR MORE INFORMATION, VISIT Claritin.com.

*When taken as directed. See Drug Facts Panel.

Use as directed.
© 2018 Bayer.



00000000

Actual Size 100%

MANUFACTURER'S COUPON EXPIRES XX/XX/XXXX

Save \$2

on any **Non-Drowsy* Children's Claritin® Chewables** (30ct or larger)



ages 2 years and older

CONSUMER: LIMIT ONE COUPON PER PURCHASE on specified product(s), size(s) and quantity stated. LIMIT OF 4 EXACT SAME COUPONS PER HOUSEHOLD PER DAY. You pay any sales tax. Void if copied, sold, transferred, altered, or auctioned. RETAILER: You are authorized to act as our agent and redeem this coupon at face value on the specified product(s). We will reimburse you for the face value of this coupon plus 8¢ if submitted in compliance with the Bayer HealthCare LLC Coupon Redemption Policy, incorporated herein by reference. USE NOT CONSISTENT WITH THESE TERMS MAY CONSTITUTE FRAUD AND MAY VOID ALL COUPONS SUBMITTED. Send coupons to: Bayer HealthCare LLC 1355, P.O. Box 880001, El Paso, TX 88588-0001. Cash Value, 1/20th of 1¢. Good only in the U.S.A.

000000-000000



XXXXXX

MANUFACTURER'S COUPON EXPIRES XX/XX/XXXX

Save \$3

on any **Non-Drowsy* Claritin® Tablets or Claritin® RediTabs®** (30ct or larger)



ages 6 years and older

CONSUMER: LIMIT ONE COUPON PER PURCHASE on specified product(s), size(s) and quantity stated. LIMIT OF 4 EXACT SAME COUPONS PER HOUSEHOLD PER DAY. You pay any sales tax. Void if copied, sold, transferred, altered, or auctioned. RETAILER: You are authorized to act as our agent and redeem this coupon at face value on the specified product(s). We will reimburse you for the face value of this coupon plus 8¢ if submitted in compliance with the Bayer HealthCare LLC Coupon Redemption Policy, incorporated herein by reference. USE NOT CONSISTENT WITH THESE TERMS MAY CONSTITUTE FRAUD AND MAY VOID ALL COUPONS SUBMITTED. Send coupons to: Bayer HealthCare LLC 1355, P.O. Box 880001, El Paso, TX 88588-0001. Cash Value, 1/20th of 1¢. Good only in the U.S.A.

000000-000000



XXXXXX

Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design, RediTabs and the Claritin Vista are registered trademarks of Bayer.
 © 2018 Bayer. Dist by: Bayer HealthCare LLC, Whippany, NJ 07981 XXXXXXXX



Thank You for Using Children's Claritin®

SAVE on Non-Drowsy* Children's Claritin® for Indoor & Outdoor Allergy Relief

ages 2 years and older



Non-Drowsy* 24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

loratadine 5 mg/antihistamine

Indoor & Outdoor Allergies

Grape Flavored

30 CHEWABLE TABLETS

*When taken as directed. See Drug Facts Panel.

ages 2 years and older



Non-Drowsy* 24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

loratadine 5 mg/antihistamine

Indoor & Outdoor Allergies

Bubble Gum Flavored

30 CHEWABLE TABLETS

*When taken as directed. See Drug Facts Panel.

And for older family members, try Claritin® Tablets or Claritin® RediTabs®

For Adults and Children 6 years and older



Use as directed. © 2018 Bayer.

FOR MORE INFORMATION, VISIT Claritin.com.

*When taken as directed. See Drug Facts Panel.



00000000

Actual Size 100%

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

THERESA M MICHELE
07/20/2018