




(b) (4)



(b) (4)




(b) (4)



Verify UPC (if applicable) Verify SP PDF


Proofread: _____ Date: _____

INSIDE VIEW



<input type="checkbox"/>	<input type="checkbox"/>
Verify UPC (if applicable)	Verify SP PDF
Proofread: _____ Date: _____	

INSIDE VIEW



APO #: 2011-92711
 12.01.11 ju

<input type="checkbox"/>	<input type="checkbox"/>
Verify UPC (if applicable)	Verify SP PDF
Proofread: _____ Date: _____	



(b) (4)

**ATTACH LEGEND ON ALL
DIGITAL MECHANICALS**

STANDARD FORMAT
Helvetica Condensed
Variable horizontal scale adheres to 39 characters
per inch
Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
Drug Facts - 8 pt Helvetica Cnd. Bold Italic
(continued) - 8 pt Helvetica Cnd.
Headings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
Text - 6 pt Helvetica Cnd, minimum leading 6.5
Square Bullets - 5 pt Zaph Dingbats no compression
Border - 1.5 pt rule, 3/64" gap all around
Barline - 2.5 pt rule _____
Hairline - .5 pt rule _____

Certified by: _____

_____ (b) (4)




**ATTACH LEGEND ON ALL
DIGITAL MECHANICALS**

STANDARD FORMAT Helvetica Condensed Variable horizontal scale adheres to 39 characters per inch Drug Facts - 9 pt Helvetica Cnd. Bold Italic Drug Facts (continued) Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd. Headings - 8 pt Helvetica Cnd. Bold Italic Sub Heads - 6 pt Helvetica Cnd. Bold Text - 6 pt Helvetica Cnd, minimum leading 6.5 Square Bullets - 5 pt Zaph Dingbats no compression Border - 1.5 pt rule, 3/64" gap all around Barline - 2.5 pt rule Hairline - .5 pt rule

Certified by: _____

(b) (4)




**ATTACH LEGEND ON ALL
DIGITAL MECHANICALS**

STANDARD FORMAT Helvetica Condensed Variable horizontal scale adheres to 39 characters per inch Drug Facts - 9 pt Helvetica Cnd. Bold Italic Drug Facts (continued) Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd. Headings - 8 pt Helvetica Cnd. Bold Italic Sub Heads - 6 pt Helvetica Cnd. Bold Text - 6 pt Helvetica Cnd, minimum leading 6.5 Square Bullets - 5 pt Zaph Dingbats no compression Border - 1.5 pt rule, 3/64" gap all around Barline - 2.5 pt rule _____ Hairline - .5 pt rule _____

Certified by: _____

(b) (4)



**ATTACH LEGEND ON ALL
DIGITAL MECHANICALS**



STANDARD FORMAT
Helvetica Condensed
Variable horizontal scale adheres to 39 characters
per inch
Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
Drug Facts - 8 pt Helvetica Cnd. Bold Italic
(continued) - 8 pt Helvetica Cnd.
Headings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
Text - 6 pt Helvetica Cnd, minimum leading 6.5
Square Bullets - 5 pt Zaph Dingbats no compression
Border - 1.5 pt rule, 3/64" gap all around
Barline - 2.5 pt rule **_____**
Hairline - .5 pt rule **_____**

Certified by: _____

(b) (4)




**ATTACH LEGEND ON ALL
DIGITAL MECHANICALS**



STANDARD FORMAT Helvetica Condensed Variable horizontal scale adheres to 39 characters per inch Drug Facts - 9 pt Helvetica Cnd. Bold Italic Drug Facts (continued) Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd. Headings - 8 pt Helvetica Cnd. Bold Italic Sub Heads - 6 pt Helvetica Cnd. Bold Text - 6 pt Helvetica Cnd, minimum leading 6.5 Square Bullets - 5 pt Zaph Dingbats no compression Border - 1.5 pt rule, 3/64" gap all around Barline - 2.5 pt rule  Hairline - .5 pt rule 

Certified by: _____

(b) (4)




**ATTACH LEGEND ON ALL
DIGITAL MECHANICALS**

STANDARD FORMAT Helvetica Condensed Variable horizontal scale adheres to 39 characters per inch <i>Drug Facts</i> - 9 pt Helvetica Cnd. Bold Italic <i>Drug Facts</i> (continued) <i>Drug Facts</i> - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd. <i>Headings</i> - 8 pt Helvetica Cnd. Bold Italic <i>Sub Heads</i> - 6 pt Helvetica Cnd. Bold Text - 6 pt Helvetica Cnd, minimum leading 6.5 Square Bullets - 5 pt Zaph Dingbats no compression Border - 1.5 pt rule, 3/64" gap all around Barline - 2.5 pt rule  Hairline - .5 pt rule 

Certified by: _____

(b) (4)





(b) (4)

**ATTACH LEGEND ON ALL
 DIGITAL MECHANICALS**

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch

Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
 Drug Facts - 8 pt Helvetica Cnd. Bold Italic
 (continued) - 8 pt Helvetica Cnd.

Headings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
 Text - 6 pt Helvetica Cnd, minimum leading 6.5
 Square Bullets - 6 pt Zaph Dingbats no compression
 Border - 1.5 pt rule, 3/64" gap all around
 Barline - 2.5 pt rule _____
 Hairline - .5 pt rule _____

Certified by: _____

(b) (4) _____



**ATTACH LEGEND ON ALL
DIGITAL MECHANICALS**

STANDARD FORMAT
Helvetica Condensed
Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd.
Headings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
Text - 6 pt Helvetica Cnd, minimum leading 6.5
Square Bullets - 5 pt Zaph Dingbats no compression
Border - 1.5 pt rule, 3/64" gap all around
Barline - 2.5 pt rule _____
Hairline - .5 pt rule _____

Certified by: _____

(b) (4)

Drug Facts (continued)

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions


- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
 - fill to top of white section in cap which is marked to indicate the correct dose (17g)
 - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
 - use once a day
 - use no more than 7 days
- children 16 years of age or under: ask a doctor

**ATTACH LEGEND ON ALL
DIGITAL MECHANICALS**

STANDARD FORMAT Helvetica Condensed Variable horizontal scale adheres to 39 characters per inch Drug Facts - 9 pt Helvetica Cnd. Bold Italic Drug Facts (continued) Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd. Headings - 8 pt Helvetica Cnd. Bold Italic Sub Heads - 6 pt Helvetica Cnd. Bold Text - 6 pt Helvetica Cnd, minimum leading 6.5 Square Bullets - 5 pt Zaph Dingbats no compression Border - 1.5 pt rule, 3/64" gap all around Barline - 2.5 pt rule _____ Hairline - .5 pt rule _____

Certified by: _____


(b) (4)



ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
Helvetica Condensed
Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd.
Headings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 8 pt Helvetica Cnd. Bold
Text - 8 pt Helvetica Cnd, minimum leading 6.5
Square Bullets - 6 pt Zaph Dingbats no compression
Border - 1.5 pt rule, 3/64" gap all around
Barline - 2.5 pt rule
Hairline - .5 pt rule

Certified by: (b) (4)
 FDA Submission (b) (4)




**ATTACH LEGEND ON ALL
 DIGITAL MECHANICALS**

STANDARD FORMAT
Helvetica Condensed
Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd.
Warnings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
Text - 6 pt Helvetica Cnd, minimum leading 6.5
Square Bullets - 5 pt Zaph Dingbats no compression
Border - 1.5 pt rule, 3/64" gap all around
Barline - 2.5 pt rule _____
Hairline - .5 pt rule _____

Certified by: (b) (4) _____

 (b) (4)



ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
Helvetica Condensed
Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd.
Headings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 8 pt Helvetica Cnd. Bold
Text - 6 pt Helvetica Cnd, minimum leading 6.5
Square Bullets - 5 pt Zaph Dingbats no compression
Border - 1.5 pt rule, 3/64" gap all around
Barline - 2.5 pt rule
Hairline - .5 pt rule

Certified by: _____

(b) (4)

• Sugar Free

Drug Facts	Drug Facts (continued)
Active ingredient (in each dose) Purpose Polyethylene Glycol 3350, 17 g (cap filled to line) Osmotic Laxative	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Use <ul style="list-style-type: none"> relieves occasional constipation (irregularity) generally produces a bowel movement in 1 to 3 days 	Directions <ul style="list-style-type: none"> do not take more than directed unless advised by your doctor the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap) adults and children 17 years of age and older: <ul style="list-style-type: none"> fill to top of white section in cap which is marked to indicate the correct dose (17g) stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink use once a day use no more than 7 days children 16 years of age or under: ask a doctor
Warnings Allergy alert: Do not use if you are allergic to polyethylene glycol Do not use if you have kidney disease, except under the advice and supervision of a doctor Ask a doctor before use if you have <ul style="list-style-type: none"> nausea, vomiting or abdominal pain a sudden change in bowel habits that lasts over 2 weeks irritable bowel syndrome 	Other information <ul style="list-style-type: none"> store at 20° - 25°C (68° - 77°F) tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken
Ask a doctor or pharmacist before use if you are taking a prescription drug When using this product you may have loose, watery, more frequent stools Stop use and ask a doctor if <ul style="list-style-type: none"> you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. you get diarrhea you need to use a laxative for longer than 1 week 	Inactive ingredients none Questions or comments? 1-800-Miralax (1-800-547-2529)

Bayer, the Bayer Cross, and Miralax are registered trademarks of Bayer.
 © 2015 Bayer. Dist by: Bayer HealthCare LLC, Whippany, NJ 07981

Bayer 00000000

The image shows the front of a MiraLAX product container. The label is primarily purple and pink. At the top, a yellow and pink banner reads "Twin Pack! 2 x 34 Doses" and "EASY to Pour Bottle". The central logo features the brand name "MiraLAX" in a large, bold, blue font, with "Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative" written below it in a smaller, white font. To the left of the logo, a white box contains the text "00000-00" and "Lot Expiry Area". To the right, a white box contains a barcode and the number "0 41100 80926 1". Below the logo, a pink circular seal says "UNFLAVORED POWDER GRIT FREE". Below that, the Bayer logo is visible. At the bottom center, it says "34 ONCE-DAILY DOSES" and "NET WT 20.4 OZ (578 g)". On the far left, a bullet point states "Dissolves in Any Beverage". On the far right, a paragraph describes the product's benefits: "MiraLAX increases frequency of bowel movements and softens the stool." and includes copyright information: "Bayer, the Bayer Cross, and MiraLAX are registered trademarks of Bayer. © 2015 Bayer. Dist by: Bayer HealthCare LLC Whippany, NJ 07981".

Twin Pack!
2 x 34 Doses

EASY to Pour Bottle

MiraLAX[®]
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

• Dissolves in Any Beverage

00000-00

Lot Expiry Area

UNFLAVORED
POWDER
GRIT FREE

• Relieves Occasional Constipation/Irregularity
• Softens Stool

34 ONCE-DAILY DOSES

NET WT 20.4 OZ (578 g)

MiraLAX[®] increases frequency of bowel movements and softens the stool.

Bayer, the Bayer Cross, and MiraLAX are registered trademarks of Bayer.
© 2015 Bayer.
Dist by: Bayer HealthCare LLC
Whippany, NJ 07981

00000-00 Bayer

0 41100 80926 1


FDA Submission: 05.06.15

**ATTACH LEGEND ON ALL
 DIGITAL MECHANICALS**

STANDARD FORMAT
Helvetica Condensed
Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 9 pt Helvetica Cnd. Bold Italic
Drug Facts (continued)
Drug Facts - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd.
Warnings - 8 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
Text - 6 pt Helvetica Cnd, minimum leading 6.5
Square Bullets - 5 pt Zaph Dingbats no compression
Border - 1.5 pt rule, 3/64" gap all around
Barline - 2.5 pt rule _____
Hairline - .5 pt rule _____

Certified by: (b) (4) _____

(b) (4) _____



This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>

