

**MiraLAX**  
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

**Mix-In Pax**

PATIENT SAMPLES NOT FOR SALE

**MiraLAX**  
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

**Mix-In Pax**

- Relieves Occasional Constipation/Irregularity
- Softens Stool

**24** ONCE-DAILY DOSES



UNFLAVORED  
POWDER  
GRIT FREE

24 PACKETS  
NET WT 0.5 OZ  
(17g) EACH

**MiraLAX**  
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

**Mix-In Pax**



Travel Size

CONTAINS 24 ONCE-DAILY DOSES  
EACH PACKET CONTAINS ONE DOSE, NET WT 0.5 OZ (17g)

**24**  
ONCE-DAILY DOSES

24 PACKETS  
NET WT 0.5 OZ (17g)

OPEN HERE

PATIENT SAMPLES NOT FOR SALE

**MiraLAX**  
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

**Mix-In Pax**

**Drug Facts**  
**Active ingredient (in each dose) Purpose**  
Polyethylene Glycol 3350, 17 g Osmotic Laxative

**Use**  
■ relieves occasional constipation (irregularity)  
■ generally produces a bowel movement in 1 to 3 days

**Warnings**  
**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use** if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**  
■ nausea, vomiting or abdominal pain  
■ a sudden change in bowel habits that lasts over 2 weeks  
■ irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are taking a prescription drug**

**When using this product** you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**  
■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.  
■ you get diarrhea  
■ you need to use a laxative for longer than 1 week

**Drug Facts** (continued)  
If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
■ do not take more than directed unless advised by your doctor  
■ adults and children 17 years of age and older:  
■ stir and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink  
■ use once a day  
■ use no more than 7 days  
■ children 16 years of age or under: ask a doctor

**Other information**  
■ store at 20° - 25°C (68° - 77°F)  
■ tamper-evident: do not use if foil is open or broken

**Inactive ingredients** none

**Questions or comments?**  
1-800-MiraLAX (1-800-647-2529)

Bayer, the Bayer Cross, and MiraLAX are registered trademarks of Bayer.  
© 2016 Bayer.  
Dist by: Bayer HealthCare LLC, Whippany, NJ 07981  
XXXXX

Bayer

No Varnish  
No Copy  
Lot/Exp Area

PATIENT SAMPLES NOT FOR SALE

**MiraLAX**  
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

**Mix-In Pax**

• Unflavored • Sugar Free • Dissolves in Any Beverage



CONTAINS 24 ONCE-DAILY DOSES  
EACH PACKET CONTAINS ONE DOSE, NET WT 0.5 OZ (17g)

**Actual Size 100%**

DRUG FACTS INFO.			
CATEGORY	PRIMARY PACKAGING REQUIRED	SECONDARY PACKAGING REQUIRED	ACTUAL SIZE IN FILE
Drug Facts Title:	N/A	>8.0 pt	9 pt
Drug Facts	N/A	8 pt	8 pt
(continued):	N/A	8 pt	8 pt
Headings:	N/A	8 pt	8 pt
Subheadings:	N/A	6 pt	7 pt
Text:	N/A	6 pt	7 pt
Bullets:	N/A	5 pt (no larger)	5 pt
Leading:	N/A	+0.5 pt	7.5 pt
Characters Per Inch:	N/A	No more than 39	≤ 39

---

**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**

---

/s/  
-----

KAREN M MAHONEY  
10/04/2017