

BACK PANEL VIEW

• Unflavored • Sugar Free • Dissolves in any Beverage

N  
3 00000-00000 1

LOT YMXXRG EXP YYYY MM

Drug Facts	
<b>Active ingredient (in each dose)</b> Polyethylene Glycol 3350, 17 g.....	<b>Purpose</b> Osmotic Laxative
<b>Use</b> relieves occasional constipation (irregularity) generally produces a bowel movement in 1 to 3 days	
<b>Warnings</b> <b>Allergy alert:</b> Do not use if you are allergic to polyethylene glycol Do not use if you have kidney disease, except under the advice and supervision of a doctor <b>Ask a doctor before use if you have</b> nausea, vomiting or abdominal pain a sudden change in bowel habits that lasts over 2 weeks irritable bowel syndrome <b>Ask a doctor or pharmacist before use if you are taking a prescription drug</b> <b>When using this product you may have loose, watery, more frequent stools</b> <b>Stop use and ask a doctor if</b> you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. you get diarrhea you need to use a laxative for longer than 1 week	
<b>Drug Facts (continued)</b> If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> do not take more than directed unless advised by your doctor adults and children 17 years of age and older: use once a day stir and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink do not combine with starch-based thickeners used for difficulty swallowing ensure that the powder is fully dissolved before drinking do not drink if there are any clumps do not use more than 7 days children 16 years of age or under: ask a doctor	
<b>Other information</b> store at 20° - 25°C (68° - 77°F) tamper-evident: do not use if foil is open or broken	
<b>Inactive ingredients</b> none	
<b>Questions or comments?</b> 1-800-MiraLAX (1-800-647-2529)	
Bayer, the Bayer Cross, Mix-In Pax and MiraLAX are registered trademarks of Bayer. © 2021 Bayer. 00000 Dist by: Bayer HealthCare LLC, Whippany, NJ 07981	

**Bayer**

FRONT PANEL VIEW

Easy to Open & Pour

**#1 DOCTOR RECOMMENDED BRAND**

**MiraLAX®**  
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

**Mix-In Pax®** Travel Size

- Relieves Occasional Constipation/Irregularity
- Softens Stool

UNFLAVORED POWDER GRIT FREE

1 DOSE  
CHILD RESISTANT PACKET

NET WT 0.5 OZ (17 g)

BAYER


**Actual Size 100%**

FDA41234 - 4

DRUG FACTS INFO (updated 5/13/16)		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt.**	9 pt
Drug Facts Continued	8 pt	8 pt
Headings*	8 pt-bold italic*	8 pt
Subheadings	≥6 pt	6 pt
Body Text	≥6 pt	6 pt
Bullets	5 pt	5 pt
Leading	≥0.5 pt	0.5 pt
Hairlines	0.5 pt rule	0.5 pt
Box and Barlineart	>0.5 pt rule	1 pt
Characters Per Inch:	No more than 39	≤39

\* Headings are to be at least 2pts larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DPP  
† FDA Recommends 23x9 rule

## SACHET REAR VIEW



## SACHET FRONT VIEW



**Actual Size 100%**

FDA41235-4

DRUG FACTS INFO	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt **	9 pt
Drug Facts Continued	8 pt	8 pt
Headings*	8 pt bold italic*	8 pt
Subheadings	≥6 pt	6 pt
Body Text	≥6 pt	6 pt
Bullets	5 pt	5 pt
Leading	≥0.5 pt	0.5 pt
Headlines	0.5 pt min	0.5 pt
Box and Background	≥0.5 pt min	1 pt
Characters Per Inch	No more than 30	≤30

\* Headings are to be at least 6pt larger than Body Text.  
\*\* Drug facts title to be larger than all other type size used in DFP  
† FDA Recommends 24pt min

BACK PANEL VIEW

LOT YMXXRG EXP YYYY MM

**+**

**Not For Individual Sale**

- **Unflavored**
- **Sugar Free**
- **Dissolves in Any Beverage**

Drug Facts	Purpose
<b>Active ingredient (in each dose)</b> Polyethylene Glycol 3350, 17 g.....Osmotic Laxative	
<b>Use</b> relieves occasional constipation (irregularity) generally produces a bowel movement in 1 to 3 days	
<b>Warnings</b> <b>Allergy alert:</b> Do not use if you are allergic to polyethylene glycol Do not use if you have kidney disease, except under the advice and supervision of a doctor <b>Ask a doctor before use if you have</b> nausea, vomiting or abdominal pain a sudden change in bowel habits that lasts over 2 weeks irritable bowel syndrome <b>Ask a doctor or pharmacist before use if you are taking a prescription drug</b> When using this product you may have loose, watery, more frequent stools <b>Stop use and ask a doctor if</b> you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. you get diarrhea you need to use a laxative for longer than 1 week	
<b>Directions</b> do not take more than directed unless advised by your doctor adults and children 17 years of age and older: use once a day stir and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink do not combine with starch-based thickeners used for difficulty swallowing ensure that the powder is fully dissolved before drinking do not drink if there are any clumps do not use more than 7 days children 16 years of age or under: ask a doctor	
<b>Other information</b> store at 20° - 25°C (68° - 77°F) tamper-evident: do not use if foil is open or broken	
<b>Inactive ingredients</b> none	
<b>Questions or comments?</b> 1-800-MiraLAX (1-800-847-2529) Bayer, the Bayer Cross, Mix-In Pax and MiraLAX are registered trademarks of Bayer. © 2021 Bayer. Dist by: Bayer HealthCare LLC, Whippany, NJ 07981 00000	

**Bayer**

FRONT PANEL VIEW

**Easy to Open & Pour**

**#1 DOCTOR RECOMMENDED BRAND**

**MiraLAX<sup>®</sup>**  
*Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative*

**Mix-In Pax<sup>®</sup> Travel Size**

- Relieves Occasional Constipation/Irregularity
- Softens Stool

**UNFLAVORED POWDER GRIT FREE**

**1 DOSE**  
CHILD RESISTANT PACKET

**NET WT 0.5 OZ (17 g)**

**BAYER**

**Actual Size 100%**

FDA41232 - 3

DRUG FACTS INFO (updated 5/18/18)		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt.**	9 pt
Drug Facts Continued	8 pt	8 pt
Headings*	8 pt- <i>bold italic*</i>	8 pt
Subheadings	≥6 pt	6 pt
Body Text	≥6 pt	6 pt
Bullets	5 pt	5 pt
Leading	≥0.5 pt	0.5 pt
Hairlines	0.5 pt rule	0.5 pt
Box and Barlineart	>0.5 pt rule	1 pt
Characters Per Inch:	No more than 30	≤30

\* Headings are to be at least 2pts larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DPP  
† FDA Recommends 23.5pt rule

## SACHET REAR VIEW



## SACHET FRONT VIEW



**Actual Size 100%**

FDA41233-3

DRUG FACTS INFO (revised 5/18/16)		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt. **	9 pt.
Drug Facts Continued	8 pt.	8 pt.
Headings*	8 pt./bold italic*	8 pt.
Subheadings	≥6 pt.	6 pt.
Body text	≥6 pt.	6 pt.
Bullets	5 pt.	5 pt.
Leading	≥0.5 pt.	0.5 pt.
Headlines	0.5 pt./rule	0.5 pt.
Box and Barlines†	≥0.5 pt./rule	1 pt.
Characters Per Inch	No more than 30	≤30

\* Headings are to be at least 6pt. larger than Body text.  
\*\* Drug facts title to be larger than all other type size used in DFP.  
† FDA Recommends 2.5pt./rule.

BACK PANEL VIEW

LOT YMXRGG EXP YYYY MM

**Sample-Not For Sale**

- **Unflavored**
- **Sugar Free**
- **Dissolves in any Beverage**

Drug Facts	Purpose
<b>Active ingredient (in each dose)</b> Polyethylene Glycol 3350, 17 g.....Osmotic Laxative	
<b>Use</b> <ul style="list-style-type: none"> <li>■ relieves occasional constipation (irregularity)</li> <li>■ generally produces a bowel movement in 1 to 3 days</li> </ul>	
<b>Warnings</b> <b>Allergy alert:</b> Do not use if you are allergic to polyethylene glycol Do not use if you have kidney disease, except under the advice and supervision of a doctor <b>Ask a doctor before use if you have</b> <ul style="list-style-type: none"> <li>■ nausea, vomiting or abdominal pain</li> <li>■ a sudden change in bowel habits that lasts over 2 weeks</li> <li>■ irritable bowel syndrome</li> </ul> <b>Ask a doctor or pharmacist before use if you are taking a prescription drug</b> When using this product you may have loose, watery, more frequent stools <b>Stop use and ask a doctor if</b> <ul style="list-style-type: none"> <li>■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.</li> <li>■ you get diarrhea</li> <li>■ you need to use a laxative for longer than 1 week</li> </ul>	
<b>Directions</b> <ul style="list-style-type: none"> <li>■ do not take more than directed unless advised by your doctor</li> <li>■ adults and children 17 years of age and older:                              ■ use once a day                              ■ stir and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink</li> <li>■ do not combine with starch-based thickeners used for difficulty swallowing</li> <li>■ ensure that the powder is fully dissolved before drinking</li> <li>■ do not drink if there are any clumps</li> <li>■ do not use more than 7 days</li> <li>■ children 16 years of age or under: ask a doctor</li> </ul>	
<b>Other information</b> <ul style="list-style-type: none"> <li>■ store at 20° - 25°C (68° - 77°F)</li> <li>■ tamper-evident: do not use if foil is open or broken</li> </ul>	
<b>Inactive ingredients</b> none	
<b>Questions or comments?</b> 1-800-MiraLAX (1-800-847-2529)	
Bayer, the Bayer Cross, Mix-In Pax and MiraLAX are registered trademarks of Bayer. © 2021 Bayer. Dist by: Bayer HealthCare LLC, Whippany, NJ 07981 00000	

**Bayer**

FRONT PANEL VIEW

**Easy to Open & Pour**

**MiraLAX<sup>®</sup>**  
*Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative*

**Mix-In Pax<sup>®</sup> Travel Size**

- Relieves Occasional Constipation/Irregularity
- Softens Stool

**1 DOSE**  
CHILD RESISTANT PACKET

NET WT 0.5 OZ (17 g)

UNFLAVORED  
POWDER  
GRIT FREE

#1 DOCTOR RECOMMENDED BRAND

FOLD AT THIS LINE

TEAR AT ARROW HERE

**Actual Size 100%**

FDA41230 - 4

DRUG FACTS INFO (updated 5/18/18)		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt.**	9 pt
Drug Facts Continued	8 pt	8 pt
Headings*	8 pt-bold italic*	8 pt
Subheadings	≥6 pt	6 pt
Body Text	≥6 pt	6 pt
Bullets	5 pt	5 pt
Leading	≥0.5 pt	0.5 pt
Hair lines	0.5 pt rule	0.5 pt
Box and Barlines†	>0.5 pt rule	1 pt
Characters Per Inch:	No more than 39	≤39

\* Headings are to be at least 2pts larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DPP.  
† FDA Recommends 2.5pt rule.

## SACHET REAR VIEW



## SACHET FRONT VIEW



**Actual Size 100%**

FDA41231-4

DRUG FACTS INFO (revised 5/18/16)		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt.**	9 pt.
Drug Facts Continued	8 pt.	8 pt.
Headings*	8 pt./bold italic*	8 pt.
Subheadings	≥6 pt.	6 pt.
Body Text	≥6 pt.	6 pt.
Bullets	5 pt.	5 pt.
Leading	≥0.5 pt.	0.5 pt.
Headlines	0.5 pt./rule	0.5 pt.
Box and Background	≥0.5 pt./rule	1 pt.
Characters Per Inch	No more than 30	≤30

\* Headings are to be at least 6pt larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DFP  
† FDA Recommends 24pt rule



**Actual Size 100%**

FDA41237-3

DRUG FACTS INFO (Updated 5/16/19)		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Table	>8 pt.**	9 pt.
Drug Facts Continued	8 pt.	8 pt.
Headings*	8 pt.-bold italic*	8 pt.
Subheadings	>8 pt.	6 pt.
Body Text	>8 pt.	6 pt.
Bullets	5 pt.	5 pt.
Leading	>0.5 pt.	0.5 pt.
Headlines	0.5 pt. min	0.5 pt.
Box and Shelfmark	>0.5 pt. min	2.5 pt.
Characters Per Inch	No more than 30	<30

\* Headings are to be at least 20% larger than Body Text.  
\*\* Drug Facts Table to be larger than other type size used in DFP if FDA Recommendation 2, 3pt. min.



**Actual Size 100%**

FDA41236-3

DRUG FACTS INFO (continued 5/18/16)		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt. **	9 pt.
Drug Facts Content	8 pt.	8 pt.
Headings*	8 preclude table*	8 pt.
Subheadings	>6 pt.	6 pt.
Body Text	>6 pt.	6 pt.
Bullets	5 pt.	5 pt.
Lead-in	>0.5 pt.	0.5 pt.
Headlines	0.5 pt. min.	0.5 pt.
Box and Barlines	>0.5 pt. min.	2.5 pt.
Characters Per Inch	No more than 30	<30

\* Headings are to be at least 24pt larger than Body Text.  
\*\* Drug Facts Title to be larger than all other text used in ODP.  
† FDA Recommendation 2.5pt. min.



Actual Size 100%

FDA41238 - 5

DRUG FACTS INFO	REQUIRE	ACTUAL IN FILE
Drug Facts Title	>8 pt **	9 pt
Drug Facts Continued	8 pt	9 pt
Headings*	8 pt (code table)	9 pt
Subheadings	>6 pt	9 pt
Body Text	>6 pt	9 pt
Bullets	9 pt	9 pt
Lead-in	>0.5 pt	0.5 pt
Header	0.5 pt (code)	0.5 pt
Box and Bar Code	>4.5 pt (code)	2.5 pt
Characteristics Per Inch	No more than 30	<30

\* Headings are to be at least 20% larger than Body Text.  
\*\* Drug Facts Title to be larger than all other text and used in 9 pt font.



**MiraLAX**  
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

**Mix-In Pax**

**Drug Facts**  
**Active ingredient (in each dose)** Polyethylene Glycol 3350, 17 g  
**Purpose** Osmotic Laxative

**Use**  
Relieves occasional constipation (irregularity) generally produces a bowel movement in 1 to 3 days

**Warnings**  
Always alert: Do not use if you are allergic to polyethylene glycol. Do not use if you have kidney disease, except under the advice and supervision of a doctor.  
Ask a doctor before use if you have:  
nausea, vomiting or abdominal pain  
sudden change in bowel habits that lasts over 2 weeks  
irritable bowel syndrome  
Ask a doctor or pharmacist before use if you are taking a prescription drug.  
When using this product you may have hoarseness, watery, more frequent stools.  
Stop use and ask a doctor if:  
you have rectal bleeding or your nose, bleeding, cramping or abdominal pain gets worse. There may be signs of a serious condition.  
you get dizziness  
you need to use a laxative for longer than 1 week

**Drug Facts (continued)**  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
Do not take more than directed unless advised by your doctor.  
Adults and children 17 years of age and older:  
use once a day  
Mix and dissolve one packet of powder (17 g) in any 4 to 8 ounces of beverage (cold, hot or room temperature).  
Then drink.  
Do not combine with starch-based thickeners used for difficulty swallowing.  
Ensure that the powder is fully dissolved before drinking.  
Do not drink if there are any clumps.  
Do not use more than 7 days.  
Children 16 years of age or under: ask a doctor.

**Other information**  
Store at 20° - 25°C (68° - 77°F).  
Temperature sensitive: do not use if full is open or broken.

**Inactive ingredients** none

**Questions or comments?**  
1-800-MiraLAX (1-800-647-5129)



Bayer the Bayer Cross, Mix-In Pax and MiraLAX are registered trademarks of Bayer.  
© 2015 Bayer. For complete terms, visit [www.bayer.com](http://www.bayer.com)  
Distributed by: Bayer HealthCare LLC, Whippany, NJ 07981  
050000000

**MiraLAX**  
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

**Mix-In Pax**

- Unflavored
- Sugar Free
- Dissolves in Any Beverage



**MiraLAX**  
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

**Mix-In Pax**

**NEW! Easy to Open & Pour**



**MiraLAX**  
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

**Mix-In Pax**

- Relieves Occasional Constipation/Irregularity
- Softens Stool

**20 ONCE-DAILY DOSES**  
CHILD RESISTANT PACKET



UNFLAVORED POWDER  
GAY FREE

**20 PACKETS**  
NET WT 0.5 OZ (17g) EACH

**MiraLAX**  
Polyethylene Glycol 3350, Powder for Solution, Osmotic Laxative

**Mix-In Pax**



Travel Size

**20**  
PRE-MEASURED, UNFLAVORED,  
SINGLE DOSES

Lot Code  
Exp Date

**Actual Size 100%**

FDA4-1239-4

DRUG FACTS INFO	REBUNDLED	ACTUAL IN FILE
Drug Facts Title	1-8 pt. **	9 pt.
Drug Facts Content	8 pt.	8 pt.
Headings*	8 pt. (smaller font)	8 pt.
Subheadings	10 pt.	9 pt.
Body Text	10 pt.	9 pt.
Tables	9 pt.	9 pt.
Footnote	10.5 pt.	10.5 pt.
Box and Label	10.5 pt. min.	10.5 pt.
Character Per Inch	No more than 30	30

\*Headings are to be at least 14pt. larger than body text.  
\*\*Drug Facts Title is 10pt. min. after the top header is 12pt.  
†FDA Recommendation 12pt. min.



**Actual Size 100%**

FDA11240-3

CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Table	>= 1**	1
Drug Facts Continued	0	0
Warnings*	0 (at least 1)	0
Subwarnings	>= 1	1
Body Text	>= 1	1
Images	0	0
Labels	>= 1	1
References	>= 1 (at least 1)	1
Box and Cartons†	>= 1 (at least 1)	1
Characters Per Inch	>= 10 (more than 10)	>= 10



Actual Size 100%

FDA41241-4

DRUG FACTS OVER	Quantity	ACTUAL IN PKG.
Category	17.0 g (0.60 oz)	17.0 g (0.60 oz)
Drug Facts Table	18.0 g (0.64 oz)	18.0 g (0.64 oz)
Drug Facts Continued	8.0 g (0.28 oz)	8.0 g (0.28 oz)
Headings*	8.0 g (0.28 oz)	8.0 g (0.28 oz)
Subheadings	1.0 g (0.04 oz)	1.0 g (0.04 oz)
Body Text	1.0 g (0.04 oz)	1.0 g (0.04 oz)
Icons	0.5 g (0.02 oz)	0.5 g (0.02 oz)
Leading	0.5 g (0.02 oz)	0.5 g (0.02 oz)
Headline	0.5 g (0.02 oz)	0.5 g (0.02 oz)
Box and Barcodes	0.5 g (0.02 oz)	0.5 g (0.02 oz)
Characters Per Inch	No more than 30	30

\* Figures are to be used by Bayer HealthCare LLC, Whippany, NJ 07981  
© 2021 Bayer HealthCare LLC. All rights reserved. 1/21



Actual Size 100%

FDA47363-3

DRUG FACTS OVER	RECORDED	ACTUAL IN FILE
Drug Facts Title	143 pt	5 pt
Drug Facts Content	1 pt	5 pt
Headings	1 pt	5 pt
Section	1 pt	5 pt
Body Text	1 pt	5 pt
Image	1 pt	5 pt
Color	1 pt	5 pt
Font	1 pt	5 pt
Box and Bag	1 pt	5 pt
Directions for Use	1 pt	5 pt
Warnings for Use	1 pt	5 pt
Other Information	1 pt	5 pt
Questions or Comments	1 pt	5 pt
Footer	1 pt	5 pt

## SACHET FRONT VIEW

FROM CONSUMER'S PERSPECTIVE



## SACHET REAR VIEW

FROM CONSUMER'S PERSPECTIVE



**Actual Size 100%**

FDA47674-4

DRUG FACTS INFO (updated 5/18/16)		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt **	9 pt
Drug Facts Continued	8 pt	8 pt
Headings*	8 pt bold italic*	8 pt
Subheadings	≥6 pt	6 pt
Body Text	≥6 pt	6 pt
Bullets	5 pt	5 pt
Leading	≥0.5 pt	0.5 pt
Headlines	0.5 pt min	0.5 pt
Box and Background	≥0.5 pt min	1 pt
Characters Per Inch	No more than 30	≤30

\* Headings are to be at least 20pt larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DFP  
† FDA Recommends 20pt min

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

NUSHIN F TODD  
08/04/2022 02:08:16 PM