

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**Blister**

Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel	Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel	Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel
Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel	Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel	Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel
Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel	Swallow whole. Do not chew, crush, or suck tablets. One 14-day course of treatment Do not take for more than 14 days or more often than every 4 months unless directed by a doctor. 40100 00 X1	Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel
Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel	Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel	Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel
Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel	Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel	Coated with wildberry mint flavor <b>Omeprazole DR Tablets 20mg</b> Acid reducer Push tablet through foil. Dexcel Pharma Technologies Ltd. 10 Hakidma Street, Yokneam, 20692, Israel

Reference ID: 3876674

**No Print Area**

**3-12-15**

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**14 Tablets (Bottle Label)**



**ACTUAL SIZE**



**150% FOR REVIEW ONLY**

**MODIFIED FORMAT**

**TYPE SIZES:**

- TITLE: 8 pt Helvetica Neue 77 Bold Cond Oblique
- HEADINGS: 7 pt Helvetica Neue 77 Bold Cond Oblique
- SUBHEADINGS: 6 pt Helvetica Neue 77 Bold Cond
- TEXT: 6 pt Helvetica Neue 57 Cond
- LEADING: 6.0 pt
- BULLETS: 5 pt Square with 2 M'S spacing between statements
- TELEPHONE #: 6 pt Helvetica Neue 77 Bold Cond
- HEAVY LINES: 1.0 pt
- HAIRLINES: 0.5 pt

Reference ID: 3876674

3-12-15

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**14 Tablets**

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet)</b> Omeprazole 20 mg. Acid reducer</p> <p><b>Purpose</b> Acid reducer</p> <p><b>Drug Facts (continued)</b></p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p> <p><b>Directions</b> ■ for adults 18 years of age and older ■ this product is to be used once a day (every 24 hours), every day for 14 days ■ it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours</p> <p><b>14-Day Course of Treatment</b> ■ swallow 1 tablet with a glass of water before eating in the morning ■ take every day for 14 days ■ do not take more than 1 tablet a day ■ do not use for more than 14 days unless directed by your doctor ■ swallow whole. Do not chew, crush, or suck tablets.</p> <p><b>Repeated 14-Day Courses (if needed)</b> ■ you may repeat a 14-day course every 4 months ■ do not take for more than 14 days or more often than every 4 months unless directed by a doctor</p> <p><b>Other information</b> ■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition. ■ read the directions and warnings before use ■ keep the carton. It contains important information. ■ store at 20-25°C (68-77°F) and protect from moisture</p> <p><b>Inactive ingredients</b> benzyl alcohol, carmine, carnuba wax, FD&amp;C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hypromellose acetate succinate, lactose monohydrate, menthol, modified starch, monobenzothiazolone, polyethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearoyl fumarate, sucralose, talc, titanium dioxide, triacetin, triethyl citrate</p> <p><b>Questions or comments?</b> 1-800-719-9260</p>	<p><b>Warnings</b></p> <p><b>Do not use if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools.</b> These may be signs of a serious condition. See your doctor.</p> <p><b>Ask a doctor before use if you have</b> ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness ■ heartburn with lightheadedness, sweating or dizziness ■ frequent chest pain ■ frequent wheezing, particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain</p> <p><b>Ask a doctor or pharmacist before use if you are taking</b> ■ warfarin, clopidogrel or clostazolol (blood-thinning medicines) ■ prescription antifungal or anti-yeast medicines ■ dicyclanil (heart medicine) ■ digoxin (heart medicine) ■ tacrolimus or mycophenolate mofetil (immune system medicines) ■ prescription antiretrovirals (medicines for HIV infection) ■ methotrexate (arthritis medicine)</p> <p><b>Stop use and ask a doctor if</b> ■ your heartburn continues or worsens ■ you need to take this product for more than 14 days ■ you get diarrhea ■ you get more than 1 course of treatment every 4 months</p> <p><b>If pregnant or breast-feeding, ask a health professional before use.</b></p>
--	--

Batch No.  
EXP  
: 40174 00 V1

**CODE AREA**

**Safety Feature - Do not use if printed tablet blister unit is open or torn.**

**NOT FOR RESALE**

Made in Israel  
Manufactured by:  
**Dexcel Pharma Technologies Ltd.**  
10 Hakidma Street, Yokneam, 20692, Israel

**Treats Frequent Heartburn!**  
**Occurring 2 or More Days a Week**

**Omeprazole**  
**delayed release tablets 20 mg**  
**acid reducer**



Coated with  
**Wildberry Mint**  
**Flavor**

**SWALLOW - DO NOT CHEW**

**14 TABLETS**

**One 14-day course of treatment**

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight ■ Quit smoking

**MODIFIED FORMAT**

**TYPE SIZES:**  
TITLE: 8 pt Helvetica Neue 77 Bold Condensed Oblique  
TITLE (continued): 7 pt Helvetica Neue 77 Bold Condensed Oblique (continued) 7 pt Helvetica Neue 57 Condensed  
HEADINGS: 7 pt Helvetica Neue 77 Bold Condensed Oblique  
SUBHEADINGS: 6 pt Helvetica Neue 77 Bold Condensed  
TEXT: 6 pt Helvetica Neue 57 Condensed  
LEADING: 6.3 and 6.5 pt  
BULLETS: 5 pt Square with 2 M'S spacing between statements  
TELEPHONE #: 6 pt Helvetica Neue 77 Bold Condensed  
HEAVY LINES: 1.5 pt  
HAIRLINES: 0.5 pt

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**14 Tablets**

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed

- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**CODE AREA**

: 40174 FA CE

**Drug Facts**

**Active ingredient (in each tablet):** Omeprazole 20 mg.....Acid reducer

**Use** ■ treats frequent heartburn (occurs 2 or more days a week)

■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Do not use** if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness
- chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss ■ nausea or vomiting ■ stomach pain

**Ask a doctor or pharmacist before use if you are taking**

- warfarin, clopidogrel or clostazolol (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines
- zafirlukast (anxely medicine) ■ digoxin (heart medicine)
- tacrolimus or mycophenolate mofetil (immune system medicines)
- prescription antiretrovirals (medicines for HIV infection)
- methotrexate (arthritis medicine)

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

**If pregnant or breast-feeding, ask a health professional before use.**

**Drug Facts (continued)**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions** ■ for adults 18 years of age and older

- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor

**Repeated 14-Day Courses (if needed)**

- swallow whole. Do not chew, crush, or suck tablets.
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor.
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other Information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

**Inactive ingredients**

FD&C blue #2/indigo carmine aluminum lake, carmine, canabua wax, hypromellose acetate succinate, lactose monohydrate, menthol, modified starch, monoethanolamine, polyethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, sucralose, talc, titanium dioxide, tracefin, triethyl citrate

**Questions or comments?** 1-800-719-9260

Manufactured by:  
Cesca Pharma Technologies Ltd.  
10 Haddam Street, Yonkers, NY 10992, Brazil

Made in Brazil



**Omeprazole Delayed Release Tablets 20mg**

**Safety Feature - Do not use if printed tablet blister unit is open or torn.**



NDC 00000-000-00

**Treats Frequent Heartburn!**  
Occurring 2 Or More Days a Week

**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**

**SWALLOW - DO NOT CHEW**



**Coated with Wildberry Mint Flavor**

**14 Tablets**

One 14-day course of treatment

**MODIFIED FORMAT**

**TYPE SIZES:**

**TITLE:** 8 pt Helvetica Neue 77 Bold Condensed Oblique

**TITLE (continued):** 7 pt Helvetica Neue 77 Bold Condensed Oblique (continued) 7 pt Helvetica Neue 57 Condensed

**HEADINGS:** 7 pt Helvetica Neue 77 Bold Condensed Oblique

**SUBHEADINGS:** 6 pt Helvetica Neue 77 Bold Condensed

**TEXT:** 6 pt Helvetica Neue 57 Condensed

**LEADING:** 6.3 and 6.5 pt

**BULLETS:** 5 pt Square with 2 M'S spacing between statements

**TELEPHONE #:** 6 pt Helvetica Neue 77 Bold Condensed

**HEAVY LINES:** 1.5 pt

**HAIRLINES:** 0.5 pt

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**14 Tablets**

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed

- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**CODE AREA**

: 40174 FA CBP2-F

**Drug Facts**

**Active Ingredient (in each tablet)** Omeprazole 20 mg.....Acid reducer

**Purpose** Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions** ■ For adults 18 years of age and older this product is to be used once a day (every 24 hours), every day for 14 days

■ It may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

■ Swallow 1 tablet with a glass of water before eating in the morning

■ Take every day for 14 days

■ Do not take more than 1 tablet a day

■ Do not use for more than 14 days unless directed by your doctor

■ Swallow whole. Do not chew, crush, or suck tablets.

**Repeated 14-Day Courses (if needed)**

■ Do not take for more than 14 days or more often than every 4 months unless directed by a doctor

■ Children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other Information**

■ Read the directions and warnings before use

■ Keep the carton, it contains important information.

■ Store at 20-25°C (68-77°F) and protect from moisture

**Inactive Ingredients** FD&C blue #2/indigo carmine aluminum lake, carmine, canabax wax, fumarate, sucralose, talc, titanium dioxide, triacetin, triethyl citrate, lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl modified starch, monoethanolamine, polyethylene glycol 3350, sodium hypromellose acetate succinate, lactose monohydrate, menthol, hypromellose, benzyl alcohol, carmine, canabax wax.

**Questions or comments? 1-800-719-9260**

**Warnings**

**Do not use** if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Use** ■ Treats frequent heartburn (occurs 2 or more days a week) ■ Not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Allergy alert:** Do not use if you are allergic to omeprazole

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath, sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain, particularly with heartburn
- unexplained weight loss ■ nausea or vomiting ■ stomach pain

**Ask a doctor or pharmacist before use if you are taking**

- warfarin, clopidogrel or clostazolol (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines
- dextromethorphan (cough suppressant)
- digoxin (heart medicine)
- tacrolimus or mycophenolate mofetil (immune system medicines)
- prescription antiretrovirals (medicines for HIV infection)
- methotrexate (arthritis medicine)

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

**If pregnant or breast-feeding,** ask a health professional before use.



0 000000 000000 0

**Omeprazole Delayed Release Tablets 20mg**

Safety Feature - Do not use if printed tablet blister unit is open or torn.

**FDA Approved** NDC 00000-000-00



Treats **Frequent Heartburn!**  
Occurring **2 Or More Days a Week**

# Omeprazole Delayed Release Tablets 20mg

**Acid Reducer**

**SWALLOW - DO NOT CHEW**



**14 Tablets**

One 14-day course of treatment

Coated with **Wildberry Mint Flavor**

**MODIFIED FORMAT**

**TYPE SIZES:**

**TITLE:** 8 pt Helvetica Neue 77 Bold Condensed Oblique

**TITLE (continued):** 7 pt Helvetica Neue 77 Bold Condensed Oblique (continued) 7 pt Helvetica Neue 57 Condensed

**HEADINGS:** 7 pt Helvetica Neue 77 Bold Condensed Oblique

**SUBHEADINGS:** 6 pt Helvetica Neue 77 Bold Condensed

**TEXT:** 6 pt Helvetica Neue 57 Condensed

**LEADING:** 6.3 and 6.5 pt

**BULLETS:** 5 pt Square with 2 M'S spacing between statements


**TELEPHONE #:** 6 pt Helvetica Neue 77 Bold Condensed


**HEAVY LINES:** 1.5 pt

**HAIRLINES:** 0.5 pt

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**14 Tablets (Bottle Carton)**

This label may not be the latest approved by FDA.  
 For current labeling information, please visit <https://www.fda.gov/drugsatfda>





# DIE CUT WINDOW


## Omeprazole Delayed Release Tablets 20mg

Acid Reducer

SWALLOW - DO NOT CHEW

### 14 Tablets

Content with **Wildberry Mint** One 14-day course of treatment  
**Flavor** 1 BOTTLE INSIDE



**Drug Facts (continued)**

- prescription antifungal or anti-yeast medicines
- diazepam (anxiety medicine)
- digoxin (heart medicine)
- acrotimus or mycoplasma media (immune system medicines)
- prescription antiretroviral medicines for HIV infection
- methotrexate (arthritis medicine)

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)**

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours)
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor

**Swallowed whole. Do not chew, crush, or suck tablets.**

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

**Drug Facts (continued)**

- children under 18 years of age; ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- read the directions and warnings before use information.
- keep the carton. It contains important information.
- store at 20°-25° C (68°-77°F) and protect from moisture

**Inactive ingredients**

benzyl alcohol, carmine, carnauba wax, FD&C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hypromellose acetate succinate, lactose monohydrate, menthol, polyethylene glycol 3350, sodium lauryl sulfate, sodium stearoyl glycolate, sucralose, stearate, sodium stearyl fumarate, sucralose, talc, titanium dioxide, triacetin, triethyl citrate

**Questions or comments? 1-800-719-9286**

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the waist
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**Drug Facts**

**Active Ingredient (in each tablet):** Purpose Omeprazole 20 mg.....Acid reducer

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert:** Do not use if you are allergic to omeprazole

**Do not use** if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

**frequent chest pain**

- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are taking**

- warfarin, clopidogrel or cimetidine (blood-thinning medicines)

**Treats Frequent Heartburn!**  
**Occurring 2 Or More Days a Week!**

NDC 0000-0000-00

Made in Israel  
 Manufactured by:  
**Dexel Pharmaceuticals, Ltd.**  
 10 Hakdama Street, Yokneam, 20922, Israel

**LOT NO.**

**EXP.**

0 000000 000000 0

**CODE AREA**

: 4013 5 FA CE

**MODIFIED FORMAT**

**TITLE SIZE:**

**TITLE:** 8 pt Helvetica Neue 77 Bold Condensed Oblique  
 (continued) 7 pt Helvetica Neue 77 Bold Condensed Oblique  
 (continued) 7 pt Helvetica Neue 57 Condensed  
 HEADINGS: 7 pt Helvetica Neue 77 Bold Condensed Oblique  
 SUBHEADINGS: 6 pt Helvetica Neue 77 Bold Condensed  
 TEXT: 6 pt Helvetica Neue 57 Condensed  
 LEADING: 6.0 and 6.5 pt  
 BULLET: 5 pt Square with 2 M/S spacing between statements  
 TELEPHONE #: 6 pt Helvetica Neue 77 Bold Condensed  
 HEAVY LINES: 1.5 pt  
 HAIRLINES: 0.5 pt










**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**28 Tablets**

Omeprazole Delayed Release Tablets 20mg



0 000000 000000 0

CODE AREA

**Drug Facts (continued)**

**Active ingredient (in each tablet)**  
Omeprazole 20 mg; acid reducer.

**Purpose**  
Treats frequent heartburn (occurs 2 or more days a week). Intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect.

**Warnings**  
Allergy alert: Do not use if you are allergic to omeprazole with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.  
Ask a doctor before use if you have had heartburn over 2 months. This may be a sign of a stomach condition.  
Heartburn with **lightheadedness, sweating or dizziness**, chest pain or shoulder pain with shortness of breath, sweating, frequent wheezing, particularly with heartburn, unexplained weight loss, or stomach pain.

**Ask a doctor or pharmacist before use if you are taking**  
prescription antifungals (medicines for HIV infection), tacrolimus or mycophenolate mofetil (immune system medicines), digoxin (heart medicine), diazepam (anxiety medicine), prescription anti-ulcer or anti-yeast medicines, warfarin, clopidogrel or clozapine (blood-thinning medicines).

methocarbamol (arthritis medicine), prescription anti-infectives (medicines for HIV infection), tacrolimus or mycophenolate mofetil (immune system medicines), digoxin (heart medicine), diazepam (anxiety medicine), prescription anti-ulcer or anti-yeast medicines, warfarin, clopidogrel or clozapine (blood-thinning medicines).

**Other Information**  
Keep the carton, it contains important information. Store at 20-25°C (68-77°F) and protect from moisture.

**Directions**  
For adults 18 years of age and older: Take one (1) tablet every day (every 24 hours), every day for 14 days. This product is to be used once a day (every 24 hours), every day for 14 days for full effect; some people get complete relief of symptoms within 24 hours.

**14-Day Course of Treatment**  
Swallow 1 tablet with a glass of water before eating in the morning.

**Repeat 14-Day Courses (if needed)**  
Do not take more than 1 tablet a day. Do not take more than 14 days unless directed by your doctor. Do not chew, crush, or suck tablets.

**Do not take for more than 14 days or more often than every 4 months unless directed by a doctor.** Children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Omeprazole Delayed Release Tablets 20mg**

**Safety Feature - Do not use if printed tablet blister unit is open or torn.**

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Do not wear tight-fitting clothing around the stomach
- Eat slowly and avoid big meals
- Do not eat before bedtime
- If overweight, lose weight
- Raise the head of your bed
- Quit smoking

**Drug Facts (continued)**

**Active ingredient (in each tablet)**  
Omeprazole 20 mg; acid reducer.

**Purpose**  
Treats frequent heartburn (occurs 2 or more days a week). Intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect.

**Warnings**  
Allergy alert: Do not use if you are allergic to omeprazole with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.  
Ask a doctor before use if you have had heartburn over 2 months. This may be a sign of a stomach condition.  
Heartburn with **lightheadedness, sweating or dizziness**, chest pain or shoulder pain with shortness of breath, sweating, frequent wheezing, particularly with heartburn, unexplained weight loss, or stomach pain.

**Ask a doctor or pharmacist before use if you are taking**  
prescription antifungals (medicines for HIV infection), tacrolimus or mycophenolate mofetil (immune system medicines), digoxin (heart medicine), diazepam (anxiety medicine), prescription anti-ulcer or anti-yeast medicines, warfarin, clopidogrel or clozapine (blood-thinning medicines).

**Other Information**  
Keep the carton, it contains important information. Store at 20-25°C (68-77°F) and protect from moisture.

**Directions**  
For adults 18 years of age and older: Take one (1) tablet every day (every 24 hours), every day for 14 days. This product is to be used once a day (every 24 hours), every day for 14 days for full effect; some people get complete relief of symptoms within 24 hours.

**14-Day Course of Treatment**  
Swallow 1 tablet with a glass of water before eating in the morning.

**Repeat 14-Day Courses (if needed)**  
Do not take more than 1 tablet a day. Do not take more than 14 days unless directed by your doctor. Do not chew, crush, or suck tablets.

**Do not take for more than 14 days or more often than every 4 months unless directed by a doctor.** Children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Bonus! 14 Free** NDC 00000-000-00

**Treats Frequent Heartburn! Occurring 2 Or More Days a Week**

**TreatMyHeartburn.com**

**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**

**SWALLOW - DO NOT CHEW**

**28 Tablets**

Coated with **Wildberry Mint Flavor**


Two ~~One~~ 14-day courses of treatment

**STANDARD FORMAT**

**TYPE SIZES:**  
TITLE: 9 pt Helvetica Neue 77 Bold Condensed Oblique  
TITLE (continued): 8 pt Helvetica Neue 77 Bold Condensed Oblique (continued) 8 pt Helvetica Neue 57 Condensed  
HEADINGS: 8 pt Helvetica Neue 77 Bold Condensed Oblique  
SUBHEADINGS: 6 pt Helvetica Neue 77 Bold Condensed  
TEXT: 6 pt Helvetica Neue 57 Condensed  
LEADING: 6.5 and 6.7 pt  
BULLETS: 5 pt Square with 2 M'S spacing between statements  
TELEPHONE #: 6 pt Helvetica Neue 77 Bold Condensed  
HEAVY LINES: 1.5 pt  
HAIRLINES: 0.5 pt



Final Printed Labeling  
NDA 22-032  
Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)  
28 Tablets (Bottle Carton)



**Tips for Managing Heartburn**

- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods; chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking
- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed

**Drug Facts**  
**Active ingredient (in each tablet)** Omeprazole 20 mg.....Acid reducer  
**Purpose**  
■ treats frequent heartburn (occurs 2 or more days a week)  
■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect  
**Use**  
■ **Warnings**  
**Do not use** if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.  
**Allergy alert:** Do not use if you are allergic to omeprazole  
**Ask a doctor before use if you have**  
■ had heartburn over 3 months. This may be a sign of a more serious condition.  
■ heartburn with **lightheadedness, sweating or dizziness**  
■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness  
■ frequent **chest pain**  
■ frequent wheezing, particularly with heartburn  
■ unexplained weight loss  
■ nausea or vomiting ■ stomach pain ▶

Treats Frequent Heartburn!  
Occurring 2 Or More Days a Week

**DIE CUT WINDOW**

**DIE CUT WINDOW**

**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**

**SWALLOW - DO NOT CHEW**

**28 Tablets**

Two 14-day courses of treatment  
2 BOTTLES INSIDE

Coated with **Wildberry Mint Flavor**

**CODE AREA**

LOT NO.  
EXP.  
: 40196 FA C2

**Drug Facts (continued)**  
**Other information**  
■ read the directions and warnings before use  
■ keep the carton. It contains important information.  
■ store at 20-25°C (68-77°F) and protect from moisture  
**Inactive ingredients**  
benzyl alcohol, carmine, camouba wax, FD&C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hypromellose acetate succinate, lactose monohydrate, menthol, modified starch, monoethanolamine, polyethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, sucralose, talc, titanium dioxide, tracetin, triethyl citrate  
**Questions or comments?**  
1-800-719-9260  
**Safety Feature - Do not use if printed seal under cap is broken or missing.**  
Made in Israel  
Manufactured by:  
Dexcell Pharma Technologies Ltd.,  
10 Hakdima Street, Yokneam, 20692, Israel



**Drug Facts (continued)**  
**Ask a doctor or pharmacist before use if you are taking**  
■ warfarin, clopidogrel or clostrazol (blood-thinning medicines)  
■ prescription antifungal or anti-yeast medicines  
■ diazepam (anxiety medicine) ■ digoxin (heart medicine)  
■ tacrolimus or myophenolate mofetil (immune system medicines)  
■ prescription antiretrovirals (medicines for HIV infection)  
■ methotrexate (arthritis medicine)  
**Stop use and ask a doctor if** ■ your heartburn continues or worsens  
■ you need to take this product for more than 14 days  
■ you need to take more than 1 course of treatment every 4 months  
■ you get diarrhea  
**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)  
**Directions**  
■ for adults 18 years of age and older  
■ this product is to be used once a day (every 24 hours), every day for 14 days  
■ it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours  
**14-Day Course of Treatment**  
■ swallow 1 tablet with a glass of water before eating in the morning  
■ take every day for 14 days  
■ do not take more than 1 tablet a day  
■ do not use for more than 14 days unless directed by your doctor  
■ **swallow whole. Do not chew, crush, or suck tablets.**  
**Repeated 14-Day Courses (if needed)**  
■ you may repeat a 14-day course every 4 months  
■ **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**  
■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition. ▶

**STANDARD FORMAT**  
**TYPE SIZES:**  
TITLE: 9 pt Helvetica Neue 77 Bold Condensed Oblique  
TITLE (continued): 8 pt Helvetica Neue 77 Bold Condensed Oblique  
(continued) 8 pt Helvetica Neue 57 Condensed  
HEADINGS: 8 pt Helvetica Neue 77 Bold Condensed Oblique  
SUBHEADINGS: 6 pt Helvetica Neue 77 Bold Condensed  
TEXT: 6 pt Helvetica Neue 57 Condensed  
BULLETS: 5 pt Square with 2 M'S spacing between statements  
TELEPHONE #: 6 pt Helvetica Neue 77 Bold Condensed  
HEAVY LINES: 1.5 pt  
HAIRLINES: 0.5 pt

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**28 Tablets (Bottle Carton)**



**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are taking**

- warfarin, clopidogrel or clostazoi (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines
- diazepam (anxiety medicine) ■ digoxin (heart medicine)
- acrolimus or mycophenolate mofetil (immune system medicines)
- prescription antiretrovirals (medicines for HIV infection)
- methotrexate (arthritis medicine)

**Stop use and ask a doctor if** ■ your heartburn continues or worsens

- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew, crush, or suck tablets.

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Drug Facts (continued)**

**Other information**

- eat the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

**Inactive ingredients**

benzyl alcohol, carmine, carnauba wax, FD&C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hypromellose acetate succinate, lactose monohydrate, menthol, modified starch, monoethanolamine, polyethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, sucralose, talc, titanium dioxide, triacetin, triethyl citrate

**Questions or comments?**  
1-800-719-9260

**Safety Feature - Do not use if printed seal under cap is broken or missing.**

Made in Israel  
Manufactured by:  
Crescent Pharma Technologies Ltd.  
10 Hakdima Street, Yokneam, 20892, Israel

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed

- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**FDA Approved**

**DIE CUT WINDOW**

**DIE CUT WINDOW**



Treats **Frequent Heartburn!**  
Occurring **2 Or More Days a Week**


**Omeprazole Delayed Release Tablets 20mg**  
**Acid Reducer**



Coated with **Wildberry Mint Flavor**

**28 Tablets**

Two 14-day courses of treatment  
**2 BOTTLES INSIDE**



**LOT NO.**

**EXP.**

: 403J6 FA CBP2-F

**CODE AREA**

**Drug Facts**

**Active ingredient Purpose**  
(in each tablet)  
Omeprazole 20 mg.....Acid reducer

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert:** Do not use if you are allergic to omeprazole

**Do not use** if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.


**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting ■ stomach pain

**STANDARD FORMAT**

**TYPE SIZES:**  
TITLE: 9 pt Helvetica Neue 77 Bold Cond Oblique  
TITLE (continued): 8 pt Helvetica Neue 77 Bold Cond Oblique  
(continued) 8 pt Helvetica Neue 57 Cond  
SUBHEADINGS: 8 pt Helvetica Neue 77 Bold Cond Oblique  
HEADINGS: 6 pt Helvetica Neue 77 Bold Cond  
TEXT: 6 pt Helvetica Neue 57 Cond  
LEADING: 6.5 pt  
BULLETS: 5 pt Square with 2 M's spacing between statements  
TELEPHONE #: 6 pt Helvetica Neue 77 Bold Cond  
HEAVY LINES: 1.5 pt  
HAIRLINES: 0.5 pt

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**28 Tablets (Bottle Carton)**



**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are taking**

- heart pain, clopidogrel or cilestazal (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines
- digoxin (heart medicine)
- aciclovir or mycophenolate mofetil (immune system medicines)
- prescription antiretrovirals (medicines for HIV infection)
- methotrexate (arthritis medicine)

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- for adults 18 years of age and older
- take every day for 14 days
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of treatment**

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew, crush, or suck tablets.

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Drug Facts (continued)**

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture


**Inactive ingredients**

benzyl alcohol, carmine, camellia wax, FD&C blue #2/indigo carmine, aluminum lake, flavor, hypromellose, hypromellose acetate succinate, lactose monohydrate, menthol, modified starch, monoethanolamine, polyethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium steryl fumarate, sucralose, talc, titanium dioxide, triacetin, triethyl citrate

**Questions or comments?**  
1-800-719-9260

**Safety Feature - Do not use if printed seal under cap is broken or missing.**

Made in Israel  
Manufactured by:  
Dexcel Pharma Technologies Ltd.,  
10 Hakidma Street, Yokneam, 20692, Israel



**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- If overweight, lose weight
- Quit smoking

Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods; chocolate, caffeine, alcohol and certain fruits and vegetables

■ Eat slowly and avoid big meals

■ Raise the head of your bed

NDC 0000-000-00

**Treats Frequent Heartburn! Occurring 2 Or More Days a Week**

**DIE CUT WINDOW**

**DIE CUT WINDOW**

**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**

**SWALLOW - DO NOT CHEW**

**28 Tablets**

Two 14-day courses of treatment  
2 BOTTLES INSIDE

Coated with **Wildberry Mint Flavor**

**LOT NO.**

**EXP.**

: 4 0136 FA CBP2-B

**CODE AREA**

0 0000000000 0

**Drug Facts**

**Active ingredient (in each tablet)**  
Omeprazole 20 mg.....Acid reducer

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert:** Do not use if you are allergic to omeprazole

**Do not use if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools.** These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**STANDARD FORMAT**

**TYPE SIZES:**

**TITLE:** 9 pt Helvetica Neue 77 Bold Cond Oblique

**TITLE (continued):** 8 pt Helvetica Neue 77 Bold Cond Oblique

**(continued):** 8 pt Helvetica Neue 57 Cond

**HEADINGS:** 8 pt Helvetica Neue 77 Bold Cond Oblique

**SUB-HEADINGS:** 6 pt Helvetica Neue 77 Bold Cond

**TEXT:** 6 pt Helvetica Neue 57 Cond

**BULLETS:** 5 pt Square with 2 MS spacing between statements

**TELEPHONE #:** 6 pt Helvetica Neue 77 Bold Cond

**HEAVY LINES:** 1.5 pt

**HAIRLINES:** 0.5 pt

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**28 Tablets (Bottle Carton)**

**Tips for Managing Heartburn**

- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods; chocolate, caffeine, alcohol and certain fruits and vegetables
- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- If overweight, lose weight
- Quit smoking

**Bonus! 14 Free**

**DIE CUT WINDOW**


**DIE CUT WINDOW**

TreatMyHeartburn.com  
**Omeprazole Delayed Release Tablets 20mg**  
**Acid Reducer**  
**SWALLOW - DO NOT CHEW**



Coated with **Wildberry Mint Flavor**

Two **One** 14-day courses of treatment  
**2 BOTTLES INSIDE**



**CODE AREA**

LOT NO.  
EXP.  
: 4 0136 FA CBP2-E

**Drug Facts (continued)**

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture


**Inactive ingredients**

benzyl alcohol, camille, camauaba wax, FD&C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hypromellose acetate succinate, lactose monohydrate, menthol, modified starch, monoethanolamine, polyethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

**Questions or comments?**  
1-800-719-9260

**Safety Feature - Do not use if printed seal under cap is broken or missing.**

Made in Israel  
Manufactured by:  
Dexcel Pharma Technologies Ltd.,  
10 Hakdima Street, Yokneam, 20692, Israel



**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are taking**

- warfarin, clopidogrel or cilestazol (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines
- diazepam (anxiety medicine) ■ digoxin (heart medicine)
- calcium or mycophenolate mofetil (immune system medicines)
- prescription antiretrovirals (medicines for HIV infection)
- methotrexate (arthritis medicine)

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you get diarrhea

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- for adults, 18 years of age and older
- this product is to be used once a day (every 24 hours) every day for 14 days
- if it may take 1 to 4 days for full effect, some people get complete relief of symptoms within 24 hours


**14-Day Course of Treatment**

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew, crush, or suck tablets.

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.



**Drug Facts**

**Active ingredient Purpose**  
Omeprazole 20 mg.....Acid reducer

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert:** Do not use if you are allergic to omeprazole

**Do not use if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools.** These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting ■ stomach pain

**STANDARD FORMAT**

**TYPE SIZES:**

**TITLE:** 9 pt Helvetica Neue 77 Bold Condensed Oblique

**TITLE (continued):** 8 pt Helvetica Neue 77 Bold Condensed Oblique (continued) 8 pt Helvetica Neue 57 Condensed

**HEADINGS:** 8 pt Helvetica Neue 77 Bold Condensed Oblique

**SUBHEADINGS:** 6 pt Helvetica Neue 77 Bold Condensed

**TEXT:** 6 pt Helvetica Neue 57 Condensed

**LEADING:** 6.5 pt

**BULLETS:** 5 pt Square with 2 W/S spacing between statements

**TELEPHONE #:** 6 pt Helvetica Neue 77 Bold Condensed

**HAIRLINES:** 0.5 pt

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**28 Tablets (Bottle Carton)**

NDC 0000-000-00

**Tips for Managing Heartburn**

- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals around the stomach
- Do not eat before bedtime
- If overweight, lose weight
- Quit smoking
- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing
- Raise the head of your bed

**Bonus Pack! 14 Free**

**DIE CUT WINDOW**

**DIE CUT WINDOW**



Treats Frequent Heartburn!  
Occurring 2 Or More Days a Week

**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**


**SWALLOW - DO NOT CHEW**



Coated with **Wildberry Mint Flavor**

**28 14 Tablets**

Two **One** 14-day courses of treatment  
2 **✚** BOTTLES INSIDE



LOT NO.

EXP.

: 401126 FA CBP2-D

**CODE AREA**

**Drug Facts (continued)**

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

**Inactive ingredients**

benzyl alcohol, carmine, camouba wax, FD&C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hydroxyethylcellulose acetate succinate, lactose monohydrate, menthol, modified starch, monoethanolamine, polyethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, sucralose, talc, titanium dioxide, triacetin, triethyl citrate

**Questions or comments?**

1-800-719-9260

**Safety Feature - Do not use if printed seal under cap is broken or missing.**

Made in Israel

Manufactured by:

Dexcell Pharma Technologies Ltd,  
10 Hakdima Street, Yokneam, 20692, Israel

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are taking**

- warfarin, clopidogrel or cilostazol (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines
- dexamethasone (steroid medicine)
- diazepam (anxiety medicine)
- tacrolimus or cyclosporine (immunosuppressant medicines)
- prescription anti-infectives (medicines for HIV infection)
- methotrexate (arthritis medicine)

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew, crush, or suck tablets.

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.



**STANDARD FORMAT**

**TYPE SIZES:**

**TITLE:** 9 pt Helvetica Neue 77 Bold Condensed Oblique

**TITLE (continued):** 8 pt Helvetica Neue 77 Bold Condensed Oblique

**(continued):** 8 pt Helvetica Neue 57 Condensed

**HEADINGS:** 8 pt Helvetica Neue 77 Bold Condensed Oblique

**SUBHEADINGS:** 6 pt Helvetica Neue 77 Bold Condensed

**TEXT:** 6 pt Helvetica Neue 57 Condensed

**LEADING:** 6.5 pt

**BULLETS:** 5 pt Square with 2 NIS spacing between statements

**TELEPHONE #:** 6 pt Helvetica Neue 77 Bold Condensed

**HEAVY LINES:** 1.5 pt

**HAIRLINES:** 0.5 pt











**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**42 Tablets**

Omeprazole Delayed Release Tablets 20mg

**Questions or comments?** 1-800-719-9250

**Drug Facts (continued)**

**Active ingredient (in each tablet)**  
Omeprazole 20 mg, acid reducer

**Purpose**  
Acid reducer

**Use**  
■ Treats frequent heartburn (occurs 2 or more days a week)  
■ Not intended for immediate relief of heartburn, this drug may take 1 to 4 days for full effect

**Warnings**  
Do not use if you have trouble or pain swallowing food with blood or bloody or black stools. These may be signs of a serious condition. See your doctor.  
Ask a doctor before use if you have had heartburn over 3 months. This may be a sign of a more serious condition. See your doctor.  
Ask a doctor or pharmacist before use if you are taking:  
■ warfarin, clopidogrel or clobazam (blood-thinning medicines)  
■ digoxin (heart medicine)  
■ desquam (narrowly medicine)  
■ ketoconazole or mycophenolate mofetil (immune system medicines)  
■ prescription antiretrovirals (medicines for HIV infection)  
■ methotrexate (arthritis medicine)


**Other information**  
■ Keep the carton, it contains important information.  
■ Store at 20-25°C (68-77°F) and protect from moisture.  
■ Do not take for more than 14 days or more often than directed by a doctor.  
■ Children under 15 years of age, ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Directions**  
■ For adults, 15 years of age and older  
■ Take 1 to 4 days for full effect, some people get complete relief of symptoms within 24 hours.  
■ If you take 1 to 4 days for full effect, some people get complete relief of symptoms within 24 hours.  
■ If you take 1 to 4 days for full effect, some people get complete relief of symptoms within 24 hours.  
■ If you take 1 to 4 days for full effect, some people get complete relief of symptoms within 24 hours.


**14-Day Course of Treatment**  
■ Swallow 1 tablet with a glass of water before eating in the morning.  
■ Do not take more than 1 tablet a day.  
■ Take every day for 14 days.  
■ Do not take more than 1 tablet a day.  
■ Swallow whole. Do not chew, crush, or suck tablets.  
■ Repeated 14-Day Courses (if needed)  
■ You may repeat a 14-day course every 4 months.  
■ Do not take for more than 14 days or more often than directed by a doctor.

CODE AREA

**Omeprazole Delayed Release Tablets 20mg**



**28 + 14 FREE** NDC 00000-000-00




**Treats Frequent Heartburn! Occurring 2 Or More Days a Week**

**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**

**SWALLOW - DO NOT CHEW**



**Coated with Wildberry Mint Flavor**

**42 Tablets**  
Three 14-day courses of treatment

**STANDARD FORMAT**

**TYPE SIZES:**  
TITLE: 9 pt Helvetica Neue 77 Bold Condensed Oblique  
TITLE (continued): 8 pt Helvetica Neue 77 Bold Condensed Oblique  
(continued) 8 pt Helvetica Neue 57 Condensed  
HEADINGS: 8 pt Helvetica Neue 77 Bold Condensed Oblique  
SUBHEADINGS: 6 pt Helvetica Neue 77 Bold Condensed  
TEXT: 6 pt Helvetica Neue 57 Condensed  
LEADING: 6.5 and 6.7 pt  
BULLETS: 5 pt Square with 2 M'S spacing between statements  
TELEPHONE #: 6 pt Helvetica Neue 77 Bold Condensed  
HEAVY LINES: 1.5 pt  
HAIRLINES: 0.5 pt













**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**42 Tablets (Bottle Carton)**



**Safety Feature -**  
Do not use if printed seal under cap is broken or missing.

- Tips for Managing Heartburn**
- Do not lie flat or bend over
  - Avoid eating spicy, fatty or fried foods, chocolate, caffeine, alcohol, citrus fruits, tomatoes, and legumes
  - Eat slowly and avoid big meals
  - If overweight, lose weight
  - Quit smoking

**Bonus! 14 Free**

**Treats Frequent Heartburn!**  
Occurring 2 Or More Days a Week

**DIE CUIT WINDOW**

**DIE CUIT WINDOW**

**DIE CUIT WINDOW**




**Omeprazole Delayed Release Tablets 20 mg**

**Acid Reducer**  
**SWALLOW - DO NOT CHEW**



Coated with **Wildberry Mint Flavor**

**42 28 Tablets**  
Three 14-day courses of treatment  
**3 BOTTLES INSIDE**



**CODE AREA**

LOT NO.

EXP.

40337 FA 68P2-E

**Drug Facts (continued)**  
**Inactive ingredients**  
FD&C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hypromellose acetate succinate, lactose monohydrate, menthyl, modified starch, monohydroxydimethyl, polyethylene glycol, polyethylene glycol sulfate, sodium starch glycolate, sucralose, sulfite, titanium dioxide, triacetin, triethyl citrate, talc, titanium dioxide, triacetin, triethyl citrate

**Questions or comments?**  
1-800-719-9286

Made in Israel  
Manufactured by:  
Dexed Pharmaceuticals Ltd.,  
10 Haldimia Street, Yokneam, 20652, Israel



**Drug Facts (continued)**  
**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

**Keep out of reach of children.** In case of overdose, get medical help or contact a poison control center right away. (1-800-222-1222)

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not chew, crush, or suck tablets
- swallow whole. Do not chew, crush, or suck tablets.

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F) and protect from moisture

**Drug Facts**  
**Active ingredient (in each tablet)**  
Omeprazole 20 mg.....Acid reducer

**Use**

- helps frequent heartburn (heartburn 2 or more days a week)
- not intended to provide relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**  
**Always alert:** Do not use if you are allergic to omeprazole


**Do not use:** if you have trouble or pain swallowing food, vomiting with blood, or stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are taking**

- warfarin, clopidogrel or clostazolol (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines (such as itraconazole)
- digoxin (heart medicine)
- tetracyclines or mycophenolate mofetil (immune system medicines)
- prescription antiretrovirals (medicines for HIV infection)
- methotrexate (arthritis medicine)



**STANDARD FORMAT**

**TYPE SIZES:**  
TYPE 9 pt Helvetica Neue 77 Bold Condensed Oblique  
TYPE 10 pt Helvetica Neue 77 Bold Condensed Oblique  
(continued) 8 pt Helvetica Neue 57 Condensed  
SERIALS: 8 pt Helvetica Neue 77 Bold Condensed Oblique  
SURNAMES: 6 pt Helvetica Neue 77 Bold Condensed  
TEXT: 6 pt Helvetica Neue 57 Condensed  
LEADING: 0.5 pt  
BULLET: 9 pt Square with 2 M'S spacing between statements  
HEAVY LINES: 9 pt Helvetica Neue 77 Bold Condensed  
HORIZONTALS: 0.5 pt





**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**42 Tablets (Bottle Carton)**



**Safety Feature -**  
Do not use if printed seal under cap is broken or missing.

- Tips for Managing Heartburn**
- Do not lie flat or bend over
  - Do not eat or drink alcohol, caffeine, alcohol and certain fruits and vegetables
  - Do not wear tight-fitting clothing around the stomach
  - Do not eat before bedtime
  - Raise the head of your bed
  - Avoid heartburn-causing foods such as rich, spicy, fatty, or acidic foods
  - Eat slowly and avoid big meals
  - If overweight, lose weight
  - Quit smoking

NDC 0000-000-00

**3 PACK** *Three 14-day courses of treatment*  
**Treats Frequent Heartburn!**  
**Occurring 2 Or More Days a Week**

**DIE CUT WINDOW**

**DIE CUT WINDOW**

**DIE CUT WINDOW**




**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**  
**SWALLOW - DO NOT CHEW**



Coated with **Wildberry Mint Flavor**

**42 Tablets**  
Three 14-day courses of treatment  
**3 BOTTLES INSIDE**



**CODE AREA**

LOT NO.

EXP.

10J37 FA CBP2-A

**Drug Facts (continued)**  
**Inactive ingredients**  
benzyl alcohol, carmine, carnauba wax, FD&C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hydroxymethylcellulose acetate succinate, lactose monohydrate, menthol, polyethylene glycol 3350, sodium lauryl sulfate, sodium steryl fumarate, sucralose, talc, titanium dioxide, triacetin, triethyl citrate.

**Questions or comments?**  
1-800-719-9280

Made in Israel  
Manufactured by:  
Dexel Pharma Technologies Ltd,  
10 Haldima Street, Yokneam, 20652, Israel



**STANDARD FORMAT**

**TYPE SIZES:**  
**TITLE:** 8 pt Helvetica Neue 77 Bold Condensed Oblique  
**TITLE (continued):** 8 pt Helvetica Neue 77 Bold Condensed Oblique  
**(continued):** 8 pt Helvetica Neue 57 Condensed  
**HEADINGS:** 8 pt Helvetica Neue 77 Bold Condensed Oblique  
**SUBHEADINGS:** 6 pt Helvetica Neue 77 Bold Condensed  
**TEXT:** 6 pt Helvetica Neue 57 Condensed  
**LEADING:** 6.5 pt  
**BULLETS:** 5 pt Square with 2 MFS spacing between statements  
**TELEPHONE #:** 6 pt Helvetica Neue 77 Bold Condensed  
**HEAVY LINES:** 1.5 pt  
**HAIRLINES:** 0.5 pt



**Drug Facts (continued)**  
**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you get diarrhea
- you are pregnant or breastfeeding, or you are planning or breast-feeding, ask a health professional before use
- you experience chest pain, dizziness, or other symptoms that may require medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- For adults 18 years of age and older
- Swallow 1 tablet to be used once a day (every 24 hours), every day for 14 days
- It may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew, crush, or suck tablets.

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25 °C (68-77 °F) and protect from moisture

**Drug Facts**  
**Active ingredient (in each tablet)**  
Omeprazole 20 mg.....Acid reducer

**Purpose**  
Acid reducer

**Use**  
treats frequent heartburn (occurs 2 or more days a week)  
not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**  
**Allergy alert:** Do not use if you are allergic to omeprazole


**Do not use** if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath, sweating, dizziness, neck or shoulder pain, or lightheadedness
- frequent chest pain**
- unexplained wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are taking**

- warfarin, clopidogrel or clobazam (blood-thinning medicines)
- esomeprazole, lansoprazole, or other proton pump inhibitors (acid-reducing medicines)
- diazepam (anxiety medicine)
- digoxin (heart medicine)
- tacrolimus or mycophenolate mofetil (immune system medicines)
- prescription antiretrovirals (medicines for HIV infection)
- metololol (asthma medicine)





**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**42 Tablets (Bottle Carton)**



**Safety Feature -**  
Do not use if printed seal under cap is broken or missing.

- Tips for Managing Heartburn**
- Do not lie flat or bend over
  - Avoid heartburn-causing foods such as rich, spicy, fatty foods, alcohol and certain fruits and vegetables
  - Do not wear tight-fitting clothing around the stomach
  - Eat slowly and avoid big meals
  - Do not eat before bedtime
  - If overweight, lose weight
  - Quit smoking

**Value Pack!**  
3-14 Tablet Bottles

Treats Frequent Heartburn!  
Occurring 2 Or More Days a Week

**DIE CUT WINDOW**

**DIE CUT WINDOW**




**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**  
SWALLOW - DO NOT CHEW



Coated with Wildberry Mint Flavor

**42 Tablets**  
Three 14-day courses of treatment  
3 BOTTLES INSIDE



**CODE AREA**

LOT NO.

EXP.

401307 FA CBR2-J

**Drug Facts (continued)**  
**Inactive ingredients**  
benzyl alcohol, carmine, camellia wax, FD&C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hydroxypropylcellulose, saccharin, sucrose monohydrate, menthol, polyethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium steryl fumarate, sucralose, talc, titanium dioxide, triacetin, triethyl citrate

**Questions or comments?**  
1-800-719-8280

Made in Israel  
Manufactured by:  
Dexalca Pharma Technologies Ltd.,  
10 Haldimia Street, Yokneam, 20652, Israel



**Drug Facts (continued)**  
**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you get diarrhea
- you are pregnant or breast-feeding, ask a health professional before use
- you are taking other medicines that may interact with this product. For more information, contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- For adults 18 years of age and older
- Swallow 1 tablet once a day (every 24 hours), every day for 14 days
- It may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- Swallow 1 tablet with a glass of water before eating in the morning
- Take every day for 14 days
- Do not take more than 1 tablet a day
- Do not use for more than 14 days unless directed by your doctor
- Swallow whole. Do not chew, crush, or suck tablets.

**Repeated 14-Day Courses (if needed)**

- You may repeat a 14-day course every 4 months
- Do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- Children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- Read the directions and warnings before use
- Keep the carton. It contains important information.
- Store at 20-25°C (68-77°F) and protect from moisture

**Drug Facts**  
**Active ingredient (in each tablet)**  
Omeprazole 20 mg.....Acid reducer

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect


**Warnings**  
**Allergy alert**  
Do not use if you have trouble or pain swallowing food, vomiting with blood or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath, sweating, dizziness, neck or shoulder, or lightheadedness
- frequent chest pain
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are taking**

- warfarin, digoxin or cholestol (blood-thinning medicines)
- antacids, 2-year medicines
- diazepam (anxiety medicine)
- tiptoin (heart medicine)
- tacrolimus or mycophenolate mofetil (immune system medicines)
- prescription antiretrovirals (medicines for HIV infection)
- metolololate (allergies medicine)



**STANDARD FORMAT**

**TYPE SIZES:**  
TITLE: 9 pt Helvetica Neue 77 Bold Condensed Oblique  
TITLE (continued): 8 pt Helvetica Neue 77 Bold Condensed Oblique  
(continued) 8 pt Helvetica Neue 57 Condensed  
HEADINGS: 8 pt Helvetica Neue 77 Bold Condensed Oblique  
SUBHEADINGS: 6 pt Helvetica Neue 77 Bold Condensed  
TEXT: 6 pt Helvetica Neue 57 Condensed  
LEADING: 6.5 pt  
BULLETS: 5 pt Square with 2 MTS spacing between statements  
TELEPHONE #: 6 pt Helvetica Neue 77 Bold Condensed  
HEAVY LINES: 1.5 pt  
HORIZONTALS: 0.5 pt

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**14 Tablets Peel Off Coupon**

**FRONT PANEL**

*peel off coupon*

*Instant Redeemable Coupon - Expires XX-XX-XX*

**SAVE \$X NOW!**  
*On This Purchase*

NDC 00000-000-00

Treats **Frequent Heartburn!**  
Occurring **2 Or More Days a Week**

**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**

**SWALLOW - DO NOT CHEW**



Coated with **Wildberry Mint Flavor**

: 40174 FA CP2



**14 Tablets**

One 14-day course of treatment

**BACK PANEL**

**SAVE \$X NOW!**

**MANUFACTURER'S COUPON** EXPIRATION DATE XX/XX/XXXX

**SAVE \$X<sup>XX</sup>** on your next purchase of 14 COUNT SIZE "Store Brand" Omeprazole Delayed Release Tablets 20 mg

**COUPON NOT SUBJECT TO DOUBLING**  
Customer pays any sales tax.

**Omeprazole Delayed Release Tablets 20 mg 14 Count**

CONSUMER: Only one coupon is redeemable per purchase. RETAILER: This coupon will be redeemable for face value on specified products (plus a handling fee) if submitted in compliance with the terms of this offer. Cash value 1/100th of one cent. Limit one coupon per customer. Do Not Double. Coupon is non-reproducible. Coupons cannot be combined. Mail properly handled coupons to: NCH, PO Box 880036, El Paso, TX 88588-0036



0 00000 00000 0

Reference ID: 3876674

3-12-15

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**14 Tablets (Bottle Carton) Peel Off Coupon**

**FRONT PANEL**

NDC 0000-000-00

Instant Redeemable Coupon - Expires XX-XX-XX  
**SAVE \$X NOW!**  
 On this Purchase

Treat My Heartburn!  
 Occurring 2 Or More Days a Week  
 TreatMyHeartburn.com

**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**  
 SWALLOW - DO NOT CHEW

**14 Tablets**

Coated with Wildberry Mint Flavor

One 14-day course of treatment

Reference ID: 3876674 BOTTLE INSIDE

**BACK PANEL**

**SAVE \$X NOW!**

Omeprazole Delayed Release Tablets 20 mg 14 Count

MANUFACTURER'S COUPON EXPIRATION DATE: XX/XX/XXXX

**SAVE \$XXX** on your next purchase of 14 COUNT SIZE "Store Brand" Omeprazole Delayed Release Tablets 20 mg

**COUPON NOT SUBJECT TO DOUBLING**

Customer pays any sales tax.

CONSUMER: Only one coupon is redeemable per purchase. RETAILER: This coupon will be applied to the purchase of 14 count size Omeprazole Delayed Release Tablets (plus a handling fee) if submitted in compliance with the terms of this offer. Cash value 7/10th of one cent. Coupon is non-reproducible. Coupons cannot be transferred, properly handled, or cashed. NCH, PO Box 580030, El Paso, TX 79808-0036

0 00000 00000 0

**3-12-15**

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**28 Tablets Peel Off Coupon**

**FRONT PANEL**

peel off coupon

Instant Redeemable Coupon - Expires XX-XX-XX

**SAVE \$X NOW!**  
On This Purchase

NDC 00000-000-00

Treats **Frequent Heartburn!**  
Occurring **2 Or More Days a Week**

**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**



**SWALLOW - DO NOT CHEW**



**28 Tablets**

Coated with **Wildberry Mint Flavor**

Two 14-day courses of treatment

40130 FA CP2

**BACK PANEL**

**SAVE \$X NOW!**

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XXXX

**SAVE \$X<sup>XX</sup>** on your next purchase of 28 COUNT SIZE "Store Brand" Omeprazole Delayed Release Tablets 20 mg

**Omeprazole Delayed Release Tablets 20 mg 28 Count**

**CONSUMER:** Only one coupon is redeemable per purchase. **RETAILER:** This coupon will be redeemable for face value on specified products (plus a handling fee) if submitted in compliance with the terms of this offer. Cash value 1/100th of one cent. Limit one coupon per customer. **Do Not Double.** Coupon is non-reproducible. Coupons cannot be combined. Mail properly handled coupons to: NCH, PO Box 980036, El Paso, TX 88568-0036

**COUPON NOT SUBJECT TO DOUBLING**  
Customer pays any sales tax.



0 00000 00000 0

Reference ID: 3876674

3-12-15

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**28 Tablets (Bottle Carton) Peel Off Coupon**

**FRONT PANEL**

**BACK PANEL**

Reference ID: 3876674

3-12-15

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**42 Tablets Peel Off Coupon**

**FRONT PANEL**

peel off coupon

Instant Redeemable Coupon - Expires XX-XX-XX

**SAVE \$X NOW!**  
On This Purchase

NDC 00000-000-00

Treats **Frequent Heartburn!**  
Occurring **2 Or More Days a Week**

**Omeprazole Delayed Release Tablets 20mg**

**Acid Reducer**

 **SWALLOW - DO NOT CHEW** 

Coated with **Wildberry Mint Flavor** **42 Tablets**

Three 14-day courses of treatment

40155 FA CP2

**BACK PANEL**

**SAVE \$X NOW!**


MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XXXX

**SAVE \$X<sup>XX</sup>** on your next purchase of 42 COUNT SIZE "Store Brand" Omeprazole Delayed Release Tablets 20 mg

**Omeprazole Delayed Release Tablets 20 mg 42 Count**

**COUPON NOT SUBJECT TO DOUBLING**  
Customer pays any sales tax.

CONSUMER: Only one coupon is redeemable per purchase. RETAILER: This coupon will be redeemable for face value on specified products (plus a handling fee) if submitted in compliance with the terms of this offer. Cash value 1/100th of one cent. Limit one coupon per customer. Do Not Double. Coupon is non-reproducible. Coupons cannot be combined. Mail properly handled coupons to: NCH, PO Box 880036, El Paso, TX 88588-0036



Reference ID: 3876674

3-12-15

**Final Printed Labeling**  
**NDA 22-032**  
**Omeprazole Delayed Release Tablets, 20 mg (Wildberry Mint)**  
**42 Tablets (Bottle Carton) Peel Off Coupon**

