


Proposed Dosepack Sample 150 mg Carton and Container Labels:

Rx Only

PHYSICIAN SAMPLE – NOT FOR SALE



150 mg
per capsule


28 capsules For oral use.
Dosage: See Prescribing Information.
 Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) [see USP Controlled Room Temperature].
 1 capsule contains 150 mg nilotinib.
 Keep this and all drugs out of the reach of children.
 For more information, visit www.US.TASIGNA.com or call 1-866-411-Tasigna

OPEN HERE

▼

DISPENSE WITH MEDICATION GUIDE ATTACHED OR PROVIDED SEPARATELY.

INSTRUCTIONS FOR USE




150 mg
per capsule

To open kit:


1. Firmly press and hold button ❶ below. While holding this button, pull tab ❷ below.
2. Once the card is fully out, unfold it completely.
3. To release the capsule, press gently on the capsule from the clear side of the card and push it through the paper backing.
4. Remove any loose paper backing from the back of the card.

Tasigna (nilotinib) capsules 150 mg

Scan the QR code to find out more about the \$0 copay offer for eligible patients*
*Limitations apply



To open kit:




While pressing firmly on ❶, pull on tab ❷.

→ Pull

To close kit:

1. The card should not be damaged, it should fit flat in the box.
2. Fold the card back. Push the folded card back into the box.
3. Fold the cover-flap over to complete closure.
4. Store in a safe place out of the reach of children.



(nilotinib) capsules **150 mg** per capsule

©Novartis 0078-9292-90


LOT XXXXXX
EXP YYYY-MM-DD

PHYSICIAN SAMPLE – NOT FOR SALE

28 capsules For oral use.
Dosage: See Prescribing Information.
 Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) [see USP Controlled Room Temperature].
 1 capsule contains 150 mg nilotinib.
 Keep this and all drugs out of the reach of children.
 For more information, visit www.US.TASIGNA.com or call 1-866-411-Tasigna

150 mg


per capsule



Manufactured by:
Novartis Pharma Stein AG,
Stein, Switzerland

Distributed by:
Novartis Pharmaceuticals Corp.,
East Hanover, NJ 07930
Product of China


300069776 US



(nilotinib) capsules **150 mg** per capsule

PHYSICIAN SAMPLE – NOT FOR SALE

Rx Only



Tasigna[®]
(nilotinib) capsules
150 mg
per capsule


28 capsules For oral use.
Dosage: See Prescribing Information.
Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) (see USP Controlled Room Temperature).
1 capsule contains 150 mg nilotinib.
Keep this and all drugs out of the reach of children.
For more information, visit www.US.TASIGNA.com or call 1-888-411-Tasigna

TAKE TASIGNA ON EMPTY STOMACH. AVOID FOOD FOR AT LEAST 2 HOURS BEFORE TAKING A DOSE OF TASIGNA AND AT LEAST 1 HOUR AFTER THE DOSE IS TAKEN.

OPEN HERE

DISPENSE WITH MEDICATION GUIDE ATTACHED OR PROVIDED SEPARATELY.

INSTRUCTIONS FOR USE



Tasigna[®]
(nilotinib) capsules
150 mg
per capsule


To open kit:

1. Firmly press and hold button ① below. While holding this button, pull tab ② below.
2. Once the card is fully out, unfold it completely.
3. To release the capsule, press gently on the capsule from the clear side of the card and push it through the paper backing.
4. Remove any loose paper backing from the back of the card.

Tasigna (nilotinib) capsules 150 mg

To open kit:


Scan the QR code to find out more about the \$0 copay offer for eligible patients*
*Limitations apply



While pressing firmly on ①, pull on tab ② → Pull

To close kit:


1. The card should not be damaged, it should fit flat in the box.
2. Fold the card back. Push the hidden card back into the box.
3. Fold the cover-flap over to complete closure.
4. Store in a safe place out of the reach of children.



Tasigna[®] (nilotinib) capsules 150 mg per capsule

01500006 0278 0002 00

PHYSICIAN SAMPLE – NOT FOR SALE



Tasigna[®]
(nilotinib) capsules
150 mg
per capsule

NOVARTIS

LOT: K182004
EXP: 11/2019/01/20


28 capsules For oral use.
Dosage: See Prescribing Information.
Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) (see USP Controlled Room Temperature).
1 capsule contains 150 mg nilotinib.
Keep this and all drugs out of the reach of children.
For more information, visit www.US.TASIGNA.com or call 1-888-411-Tasigna

Rx Only

Manufactured by:
Novartis Pharma (USA) LLC
East Hanover, NJ

Distributed by:
Novartis Pharmaceuticals Corp.
East Hanover, NJ 07930
Product of Mexico

©2019 Novartis




Tasigna[®] (nilotinib) capsules 150 mg per capsule

Rx Only NDC 0078-0592-51

28 capsules

TAKE TASIGNA ON EMPTY STOMACH. AVOID FOOD FOR AT LEAST 2 HOURS BEFORE TAKING A DOSE OF TASIGNA AND AT LEAST 1 HOUR AFTER THE DOSE IS TAKEN.

For oral use.
Dosage: See Prescribing Information.
 Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) [see USP Controlled Room Temperature].
 1 capsule contains 150 mg nilotinib
 Keep this and all drugs out of the reach of children.
 For more information, visit www.US.TASIGNA.com or call 1-866-411-Tasigna




(nilotinib) capsules

150 mg
per capsule

DISPENSE WITH MEDICATION GUIDE ATTACHED OR PROVIDED SEPARATELY.

OPEN HERE ▼

INSTRUCTIONS FOR USE



(nilotinib) capsules

150 mg
per capsule

To open kit:

1. Firmly press and hold button **1** below. While holding this button, pull tab **2** below.
2. Once the card is fully out, unfold it completely.
3. To release the capsule, press gently on the capsule from the clear side of the card and push it through the paper backing.
4. Remove any loose paper backing from the back of the card.

To open kit:



1
Press firmly

Scan the QR code to find out more about the \$0 copay offer for eligible patients*
*Limitations apply



While pressing firmly on **1**, pull on tab **2**.

→ Pull



To close kit:

1. The card should not be damaged, it should fit flat in the box.
2. Fold the card back. Push the folded card back into the box.
3. Fold the cover-flap over to complete closure.
4. Store in a safe place out of the reach of children.



(nilotinib) capsules **150 mg** per capsule

©Novartis

LOT XXXXXX
EXP YYYY-MM-DD



28 capsules

Rx Only

Manufactured by:
Novartis Pharma Stein AG
Stein, Switzerland

Distributed by:
Novartis Pharmaceuticals Corp.
East Hanover, NJ 07936

300077692 US

For oral use.
Dosage: See Prescribing Information.
 Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) [see USP Controlled Room Temperature].
 1 capsule contains 150 mg nilotinib
 Keep this and all drugs out of the reach of children.
 For more information, visit www.US.TASIGNA.com or call 1-866-411-Tasigna

NDC 0078-0592-51



(nilotinib) capsules

150 mg
per capsule

NOVARTIS

Proposed 200 mg dosepack

Rx Only

PHYSICIAN SAMPLE - NOT FOR SALE

28 capsules

TAKE TASIGNA ON EMPTY STOMACH. AVOID FOOD FOR AT LEAST 2 HOURS BEFORE TAKING A DOSE OF TASIGNA AND AT LEAST 1 HOUR AFTER THE DOSE IS TAKEN.

For oral use.
Dosage: See Prescribing Information.
Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) [see USP Controlled Room Temperature].
1 capsule contains 200 mg nilotinib.
Keep this and all drugs out of the reach of children.
For more information, visit www.US.TASIGNA.com or call 1-888-411-Tasigna.

Tasigna®
(nilotinib) capsules
200 mg
per capsule

DISPENSE WITH MEDICATION GUIDE ATTACHED OR PROVIDED SEPARATELY.

OPEN HERE


INSTRUCTIONS FOR USE

To open kit:

1. Firmly press and hold button ❶ below. While holding this button, pull tab ❷ below.
2. Once the card is fully out, unfold it completely.
3. To release the capsule, press gently on the capsule from the clear side of the card and push it through the paper backing.
4. Remove any loose paper backing from the back of the card.


**Tasigna®
(nilotinib) capsules
200 mg
per capsule**

To open kit:



Press firmly

Scan the QR code to find out more about the \$2 copay offer for eligible patients. *Limitations apply.



While pressing firmly on ❶, pull on tab ❷.

Pull →

To close kit:

1. The card should not be damaged, it should fit flat in the box.
2. Fold the card back. Push the folded card back into the box.
3. Fold the cover-flap over to complete closure.
4. Store in a safe place out of the reach of children.

Tasigna® (nilotinib) capsules 200 mg per capsule

LOT 20000000
EXP 03/2018

28 capsules

Manufactured by:
Novartis Pharmaceuticals US, LLC
East Hanover, NJ 07936

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, NJ 07936
Product of China

83388778 US

PHYSICIAN SAMPLE - NOT FOR SALE

**Tasigna®
(nilotinib) capsules
200 mg
per capsule**

NOVARTIS

©Novartis 2017 0028 00

Tasigna® (nilotinib) capsules 200 mg per capsule

Rx Only

PHYSICIAN SAMPLE - NOT FOR SALE

28 capsules

TAKE TASIGNA ON EMPTY STOMACH. AVOID FOOD FOR AT LEAST 2 HOURS BEFORE TAKING A DOSE OF TASIGNA AND AT LEAST 1 HOUR AFTER THE DOSE IS TAKEN.

For oral use.
Dosage: See Prescribing Information.
Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) [see USP Controlled Room Temperature].
1 capsule contains 200 mg nilotinib.
Keep this and all drugs out of the reach of children.
For more information, visit www.US.TASIGNA.com or call 1-866-411-Tasigna

Tasigna®
(nilotinib) capsules
200 mg
per capsule

DISPENSE WITH MEDICATION GUIDE ATTACHED OR PROVIDED SEPARATELY.

OPEN HERE


INSTRUCTIONS FOR USE

To open kit:

1. Firmly press and hold button ❶ below. While holding this button, pull tab ❷ below.
2. Once the card is fully out, unfold it completely.
3. To release the capsule, press gently on the capsule from the clear side of the card and push it through the paper backing.
4. Remove any loose paper backing from the back of the card.

To open kit:

Scan the QR code to find out more about the \$0 copay offer for eligible patients*
*Limitations apply



While pressing firmly on ❶, pull on tab ❷. → Pull

To close kit:

1. The card should not be damaged, it should fit flat in the box.
2. Fold the card back. Push the folded card back into the box.
3. Fold the cover-flap over to complete closure.
4. Store in a safe place out of the reach of children.

Tasigna® (nilotinib) capsules 200 mg per capsule ©Novartis 5078-9526-90

PHYSICIAN SAMPLE - NOT FOR SALE

28 capsules

LOT XXXXXX
EXP YYYY-MM-DD

Manufactured by:
Novartis Pharma Stein AG
Stein, Switzerland
Distributed by:
Novartis Pharmaceuticals Corp.
East Hanover, NJ 07930
Product of Ireland

330377880 US

For oral use.
Dosage: See Prescribing Information.
Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) [see USP Controlled Room Temperature].
1 capsule contains 200 mg nilotinib.
Keep this and all drugs out of the reach of children.
For more information, visit www.US.TASIGNA.com or call 1-866-411-Tasigna

NOVARTIS

Tasigna® (nilotinib) capsules 200 mg per capsule

Rx Only NDC 0078-0526-51

Tasigna®
(nilotinib) capsules
200 mg
per capsule

28 capsules

For oral use.
Dosage: See Prescribing Information.
Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) [see USP Controlled Room Temperature].
1 capsule contains 200 mg nilotinib.
Keep this and all drugs out of the reach of children.
For more information, visit www.US.TASIGNA.com or call 1-866-411-Tasigna

TAKE TASIGNA ON EMPTY STOMACH. AVOID FOOD FOR AT LEAST 2 HOURS BEFORE TAKING A DOSE OF TASIGNA AND AT LEAST 1 HOUR AFTER THE DOSE IS TAKEN.

DISPENSE WITH MEDICATION GUIDE ATTACHED OR PROVIDED SEPARATELY.

OPEN HERE


INSTRUCTIONS FOR USE

To open kit:

1. Firmly press and hold button ① below. While holding this button, pull tab ② below.
2. Once the card is fully out, unfold it completely.
3. To release the capsule, press gently on the capsule from the clear side of the card and push it through the paper backing.
4. Remove any loose paper backing from the back of the card.

To open kit:

Scan the QR code to find out more about the \$0 copay offer for eligible patients*
*Limitations apply



While pressing firmly on ①, pull on tab ②.

Press firmly

To close kit:

1. The card should not be damaged, it should fit flat in the box.
2. Fold the card back. Push the folded card back into the box.
3. Fold the cover-flap over to complete closure.
4. Store in a safe place out of the reach of children.

Tasigna® (nilotinib) capsules 200 mg per capsule ©Novartis

NDC 0078-0526-51

L01 XXXXJX
EXP YYY-MM-DD

28 capsules

For oral use.
Dosage: See Prescribing Information.
Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) [see USP Controlled Room Temperature].
1 capsule contains 200 mg nilotinib.
Keep this and all drugs out of the reach of children.
For more information, visit www.US.TASIGNA.com or call 1-866-411-Tasigna

Manufactured by:
Novartis Pharma Stein AG
Stein, Switzerland
Distributed by:
Novartis Pharmaceuticals Corp.
East Hanover, NJ 07936

300077888 US

Tasigna®
(nilotinib) capsules
200 mg
per capsule

NOVARTIS

Tasigna® (nilotinib) capsules 200 mg per capsule



Ramesh
Raghavachari

Digitally signed by Ramesh Raghavachari
Date: 8/21/2024 10:11:25PM
GUID: 502d0913000029f375128b0de8c50020