

Net Content Statement

NET CONTENT	AREA OF PDP
1/16 IN.	5 SQ. IN. OR LESS
1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
1/2 IN.	OVER 400 SQ. IN.

PDP Area: (width x length) 4.68 in²
Net Content Size: 0.0625"

Labeling Format Information: Fonts: HelveticaLTPro-Cond, Bold Cond, Bold Cond Obl

Drug Facts: 14.00 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 75%
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 2.50 pt	
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	Average Tracking: -10



Children's ZYRTEC ALLERGY
Grape Flavor

Drug Facts (continued)
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding:
■ if breast-feeding: not recommended
■ if pregnant: ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
■ use only with enclosed dosing cup
■ find right dose on chart below
■ mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Drug Facts (continued)
Other information
■ store between 20° to 25°C (68° to 77°F)
■ do not use if carton is opened or if carton tape or bottle wrap imprinted with "Sealed For Your Safety" is broken or missing
■ see bottom panel for lot number and expiration date

Inactive ingredients
anhydrous citric acid, flavors, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

Questions? call 1-800-343-7805 (toll-free) or 215-273-8755 (collect)

Active ingredient made in Switzerland
Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
McNeil Consumer Healthcare Division
Fort Washington, PA 19034 USA
©J&JCI 20XX www.zyrtec.com 00000000
Pat. www.jjcpats.com

24 HOURS Relief of Sneezing
Runny Nose Itchy, Watery Eyes
Itchy Throat or Nose Dye-Free Sugar-Free Alcohol-Free

Indoor & Outdoor Allergies
2 yrs & older

1 fl oz (30 ml) Dosing cup included



LOT:
EXP:

The trade dress of this ZYRTEC® package is subject to trademark protection.

Important: Read all product information before using. Keep this box for important information. This product is intended for use in children.

Drug Facts
Active ingredient Cetirizine HCl 5 mg
Purpose Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ sneezing
■ itchy, watery eyes
■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product
■ drowsiness may occur
■ avoid alcoholic drinks
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ be careful when driving a motor vehicle or operating machinery

Labeling Format Information: Fonts: Helvetica LT Pro Cond, Bold Cond, Bold Cond Obl							
Drug Facts:	N/A pt	Body Text:	5.0 pt	Bullets:	4.0 pt	Horizontal Scale:	70%
Headers:	5.0 pt	Leading:	4.8 pt	Barlines:	NA pt		
Subheaders:	5.0 pt	Drug Facts (continued):	N/A pt	Hairlines:	NA pt	Average Tracking:	-30

LOT: EXP:			<p>Active ingredient (in each 5 mL): Cetirizine HCl 5 mg. Purpose: Antihistamine. Uses: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, sneezing, itchy, watery eyes, itching of the nose or throat. Warnings Do not use: if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. When using this product: drowsiness may occur; avoid alcoholic drinks, alcohol, sedatives, and tranquilizers may increase drowsiness; be careful when driving a motor vehicle or operating machinery. Stop use and ask a doctor: if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding: if breast-feeding, not recommended; if pregnant, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Directions: use only with enclosed dosing cup. Find right dose on chart below. mL = milliliter. Adults and children 6 years and over: 5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours. Adults 65 years and over: 5 mL once daily; do not take more than 5 mL in 24 hours. Children 2 to under 6 years of age: 2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours. Children under 2 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor. Other information: store between 20° to 25° C (68° to 77° F). Active ingredient made in Switzerland. Distributed by: JOHNSON & JOHNSON CONSUMER INC., McKel Consumer Healthcare Division Fort Washington, PA 19034 USA ©J&J XXXX 00000000</p>
--------------	---	---	--

Labeling Format Information: Fonts: Avenir Next Condensed Medium, Bold, Bold Italic				
Drug Facts:	N/A pt	Body Text:	5.0 pt	Bullets: 4.0 pt
Headers:	6.0 pt	Leading:	5.0 pt	Barlines: NA pt
Subheaders:	5.0 pt	Drug Facts (continued):	N/A pt	Hairlines: NA pt
				Horizontal Scale: 100%
				Average Tracking: 0

<p>Active ingredient (in each 5 mL) Cetirizine HCl 5 mg.....</p> <p>Purpose Antihistamine</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:</p> <ul style="list-style-type: none"> ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.</p> <p>Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.</p> <p>Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.</p> <p>When using this product</p> <ul style="list-style-type: none"> ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness. ■ be careful when driving a motor vehicle or operating machinery <p>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</p>	<p>NDC 0000-000-00</p> <p>Children's ZYRTEC Cetirizine HCl oral solution 1 mg/mL/antihistamine</p> <p>ALLERGY</p> <p>24 HOUR Relief of</p> <p>Sneezing</p> <p>Runny Nose</p> <p>Indoor & Outdoor Allergies</p> <p>2 yrs & older</p> <p>Itchy, Watery Eyes</p> <p>Itchy Throat or Nose</p> <p>Dye-Free Sugar-Free Alcohol-Free</p> <p>4 fl oz (118 mL)</p> <p>Grape Flavor</p>	<p>If pregnant or breast-feeding:</p> <ul style="list-style-type: none"> ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use. <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p> <p>Directions</p> <ul style="list-style-type: none"> ■ Use only with enclosed dosing cup. ■ mL = milliliter ■ adults and children 6 years and over: 5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours. ■ adults 65 years and over: 5 mL once daily; do not take more than 5 mL in 24 hours. ■ children 2 to under 6 years of age: 2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours. ■ children under 2 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor <p>Other information</p> <ul style="list-style-type: none"> ■ store between 20° to 25°C (68° to 77°F) ■ do not use if carton is opened or if carton tape or bottle wrap imprinted with "Sealed For Your Safety" is broken or missing <p>Inactive ingredients anhydrous citric acid, flavors, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose</p> <p>Questions? call 1-800-343-7805 (toll-free) or 215-273-8755 (collect)</p> <p>Dosing cup should be washed and left to air dry after each use.</p> <p>Active ingredient made in Switzerland Distributed by: JOHNSON & JOHNSON CONSUMER INC. McNeil Consumer Healthcare Division Fort Washington, PA 19034 USA ©J&JCI XXXX www.zyrtec.com 00000000</p>
<p>LOT:</p> <p>EXP:</p>		

Net Content Statement		NET CONTENT	AREA OF POP
PDP Area: (width x height)	30.11 in ²	1/16 IN.	5 SQ. IN. OR LESS
Net Content Size:	0.125"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.

Drug Facts Format Information					
Drug Facts:	14.00 pt	Subheadings/Body Text:	6.00 pt	Barlines:	2.5 pt
Drug Facts (continued):	8.00 pt	Bullets:	5.00 pt	Hairlines:	0.5 pt
Headings:	8.00 pt	Leading:	7.00 pt	Tracking:	0
				Horizontal Scale:	85%

Children's ZYRTEC ALLERGY
Grape Flavor

Children's ZYRTEC ALLERGY
Cetirizine HCl oral solution 1 mg/ml antihistamine
Grape Flavor

Children's ZYRTEC ALLERGY
Cetirizine HCl oral solution 1 mg/ml antihistamine
Grape Flavor

Drug Facts
Active ingredient (in each 5 mL)
Cetirizine HCl 5 mg. Antihistamine

Purpose
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product
avoid alcoholic drinks
alcohol, sedatives, and tranquilizers may increase drowsiness
be careful when driving a motor vehicle or operating machinery
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding:
if breast-feeding: not recommended
if pregnant: ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)
Directions
use only with enclosed dosing cup
find right dose on chart below
mL = milliliter

adults and children 6 years and over	5 mL, or 10 mL, once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL, once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL, once daily. If needed, dose can be increased to a maximum of 5 mL, once daily or 2.5 mL, every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
store between 20° to 25°C (68° to 77°F)
do not use if carton is opened or if carton tape or bottle wrap imprinted with "Sealed For Your Safety" is broken or missing
see bottom panel for lot number and expiration date

Inactive ingredients
anhydrous citric acid, flavors, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

Questions?
call 1-800-343-7805 (toll-free) or 215-273-8755 (collect)

Active ingredient made in Switzerland
Distributed by: JOHNSON & JOHNSON CONSUMER INC.
McNeil Consumer Healthcare Division
Fort Washington, PA 19034 USA
©2014 J&J. www.zyrtec.com MCH C2-0777
PAI, www.jpipets.com
The trade dress of this ZYRTEC® package is subject to trademark protection.

LOT: XXXXXXXXX
EXP: YYYY/MM

24 hours Relief of

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose

Dye-Free Sugar-Free Alcohol-Free

Dosing cup included

Indoor & Outdoor Allergies
2 yrs & older

Indoor & Outdoor Allergies
2 yrs & older

Relief of Sneezing

Runny Nose Itchy, Watery Eyes

Itchy Throat or Nose Dye-Free Sugar-Free Alcohol-Free

Dosing cup included

Contains 3 bottles of 4 fl oz each (118 ml)
Total Volume 12 fl oz (354 ml)

Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x length)	13.71 in ²	1 1/8 IN.	5 SQ. IN. OR LESS
Net Content Size:	0.125"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.

Labeling Formal Information: Fonts: HelveticaNeueLTStd - Roman, Bold, Bold Italic			
Drug Facts: 14.00 pt	Body Text: 6.00 pt	Bullet: 5.00 pt	Horizontal Scale: 100%
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 2.50 pt	
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	Average Tracking: 0

Cetirizine HCl oral solution
Cetirizine HCl oral solution
Cetirizine HCl oral solution
Cetirizine HCl oral solution
ZYRTEC

Drug Facts

Active ingredient (in each 5 mL)
Cetirizine HCl 5 mg

Purpose
Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding, not recommended
- if pregnant, ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Questions?
call 1-800-343-7888 (toll-free) or 215-273-8758 (collect)

Active ingredient made in Switzerland
Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
Medical Consumer Healthcare Division
Fort Washington, PA 19034 USA
© J&JCI 2018 www.zyrtec.com 00000000
Pat. www.jpipat.com

Drug Facts (continued)

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- 1 mL = milliliter

adults and children 6 years and over	5 mL or 10 mL, once daily (depending upon severity of symptoms; do not take more than 10 mL in 24 hours)
adults 65 years and over	5 mL, once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL, once daily. If needed, dose can be increased to a maximum of 5 mL, once daily or 2.5 mL, every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if carton tape or bottle wrap imprinted with "Sealed For Your Safety" is broken or missing
- see bottom panel for lot number and expiration date

Inactive ingredients
anhydrous citric acid, flavors, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

24 Hour Relief of: Sneezing, Runny Nose, Itchy, Watery Eyes, Itchy Throat or Nose

Dye-Free Sugar-Free Alcohol-Free

Questions?
call 1-800-343-7888 (toll-free) or 215-273-8758 (collect)

Children's ZYRTEC ALLERGY
Grape Flavor

New look Same relief

Children's ZYRTEC ALLERGY
Cetirizine HCl oral solution 1 mg/mL antihistamine

Indoor & Outdoor Allergies 2 yrs & older

24 Hour Relief of: Sneezing, Runny Nose, Itchy, Watery Eyes, Itchy Throat or Nose

Dye-Free Sugar-Free Alcohol-Free

Grape Flavor 8 fl oz (236 ml)
Dosing cup included

Actual Size

Children's ZYRTEC ALLERGY
Grape Flavor


8 fl oz (236 ml)
Dosing cup included

The trade dress of this ZYRTEC® package is subject to trademark protection.

LOT: [blacked out]
EXP: [blacked out]

0 000000 00000 0

Labeling Format Information: Fonts: Avenir Next Condensed Medium, Bold, Bold Italic							
Drug Facts:	NA pt	Body Text:	5.0 pt	Bullets:	4.0 pt	Horizontal Scale:	100%
Headers:	6.0 pt	Leading:	5.75 pt	Barlines:	NA pt		
Subheaders:	5.0 pt	Drug Facts (continued):	NA pt	Hairlines:	NA pt	Average Tracking:	0

<p>Active ingredient (in each 5 mL) Cetirizine HCl 5 mg.....Antihistamine</p> <p>Purpose temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:</p> <p>Uses ■ runny nose ■ itchy, watery eyes</p> <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.</p> <p>Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.</p> <p>Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.</p> <p>When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery</p> <p>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</p> <p>If pregnant or breast-feeding: ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use.</p> <p>LOT: EXP:</p>	<p>NDC 00000 000 00</p> <p>Children's ZYRTEC Cetirizine HCl oral solution 1 mg/mL/antihistamine</p> <p>ALLERGY</p> <p>Indoor & Outdoor Allergies 2 yrs & older</p> <p>24 HOUR Relief of</p> <p>Sneezing</p> <p>Runny Nose</p> <p>Itchy, Watery Eyes</p> <p>Itchy Throat or Nose</p> <p>Dye-Free Sugar-Free Alcohol-Free</p> <p>8 fl oz (236 mL)  Grape Flavor</p>	<p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p> <p>Directions ■ use only with enclosed dosing cup ■ mL = milliliter ■ adults and children 6 years and over: 5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours. ■ adults 65 years and over: 5 mL once daily; do not take more than 5 mL in 24 hours. ■ children 2 to under 6 years of age: 2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours. ■ children under 2 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor</p> <p>Other information ■ store between 20° to 25°C (68° to 77°F) ■ do not use if carton is opened or if carton tape or bottle wrap imprinted with "Sealed For Your Safety" is broken or missing</p> <p>Inactive ingredients anhydrous citric acid, flavors, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose</p> <p>Questions? call 1-800-343-7805 (toll-free) or 215-273-8755 (collect)</p> <p>Dosing cup should be washed and left to air dry after each use.</p> <p>Active ingredient made in Switzerland Distributed by: JOHNSON & JOHNSON CONSUMER INC. McNeil Consumer Healthcare Division Fort Washington, PA 19034 USA ©J&JCI 20XX www.zyrtec.com 00000000</p>
---	---	---

Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x length) 9.69 in ²		1.18 FL	3.50 FL, OR LESS
Net Content Size: 0.125"		1.8 FL	MORE THAN 3.50 FL, BUT NOT MORE THAN 2.5 FL
		3.16 FL	MORE THAN 2.5 FL, BUT NOT MORE THAN 1.00 FL
		1.4 FL	MORE THAN 1.00 FL, BUT NOT MORE THAN 400 SQ. ML OVER 400 SQ. ML
		1.2 FL	OVER 400 SQ. ML

Labeling Format Information: Fonts: HelveticaNeueLTStd-Reg, Bold, Bold Italic					
Drug Facts: 14.00 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 85%		
Headers: 8.00 pt	Leading: 6.50 pt	Baselines: 2.50 pt			
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Headlines: 0.50 pt	Average Tracking: 0		

Cetirizine HCl oral solution
Cetirizine HCl oral solution
Cetirizine HCl oral solution
Cetirizine HCl oral solution
ZYRTEC

Children's ZYRTEC ALLERGY
Bubble Gum Flavor

24 Hour Relief
Indoor & Outdoor Allergies
Ages 2 & Older

Relief of: Sneezing, Runny Nose, Itchy, Watery Eyes, Itchy Throat or Nose

24 Hour Relief
Dye-Free Sugar-Free Alcohol-Free

4 fl oz (118 ml) Dosing cup included

LOT: [REDACTED]
EXP: [REDACTED]

0 000000 00000 0

Drug Facts

Active ingredient	Purpose
Cetirizine HCl 5 mg	Antihistamine

Uses
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itching, watery eyes
- itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
 Children under 2 years of age ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 Ask a doctor or pharmacist before use if you are using nasal spray or inhalers.

When using this product

- do not use this product
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if pregnant, ask a health professional before use

 Breast-feeding: not recommended.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
 Use only with enclosed dosing cup
 First right dose on chart below
 mL = milliliter

Age Group	Dose
adults and 17 years	5 mL or 10 mL, once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
6 years	5 mL once daily; do not take and over more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL, once daily. If needed, dose can be increased to a maximum of 5 mL, once daily or 2.5 mL, every 12 hours. Do not give more than 5 mL in 24 hours.

Children under 2 years of age ask a doctor before use if you have liver or kidney disease.

Other information
 Store between 37° to 20°C (80° to 77°F).
 Do not use if carton is opened or if carton top or bottle was tampered with. "Sealed For Your Safety" is broken or missing.
 See bottom panel for lot number and expiration date.

Inactive ingredients
 citric acid, dextrose, glycerine glycol, purified water, sodium benzoate, sorbitol solution, sucralose.

Questions? call 1-800-343-7896 (toll free) or 215-273-8755 (collect).

Active ingredient and 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.

Labeling Format Information: Fonts: Avenir Next Condensed Medium, Bold, Bold Italic							
Drug Facts:	NA pt	Body Text:	5.0 pt	Bullets:	4.0 pt	Horizontal Scale:	100%
Headers:	6.0 pt	Leading:	5,50 pt	Barlines:	NA pt		
Subheaders:	5.0 pt	Drug Facts (continued):	NA pt	Hairlines:	NA pt	Average Tracking:	0

<p>Active ingredient (in each 5 mL) Cetirizine HCl 5 mg.....Antihistamine</p> <p>Purpose Antihistamine</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:</p> <ul style="list-style-type: none"> ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat 	<p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.</p> <p>Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.</p> <p>Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.</p> <p>When using this product</p> <ul style="list-style-type: none"> ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery <p>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</p>	<p>LOT:</p> <p>EXP:</p>	<p>EPIC</p>	<p>NDC 00000-000-00</p> <p>Children's ZYRTEC[®]</p> <p>Cetirizine HCl oral solution 1 mg/mL antihistamine</p> <p>ALLERGY</p> <p>24 HOURS Relief of</p> <p>Sneezing</p> <p>Runny Nose</p> <p>Itchy, Watery Eyes</p> <p>Itchy Throat or Nose</p> <p>Dye-Free Sugar-Free Alcohol-Free</p> <p>Indoor & Outdoor Allergies</p> <p>2 yrs & older</p> <p>Bubble Gum Flavor</p> <p>4 fl oz (118 ml)</p>	<p>If pregnant or breast-feeding:</p> <ul style="list-style-type: none"> ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use. <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p> <p>Directions</p> <ul style="list-style-type: none"> ■ use only with enclosed dosing cup ■ mL = milliliter ■ adults and children 6 years and over: 5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours. ■ adults 65 years and over: 5 mL once daily; do not take more than 5 mL in 24 hours. ■ children 2 to under 6 years of age: 2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours. ■ children under 2 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor <p>Other information</p> <ul style="list-style-type: none"> ■ store between 20° to 25°C (68° to 77°F) ■ do not use if carton is opened or if carton tape or bottle wrap imprinted with "Sealed For Your Safety" is broken or missing <p>Inactive Ingredients anhydrous citric acid, flavors, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose</p> <p>Questions? call 1-800-343-7805 (toll-free) or 215-273-8755 (collect). Dosing cup should be washed and left to air dry after each use.</p> <p>Active ingredient made in Switzerland Distributed by: JOHNSON & JOHNSON CONSUMER INC. McNeil Consumer Healthcare Division Fort Washington, PA 19034 USA ©J&JCI XXXX www.zyrtec.com 00000000</p>
---	--	-------------------------	--------------------	---	---

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
11/13/2024 07:45:32 AM