

1.625"

3.375"


.50" .53125" 1.3125" 1.03125"

S/N 123456789012
LOT NO VARN SH
EXP LOT/EXP

Usual Dosage: Read accompanying prescribing literature.
Swallow tablets whole. Do not cut, break, chew, crush, or dissolve.

Attention Dispenser: Accompanying Medication Guide must be provided to the patient upon dispensing.

NDC 59011-415-10


OxyContin® 
(oxycodone hydrochloride extended-release tablets)

15mg

100 Tablets Rx Only
Purdue Pharma L.P.

Dispense in a light, light-resistant container. Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
N 59011-415-10 6
7 574 800 7 888 007 7 776 347 8 114 838
8 209 060 and 8 337 888

Purdue Pharma L.P.
Stamford, CT 06901-3431
xxxxxx-xx



1.625"

3.375"


.50" .53125" 1.3125" 1.03125"

S/N 123456789012
LOT NO VARN SH
EXP LOT/EXP

Usual Dosage: Read accompanying prescribing literature.
Swallow tablets whole. Do not cut, break, chew, crush, or dissolve.

Attention Dispenser: Accompanying Medication Guide must be provided to the patient upon dispensing.

NDC 59011-420-10


OxyContin 
(oxycodone hydrochloride extended-release tablets)

20mg


100 Tablets **R_x Only**
Purdue Pharma L.P.

Dispense in a tight, light-resistant container. Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
U.S. Patent Nos. 6,486,963; 7,126,248; 7,857,798; 7,857,799; 7,857,800; 7,857,801; 8,114,266; 8,202,060; and 8,337,888.

Purdue Pharma L.P.
Stamford, CT 06901-3431
xxxxxx-xx



3 59011-420-10 0




1.625"

S/N 123456789012
LOT NO VARN SH
EXP LOT/EXP

Usual Dosage: Read accompanying prescribing literature.
Swallow tablets whole. Do not cut, break, chew, crush, or dissolve.

Attention Dispenser: Accompanying Medication Guide must be provided to the patient upon dispensing.


NDC 59011-430-10

OxyContin® 
(oxycodone hydrochloride extended-release tablets)

30mg


100 Tablets Rx Only
Purdue Pharma L.P.

Dispense in a tight, light-resistant container. Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
U.S. Pat. Nos. 6,962,742; 6,962,743; 7,657,799; 7,674,800; 8,083,979; 7,625,614; 8,383,839; 8,309,600; and 8,337,889.



3 59011-430-10 9

3.375"
.50" .53125" 1.3125" 1.03125"



1.625"


S/N 123456789012
LOT NO VARN SH
EXP LOT/EXP

■

Usual Dosage: Read accompanying prescribing literature.
Swallow tablets whole. Do not cut, break, chew, crush, or dissolve.

Attention Dispenser: Accompanying Medication Guide must be provided to the patient upon dispensing.

NDC 59011-440-10

OxyContin 
(oxycodone hydrochloride extended-release tablets)

40 mg


100 Tablets Rx Only
Purdue Pharma L.P.


Dispense in a light, light-resistant container. Store at 25°C (77°); excursions permitted between 15°-30°C (59°-86°F); see USP Controlled Room Temperature (see USP Chapters 671, 681, 688, 692, 777, 781, 791, 797, 800, 805, 807, 811, 814, 817, 823, 830, 835, and 837.888).

Purdue Pharma L.P.
Stamford, CT 06901-3431
xxxxxx-xx

3 59011-440-10 8

3.375"
.50" .53125" 1.3125" 1.03125"





1.625"

3.375"


.50" .53125" 1.3125" 1.03125"

S/N 123456789012
LOT NO VARN SH
EXP LOT/EXP

Usual Dosage: Read accompanying prescribing literature.
Swallow tablets whole. Do not cut, break, chew, crush, or dissolve.

Attention Dispenser: Accompanying Medication Guide must be provided to the patient upon dispensing.

NDC 59011-460-10

OxyContin 
(oxycodone hydrochloride extended-release tablets)


60mg

for use in opioid-tolerant patients only



100 Tablets Rx Only

Dispense in a tight, light-resistant container. Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
U.S. Patent Nos. 6,489,895; 7,129,248; 7,674,799; 8,008,000; 8,008,001; 8,008,002; 8,008,003; 8,008,004; 8,008,005; 8,008,006; 8,008,007; 8,008,008; 8,008,009; and 8,357,818.



Purdue Pharma L.P.
Stamford, CT 06901-3431
xxxxxx-xx





3 59011-460-10 6





PDDIE-180
 HUD Carton





PDDIE-180
 HUD Carton







PDDIE-180
 HUD Carton




PDDIE-180
 HUD Carton






PDDIE-180
 HUD Carton







PDDIE-180
 HUD Carton








Shaded Area = No Print Area




Shaded Area = No Print Area





Shaded Area = No Print Area




Shaded Area = No Print Area





Shaded Area = No Print Area



Shaded Area = No Print Area

